



PREMIUM INDUSTRIAL PRODUCTS

WWW.CAMBRIDGERESOURCES.COM



A Family Business with Global Reach

Decades of growth by putting *customers* and *quality* first

The Cambridge division of Coda Resources introduced a full line of cable ties in the 1990s. Since then, we have expanded to become a market leader with over 4,000 SKUs for the industrial, electrical, plumbing and HVAC markets. We continue to respond to customer feedback, changing demands, and new technologies by constantly adding new products and services.

Our unparalleled global customer support is expertly managed through our hubs in Glendale Heights, IL, and Matawan, NJ. These strategic locations ensure exceptional service and rapid responses, maintaining the highest standards of customer satisfaction and efficiency.

Celebrating
Over 75
Years

CREATIVITY

Even after 75 years, Coda remains fueled by an entrepreneurial spirit. A spirit that never lets us settle for “how things are always done.”

Whether designing new products for our exclusive brand family or tackling a new challenge for contract manufacturing, our mission is to find the best solution available today to execute the product vision.

FLEXIBILITY

Our starting point is listening to you. We set your needs and goals as our project parameters. Then we work tirelessly to craft the best manufacturing and logistical solution for you.

We'll never push you to fit a predefined solution because it's the option that makes things easier for us.

LONGEVITY

We have partnerships that go back decades. We define “partner” broadly. Customers, employees, strategic vendors, contracted external facilities. They are all our partners.

Relationship building is essential to our success and we invest in it heavily. Through our deep relationships, we've built a broad network of trusted, reliable resources that give us and our customers options.

Strategically positioned across the globe


HEADQUARTERS

Chicago, IL

Regional Headquarters
Distribution Center

Matawan, NJ

Corporate Headquarters



GLOBAL MANUFACTURING

Omaha, NE

Manufacturing Facility

Ho Chi Minh, Vietnam

Manufacturing Facility

Heze, Shandong, China

Manufacturing Facility

Beijing, China

Manufacturing Facility

Xinchang, Shanghai, China

Logistics & Sourcing Office

Shenzhen, Guangdong, China

Logistics & Sourcing Office



THE CAMBRIDGE NAME HAS BEEN A TRUSTED NAME IN THE INDUSTRY FOR DECADES



Visit the Coda Resources website to learn more about our custom manufacturing services and other high-quality brands in the Coda Resources Family.

www.codaresources.com

www.cambridgeresources.com

CABLE TIES

08

- 08 Mini
- 08 Intermediate
- 09 Standard
- 10 Pointed Tip
- 10 Assortments
- 11 Heavy Duty
- 12 Extreme Weather
- 12 Releasable
- 13 Headstrong™
- 13 Screwmount
- 13 Push Mount
- 14 Shoe Tie
- 14 ID Marker Tie
- 14 Double Headed
- 14 Ladder
- 15 Loop Lock
- 15 Stainless Steel
- 15 Tools
- 16 Cable Tie Mounts
- 16 Saddle Mounts
- 16 Cable Clamps

CLAMPS

17

- 17 Standard Hose
- 18 Mini Hose
- 18 Assorted Hose
- 18 Quick Release
- 19 Dryer
- 19 Tension
- 19 T-bolt
- 19 Fuel Injector
- 20 Pinch
- 20 PEX Pinch
- 20 Pinch Clamp Crimper
- 20 Hose Clamp Display
- 20 Vinyl Dipped Clamps

WIRE CONNECTORS

21

- 21 Standard
- 22 Winged
- 22 Grounding
- 23 Ring Terminals
- 23 Spade Terminals
- 24 Female Disconnects
- 25 Male Disconnects
- 25 Male & Female Disconnects
- 25 Receptacle Connectors
- 26 Bullet & Receptacle
- 26 Butt Connectors
- 26 Piggyback Disconnects
- 27 Compressor Terminals
- 27 Tandem Disconnect Adapters
- 27 Quick Splice Connectors
- 27 Flag Disconnects
- 27 Ring Lugs
- 28 Closed End Connectors
- 28 Terminal Kits
- 28 Terminal Tools

ELECTRICAL TOOLS

29

- 29 Test Leads
- 29 Alligator Test Clips
- 29 Circuit Tester
- 29 Soldering Iron
- 29 Mini Butane Torch
- 29 Electrical Repair Kits

TAPE

30

- 30 Electrical Tape
- 30 Liquid Tape

ELECTRICAL DISCONNECTS

34

- 34 Electrical Disconnects

CONDUIT

34

- 34 Liquid Tight Flexible Non-Metallic Conduit
- 34 Liquid Tight Fittings
- 34 Locknuts
- 34 Whip Kits
- 34 Mini Split Kit

CONNECTORS

35

- 35 Clamp Service Connectors
- 35 Flex Connectors
- 35 Nipple Connectors

POWER SUPPLY CORD

35

- 35 Power Supply Cord

CAPACITORS

35

- 35 Single Oval Run
- 35 Dual Round Run

CORK TAPE

36

- 36 Cork Insulation Tape

Table of Contents



WIRE & ORGANIZATION

30

30 Heat Shrink Tubing
30 Hook-up Wire
30 Primary Wire
31 SJTO-Service Cord
31 Flex Tubing
31 Staples

SWITCHES, FUSES & SOCKETS

31

31 Rocker Switches
31 Push, Touch & Pull Switches
31 Starter Switches
32 Toggle Switches
32 Battery Isolator Switch
32 Switch Wiring Kit
32 Blade-Type Fuse
32 Fuse Holder
32 USB Lighter Socket

CONDUIT STRAPS

32

32 Mounting Straps

RECEPTACLES

33

33 Receptacles

ELECTRICAL BOXES & COVERS

33

33 Junction Boxes
33 Electrical Covers
33 Emergency Switch Covers

FOAM SOLUTIONS

36

36 Foam Insulation Tape
36 Foam Sealant

MALLEABLE IRON PIPE FITTINGS (BLACK & GALV)

36

36 90° Elbows
37 90° Street Elbows
37 90° Reducing Elbows
38 45° Elbows
38 45° Street Elbows
39 Side Outlet Elbows
39 Right Left Couplings
39 Couplings
40 Reducing Couplings
41 Bushings
42 Tees
42 Side Outlet Tees
43 Reducing Tees
43 Service Tees
44 Unions
44 Crosses
44 Extension Pieces
45 Caps
45 Plugs
46 Flanges
46 Lock Nuts
46 Male Adapters
46 Compression Couplings
46 Insert Couplings

STEEL NIPPLES & PIPE (BLACK & GALV)

47

47 Nipples
54 Cut Pipe
55 Pipe Displays

MERCHANT COUPLINGS (BLACK & GALV)

55

55 Merchant Couplings

GAS CONNECTORS & VALVES

56

56 Standard
60 Yellow Coated
63 Black Coated
64 PVC Gray Coated
64 Infrared
64 Gas Connector Kits
64 Gas Connector Display & Hooks
65 Flared / Threaded Gas Valves
65 Ball - One Piece Construction Gas Valve
65 Threaded Ball Gas Valve

DIELECTRIC GAS UNION

65

65 Dielectric
Gas Union

FLARE FITTINGS

65

65 Steel Flare
Fittings
66 Brass Short
Forged
Flare Nut
66 Brass Short
Flared Rod Nut
66 Brass Forged
Swivel Flare
Connector
66 Brass Flare Union
66 Brass Flare Elbow

GAS TEST GAUGE

66

66 Bell
66 Horizontal
66 Tridicator
Boiler Gauge

BALL VALVES

66

66 Sweat Ball
66 Press Ball

GARDEN HOSE FITTING

66

66 Garden
Hose Fitting

PIPE REPAIR CLAMPS

67

67 1 Bolt
67 2 Bolt

CONDENSATE CONTROL

70

70 Condensate
Drain Line
Cleaning
70 CO₂ cartridges
70 Mini-Split Drain
Line
70 PVC Tubing
70 P-trap/R-Trap/J-Trap
70 Hydro Switch
71 Condensate
Pumps

PADS

71

71 Anti Vibration
Pads
71 Isolation Pads
71 Condenser Pads

MOUNTING SYSTEMS

72

72 Heat Pump
Risers
72 Furnace
Mounting
Block
72 Air Handler
Block
72 A/C Brackets

ACR COPPER FITTINGS

72

72 Couplings
with Stop
72 Couplings
No Stop
72 Reducing
Couplings
72 Fitting Reducers
73 45° Elbows
73 45° Street Elbows
73 90° Elbows
73 90° Street Elbows
73 90° Long Turn
Elbows
73 90° Long Turn
Street Elbows
73 Tees
73 Male Adapters
73 P-traps

QUICK CONNECT REFRIGERANT FITTINGS

74

74 Couplings
74 Reducer
Couplings
74 45° Elbows
74 90° Elbows
74 Reducer Elbows
75 Flares
75 Line Markers
75 Disconnect Clips

ICE MAKER KIT

75

75 Ice Maker
Kit

Table of Contents



FLEXIBLE COUPLINGS

67

08 Flexible Couplings

PIPE SUPPORT

67

67 Stud Guard
67 Boca Plate
67 J-Hook
67 Suspension
Clamp
68 Standard Clamp
68 Half Clamp
68 Pipe Hanger
68 Bell Hanger
68 Hook Hanger
68 2 Hole Pipe Strap
69 Pex Support
69 Top Beam Clamp

UTILITY SINK

69

69 Basic 21 Gallon
Utility Sinks & Kits
69 Wall Mounted 19
Gallon Utility Sinks
69 Narrow 16 Gallon
Utility Sinks

HANGING STRAPS

70

70 Plastic Strap
70 Galvanized Strap

WEBBING

70

70 Webbing

REFRIGERANT LOCKING CAPS

75

75 Refrigerant
Locking Caps

ACCESS FITTINGS

75

75 Access Valves
75 Cap with Core
Remover
75 Quick Seal Cap
75 Valve Core
Replacement

CHIP BRUSHES

76

76 Chip Brushes

CLOTH TOWELS

76

76 Cloth Towels

SIGN HANGING

76

76 Toted Banding
76 Boxed Banding
76 Buckles
76 Wing Seal


CABLE TIES - MINI / INTERMEDIATE

Cambridge offers cable ties in a range of lengths from 4 to 60 inches, with tensile strengths varying from 18 to 250 pounds. Whatever your cable tie needs, Cambridge has you covered.

Lengths from 4" through 60" | All cable tie measurements are approximations



Tensile strengths from 18lb to 250lb



MINI

- 6/6 nylon
- 18lb tensile strength
- 0.10" (2.5mm) width
- UL E257228



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
CAMBRIDGE / ZIPITS									
110869	CT10274	4 (100)	0.10 (2.5)	18	0.9 (22)	UV Black	Bag of 100	12	120
110876	CT10283	4 (100)	0.10 (2.5)	18	0.9 (22)	Natural	Bag of 100	12	120
201061	201061	4 (100)	0.10 (2.5)	18	0.9 (22)	UV Black	Bag of 200	12	120
UNBRANDED									
104347	CT4-18COW	4 (100)	0.10 (2.5)	18	0.9 (22)	UV Black	Bag of 100	1	250
104150	CT4-18MOW	4 (100)	0.10 (2.5)	18	0.9 (22)	UV Black	Bag of 1000	25	25
103706	CT4-18C9	4 (100)	0.10 (2.5)	18	0.9 (22)	Natural	Bag of 100	1	250
103669	CT4-18M9	4 (100)	0.10 (2.5)	18	0.9 (22)	Natural	Bag of 1000	25	25
103937*	CT4-18C2*	4 (100)	0.10 (2.5)	18	0.9 (22)	Red	Bag of 100	250	250
103938	CT4-18C3	4 (100)	0.10 (2.5)	18	0.9 (22)	Orange	Bag of 100	1	250
103941*	CT4-18C6*	4 (100)	0.10 (2.5)	18	0.9 (22)	Blue	Bag of 100	250	250
104343	CT5-18COW	5.5 (140)	0.10 (2.5)	18	1.3 (33)	UV Black	Bag of 100	1	250
104151	CT5-18MOW	5.5 (140)	0.10 (2.5)	18	1.3 (33)	UV Black	Bag of 1000	25	25
103708*	CT5-18C9*	5.5 (140)	0.10 (2.5)	18	1.3 (33)	Natural	Bag of 100	250	250
103709	CT5-18M9	5.5 (140)	0.10 (2.5)	18	1.3 (33)	Natural	Bag of 1000	25	25
106069*	CT5-18M2*	5.5 (140)	0.10 (2.5)	18	1.3 (33)	Red	Bag of 1000	25	25
106070	CT5-18M3	5.5 (140)	0.10 (2.5)	18	1.3 (33)	Orange	Bag of 1000	25	25
106071	CT5-18M5	5.5 (140)	0.10 (2.5)	18	1.3 (33)	Green	Bag of 1000	25	25
104304	CT8-18COW	8 (200)	0.10 (2.5)	18	2.1 (53)	UV Black	Bag of 100	200	200
104397	CT8-18MOW	8 (200)	0.10 (2.5)	18	2.1 (53)	UV Black	Bag of 1000	20	20
103733	CT8-18C9	8 (200)	0.10 (2.5)	18	2.1 (53)	Natural	Bag of 100	200	200
103734	CT8-18M9	8 (200)	0.10 (2.5)	18	2.1 (53)	Natural	Bag of 1000	20	20

*Minimum run requirements and lead times may apply.

INTERMEDIATE

- 6/6 nylon
- 40lb tensile strength
- 0.14" (3.6mm) width
- UL E257228



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
CAMBRIDGE / ZIPITS									
111893	CT10318	6 (150)	0.14 (3.6)	40	1.3 (33)	UV Black	Bag of 100	12	120
111892	CT10316	6 (150)	0.14 (3.6)	40	1.3 (33)	Natural	Bag of 100	12	120
112313*	CT10315*	6 (150)	0.14 (3.6)	40	1.3 (33)	Natural	Bag of 1000	25	25
110883	CT10291	8 (200)	0.14 (3.6)	40	2.1 (53)	UV Black	Bag of 20	120	120
110870	CT10275	8 (200)	0.14 (3.6)	40	2.1 (53)	UV Black	Bag of 100	12	120
110882*	CT10290*	8 (200)	0.14 (3.6)	40	2.1 (53)	Natural	Bag of 20	120	120
110877	CT10284	8 (200)	0.14 (3.6)	40	2.1 (53)	Natural	Bag of 100	12	120
110879	CT10286	11 (280)	0.14 (3.6)	40	3.0 (76)	UV Black	Bag of 100	12	120
110878	CT10285	11 (280)	0.14 (3.6)	40	3.0 (76)	Natural	Bag of 100	12	120
UNBRANDED									
104263	CT6-40COW	6 (150)	0.14 (3.6)	40	1.3 (33)	UV Black	Bag of 100	250	250
104383	CT6-40MOW	6 (150)	0.14 (3.6)	40	1.3 (33)	UV Black	Bag of 1000	25	25
103710	CT6-40C9	6 (150)	0.14 (3.6)	40	1.3 (33)	Natural	Bag of 100	250	250
103711	CT6-40M9	6 (150)	0.14 (3.6)	40	1.3 (33)	Natural	Bag of 1000	25	25
103886*	CT6-40M2*	6 (150)	0.14 (3.6)	40	1.3 (33)	Red	Bag of 1000	25	25
104420*	CT6-40M3*	6 (150)	0.14 (3.6)	40	1.3 (33)	Orange	Bag of 1000	25	25
103884*	CT6-40M4*	6 (150)	0.14 (3.6)	40	1.3 (33)	Yellow	Bag of 1000	25	25
103889*	CT6-40M5*	6 (150)	0.14 (3.6)	40	1.3 (33)	Green	Bag of 1000	25	25
104421*	CT6-40M6*	6 (150)	0.14 (3.6)	40	1.3 (33)	Blue	Bag of 1000	25	25
104862	CT8-40COW	8 (200)	0.14 (3.6)	40	2.1 (53)	UV Black	Bag of 100	200	200
104385	CT8-40MOW	8 (200)	0.14 (3.6)	40	2.1 (53)	UV Black	Bag of 1000	20	20

*Minimum run requirements and lead times may apply.

CABLE TIES - INTERMEDIATE / STANDARD

INTERMEDIATE

Continued

- 6/6 nylon
- 40lb tensile strength
- 0.14" (3.6mm) width
- UL E257228



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
INTERMEDIATE UNBRANDED <i>CONTINUED</i>									
103765	CT8-40C9	8 (200)	0.14 (3.6)	40	2.1 (53)	Natural	Bag of 100	200	200
103955	CT8-40M9	8 (200)	0.14 (3.6)	40	2.1 (53)	Natural	Bag of 1000	20	20
104462*	CT8-40C2*	8 (200)	0.14 (3.6)	40	2.1 (53)	Red	Bag of 100	200	200
103892*	CT8-40M2*	8 (200)	0.14 (3.6)	40	2.1 (53)	Red	Bag of 1000	20	20
104463*	CT8-40C4*	8 (200)	0.14 (3.6)	40	2.1 (53)	Yellow	Bag of 100	200	200
103888*	CT8-40M4*	8 (200)	0.14 (3.6)	40	2.1 (53)	Yellow	Bag of 1000	20	20
104439*	CT8-40C6*	8 (200)	0.14 (3.6)	40	2.1 (53)	Blue	Bag of 100	200	200
104037*	CT8-40M6*	8 (200)	0.14 (3.6)	40	2.1 (53)	Blue	Bag of 1000	20	20
103890*	CT8-40M5*	8 (200)	0.14 (3.6)	40	2.1 (53)	Green	Bag of 1000	20	20
104505*	CT8-40C8*	8 (200)	0.14 (3.6)	40	2.1 (53)	Gray	Bag of 100	200	200
104663	CT11-40COW	11 (280)	0.14 (3.6)	40	3.0 (76)	UV Black	Bag of 100	100	100
104507	CT11-40MOW	11 (280)	0.14 (3.6)	40	3.0 (76)	UV Black	Bag of 1000	10	10
103762	CT11-40C9	11 (280)	0.14 (3.6)	40	3.0 (76)	Natural	Bag of 100	100	100
103843	CT11-40M9	11 (280)	0.14 (3.6)	40	3.0 (76)	Natural	Bag of 1000	10	10
105865*	CT14-40COW*	14 (370)	0.14 (3.6)	40	4.0 (102)	UV Black	Bag of 100	50	50
104508*	CT14-40MOW*	14 (370)	0.14 (3.6)	40	4.0 (102)	UV Black	Bag of 1000	5	5
104418*	CT14-40M9*	14 (370)	0.14 (3.6)	40	4.0 (102)	Natural	Bag of 1000	5	5

*Minimum run requirements and lead times may apply.

STANDARD

- 6/6 nylon
- 50lb/75lb tensile strength
- 0.19" (48mm) width
- UL E257228



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
CAMBRIDGE / ZIPITS									
110885*	CT10295*	8 (200)	0.19 (4.8)	50	2.0 (50)	Red	Bag of 20	120	120
200603	200603	8 (200)	0.19 (4.8)	50	2.0 (50)	UV Black, Red, Green, Blue, Yellow	Bag of 50 10/Color	5	50
110884*	CT10293*	15 (380)	0.19 (4.8)	50	4.1 (105)	Natural	Bag of 10	120	120
109967	CT12781	8 (200)	0.19 (4.8)	75	2.0 (50)	UV Black	Bag of 100	12	120
110862	CT14083	8 (200)	0.19 (4.8)	75	2.0 (50)	UV Black	Bag of 1000	10	10
109966	CT12780	8 (200)	0.19 (4.8)	75	2.0 (50)	Natural	Bag of 100	12	120
110861	CT14082	8 (200)	0.19 (4.8)	75	2.0 (50)	Natural	Bag of 1000	10	10
109969	CT12783	11 (280)	0.19 (4.8)	75	2.8 (70)	UV Black	Bag of 100	12	120
110864	CT14085	11 (280)	0.19 (4.8)	75	2.8 (70)	UV Black	Bag of 1000	5	5
112506	CT14560	11 (280)	0.19 (4.8)	75	2.8 (70)	Natural	Bag of 50	120	120
109971	CT12785	11 (280)	0.19 (4.8)	75	2.8 (70)	Natural	Bag of 100	12	120
110863	CT14084	11 (280)	0.19 (4.8)	75	2.8 (70)	Natural	Bag of 1000	5	5
110859	CT10276	14 (370)	0.19 (4.8)	75	4.0 (102)	UV Black	Bag of 100	12	60
110866	CT14087	14 (370)	0.19 (4.8)	75	4.0 (102)	UV Black	Bag of 1000	5	5
110860	CT10287	14 (370)	0.19 (4.8)	75	4.0 (102)	Natural	Bag of 100	12	60
110865	CT14086	14 (370)	0.19 (4.8)	75	4.0 (102)	Natural	Bag of 1000	5	5
UNBRANDED									
104337	CT7-50COW	7.5 (190)	0.19 (4.8)	50	1.8 (46)	UV Black	Bag of 100	100	100
104139	CT7-50C9	7.5 (190)	0.19 (4.8)	50	1.8 (46)	Natural	Bag of 100	100	100
104136	CT8-50COW	8 (200)	0.19 (4.8)	50	2.0 (50)	UV Black	Bag of 100	1	100
104137	CT8-50MOW	8 (200)	0.19 (4.8)	50	2.0 (50)	UV Black	Bag of 1000	10	10
103712	CT8-50C9	8 (200)	0.19 (4.8)	50	2.0 (50)	Natural	Bag of 100	1	100
103714	CT8-50M9	8 (200)	0.19 (4.8)	50	2.0 (50)	Natural	Bag of 1000	10	10
103946*	CT8-50C2*	8 (200)	0.19 (4.8)	50	2.0 (50)	Red	Bag of 100	100	100
103947	CT8-50C3	8 (200)	0.19 (4.8)	50	2.0 (50)	Orange	Bag of 100	100	100
105417	CT8-50M3	8 (200)	0.19 (4.8)	50	2.0 (50)	Orange	Bag of 1000	10	10
103948*	CT8-50C4*	8 (200)	0.19 (4.8)	50	2.0 (50)	Yellow	Bag of 100	100	100
103949	CT8-50C5	8 (200)	0.19 (4.8)	50	2.0 (50)	Green	Bag of 100	100	100
103950*	CT8-50C6*	8 (200)	0.19 (4.8)	50	2.0 (50)	Blue	Bag of 100	100	100
106563*	CT8-50M6*	8 (200)	0.19 (4.8)	50	2.0 (50)	Blue	Bag of 1000	10	10
104135	CT11-50COW	11 (280)	0.19 (4.8)	50	2.8 (70)	UV Black	Bag of 100	1	50
105151	CT11-50HOW	11 (280)	0.19 (4.8)	50	2.8 (70)	UV Black	Bag of 500	10	10
104145	CT11-50MOW	11 (280)	0.19 (4.8)	50	2.8 (70)	UV Black	Bag of 1000	5	5
103701	CT11-50C9	11 (280)	0.19 (4.8)	50	2.8 (70)	Natural	Bag of 100	1	50
105269	CT11-50H9	11 (280)	0.19 (4.8)	50	2.8 (70)	Natural	Bag of 500	10	10
103702	CT11-50M9	11 (280)	0.19 (4.8)	50	2.8 (70)	Natural	Bag of 1000	5	5
104830	CT11-50C3	11 (280)	0.19 (4.8)	50	2.8 (70)	Orange	Bag of 100	50	50
104322*	CT11-50C4*	11 (280)	0.19 (4.8)	50	2.8 (70)	Yellow	Bag of 100	50	50
103953*	CT11-50M4*	11 (280)	0.19 (4.8)	50	2.8 (70)	Yellow	Bag of 1000	5	5
103925*	CT11-50C6*	11 (280)	0.19 (4.8)	50	2.8 (70)	Blue	Bag of 100	50	50
107291*	CT11-50M6*	11 (280)	0.19 (4.8)	50	2.8 (70)	Blue	Bag of 1000	5	5
103834	CT11-50M2	11 (280)	0.19 (4.8)	50	2.8 (70)	Red	Bag of 1000	5	5
200604	200604	14 (370)	0.19 (4.8)	50	4.0 (102)	UV Black	Bag of 20	40	40

*Minimum run requirements and lead times may apply.

CABLE TIES - STANDARD / ASSORTMENTS

STANDARD

Continued

- 6/6 nylon
- 50lb/75lb tensile strength
- 0.19" (48mm) width
- UL E257228



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
STANDARD UNBRANDED CONTINUED									
104273	CT14-50COW	14 (370)	0.19 (4.8)	50	4.0 (102)	UV Black	Bag of 100	1	50
200605	200605	14 (370)	0.19 (4.8)	50	4.0 (102)	UV Black	Bag of 200	12	12
105294	CT14-50HOW	14 (370)	0.19 (4.8)	50	4.0 (102)	UV Black	Bag of 500	10	10
104146	CT14-50MOW	14 (370)	0.19 (4.8)	50	4.0 (102)	UV Black	Bag of 1000	5	5
103756	CT14-50C9	14 (370)	0.19 (4.8)	50	4.0 (102)	Natural	Bag of 100	1	50
103730	CT14-50M9	14 (370)	0.19 (4.8)	50	4.0 (102)	Natural	Bag of 1000	5	5
104683*	CT14-50C4*	14 (370)	0.19 (4.8)	50	4.0 (102)	Yellow	Bag of 100	50	50
104447	CT14-50C5	14 (370)	0.19 (4.8)	50	4.0 (102)	Green	Bag of 100	50	50
104684*	CT14-50C6*	14 (370)	0.19 (4.8)	50	4.0 (102)	Blue	Bag of 100	50	50
105799	CT17-50COW	17 (430)	0.19 (4.8)	50	4.3 (110)	UV Black	Bag of 100	50	50
105651	CT17-50C9	17 (430)	0.19 (4.8)	50	4.3 (110)	Natural	Bag of 100	50	50
106856*	CT24-50COW*	24 (610)	0.19 (4.8)	50	7.7 (180)	UV Black	Bag of 100	40	40
105424	CT24-50C9	24 (610)	0.19 (4.8)	50	7.7 (180)	Natural	Bag of 100	40	40
106064*	CT36-50KOW*	36 (920)	0.19 (4.8)	50	10.3 (263)	UV Black	Bag of 50	20	20
104012	CT36-50K9	36 (920)	0.19 (4.8)	50	10.3 (263)	Natural	Bag of 50	20	20

*Minimum run requirements and lead times may apply.

POINTED TIP

- 6/6 nylon
- 50lb tensile strength
- 0.19" (48mm) width

ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
STANDARD UNBRANDED									
106413	CT8-50COW-PT	8 (200)	0.19 (4.8)	50	2.0 (50)	UV Black	Bag of 100	1	100
106414	CT8-50MOW-PT	8 (200)	0.19 (4.8)	50	2.0 (50)	UV Black	Bag of 1000	10	10

CABLE TIES: MINI, INTERMEDIATE & STANDARD ASSORTMENTS

Cable Tie Tubes offer an assortment of commonly-used ties. The tube offers a great way to easily store the ties and keep them available for the next project.

ITEM# 110880* SKU# CT10288*
Mini & Intermediate Cable Ties

4" (100mm) | 18lb | 0.9" (22mm)
8" (200mm) | 40lb | 2.1" (53mm)
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:
5 Ea. 4" Red, Blue, Yellow & UV Black
5 Ea. 8" Red, Blue, Yellow & UV Black
3 Ea. 11" Red & Yellow
2 Ea. 11" Blue & UV Black

UOM: Bag of 50 | Order Multiple:12 | Master QTY: 12

ITEM# 110872 SKU# CT10278
Intermediate Cable Ties

8" (200mm) | 40lb | 2.1" (53mm)
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:
25 8" UV Black
25 11" UV Black

UOM: Bag of 50 | Order Multiple:12 | Master QTY: 12

ITEM# 110892 SKU# CT13806
Mini & Intermediate Cable Ties

4" (100mm) | 18lb | 0.9" (22mm)
8" (200mm) | 40lb | 2.1" (53mm)
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:
10 Ea. 4" Red, Yellow, Blue, UV Black & Natural
10 Ea. 8" Red, Yellow, Blue, UV Black & Natural
10 Ea. 11" Red, Yellow, Blue, UV Black & Natural

UOM: Bag of 150 | Order Multiple:12 | Master QTY: 12

ITEM# 110871 SKU# CT10277
Mini & Intermediate Cable Ties

4" (100mm) | 18lb | 0.9" (22mm)
8" (200mm) | 40lb | 2.1" (53mm)
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:
100 4" UV Black
150 8" UV Black
50 11" UV Black

UOM: Bag of 300 | Order Multiple:12 | Master QTY: 12

ITEM# 110893 SKU# CT13807
Intermediate Cable Ties

4" (100mm) | 18lb | 0.9" (22mm)
8" (200mm) | 40lb | 2.1" (53mm)
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:
100 4" Natural
150 8" Natural
50 11" Natural

UOM: Bag of 300 | Order Multiple:12 | Master QTY: 12

ITEM# 110875* SKU# CT10281*
Heavy Duty Cable Ties

6" (150mm) | 120lb | 1.3" (33mm)
8" (200mm) | 120lb | 2.0" (50mm)
10" (254mm) | 120lb | 2.6" (65mm)

Breakdown:
50 6" Natural
40 8" Natural
10 10" Natural

UOM: Bag of 100 | Order Multiple:12 | Master QTY: 12

ITEM# 110894 SKU# CT13809
Mini & Intermediate Cable Ties

4" (100mm) | 18lb | 0.9" (22mm)
8" (200mm) | 40lb | 2.1" (53mm)
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:
150 Ea. 4" UV Black & Natural
150 Ea. 8" UV Black & Natural
50 Ea. 11" UV Black & Natural

UOM: Bag of 700 | Order Multiple:12 | Master QTY: 12

ITEM# 111358* SKU# CT10282*
Mini & Intermediate Cable Ties

4" (100mm) | 18lb | 0.9" (22mm)
8" (200mm) | 40lb | 2.1" (53mm)
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:
150 Ea. 4" UV Black & Natural
150 Ea. 8" UV Black & Natural
50 Ea. 11" UV Black & Natural

UOM: Tube of 700 | Order Multiple:12 | Master QTY: 12

ITEM# 111092 SKU# CT13118
Mini & Intermediate Cable Ties

4" (100mm) | 18lb | 0.9" (22mm)
8" (200mm) | 40lb | 2.1" (53mm)
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:
175 Ea. 4" UV Black & Natural
100 Ea. 8" UV Black & Natural
25 Ea. 11" UV Black & Natural

UOM: Tube of 600 | Order Multiple:18 | Master QTY: 18

*Minimum run requirements and lead times may apply.

CABLE TIES - ASSORTMENTS / HEAVY DUTY 120LB & 175LB

ITEM# 110881* SKU# CT10289*
Mini & Intermediate Cable Ties

4" (100mm) | 18lb | 0.9" (22mm)
8" (200mm) | 40lb | 2.1" (53mm)

Breakdown:
100 4" Natural
25 Ea. 4" Red, Yellow, Blue, Green
50 8" Natural
25 Ea. 8" Red & Blue
1 Roll Black Electrical Tape

UOM: Tube of 300 | Order Multiple: 12 | Master QTY: 12

ITEM# 110653 SKU# CT13623
Mini & Standard Cable Ties

4" (100mm) | 18lb | 0.9" (22mm)
8" (200mm) | 50lb | 2.0" (50mm)
11" (280mm) | 50lb | 2.8" (70mm)

Breakdown:
300 4" UV Black
300 8" UV Black
50 11" UV Black

UOM: Tube of 650 | Order Multiple: 20 | Master QTY: 20

ITEM# 110652 SKU# CT13622
Mini & Standard Cable Ties

4" (100mm) | 18lb | 0.9" (22mm)
8" (200mm) | 50lb | 2.0" (50mm)
11" (280mm) | 50lb | 2.8" (70mm)

Breakdown:
300 4" Natural
300 8" Natural
50 11" Natural

UOM: Tube of 650 | Order Multiple: 20 | Master QTY: 20

*Minimum run requirements and lead times may apply.

HEAVY DUTY 120lb

- 6/6 nylon
- 120lb tensile strength
- 0.30" (7.6mm) width
- UL E257228



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
CAMBRIDGE / ZIPITS									
111825	CT10340	8 (200)	0.30 (7.6)	120	2.0 (50)	UV Black	Bag of 100	30	30
200485	200485	14 (370)	0.30 (7.6)	120	4.0 (102)	UV Black	Bag of 50	24	24
109982	CT12804	14 (370)	0.30 (7.6)	120	4.0 (102)	UV Black	Bag of 100	12	36
109983	CT12805	14 (370)	0.30 (7.6)	120	4.0 (102)	Natural	Bag of 100	12	36
108176	CT21-120T9-R	21 (530)	0.30 (7.6)	120	5.5 (140)	Natural	Bag of 10	120	120
UNBRANDED									
104433	CT8-120COW	8 (200)	0.30 (7.6)	120	2.0 (50)	UV Black	Bag of 100	30	30
104140	CT8-120C9	8 (200)	0.30 (7.6)	120	2.0 (50)	Natural	Bag of 100	30	30
104368	CT11-120COW	11.5 (300)	0.30 (7.6)	120	3.0 (76)	UV Black	Bag of 100	20	20
104143	CT11-120C9	11.5 (300)	0.30 (7.6)	120	3.0 (76)	Natural	Bag of 100	20	20
104318	CT14-120COW	14 (370)	0.30 (7.6)	120	4.0 (102)	UV Black	Bag of 100	20	20
103770	CT14-120C9	14 (370)	0.30 (7.6)	120	4.0 (102)	Natural	Bag of 100	20	20
105798	CT17-120COW	17 (430)	0.30 (7.6)	120	4.8 (123)	UV Black	Bag of 100	10	10
105775	CT17-120C9	17 (430)	0.30 (7.6)	120	4.8 (123)	Natural	Bag of 100	10	10
105801	CT21-120COW	21 (530)	0.30 (7.6)	120	5.5 (140)	UV Black	Bag of 100	10	10
105802*	CT21-120C9*	21 (530)	0.30 (7.6)	120	5.5 (140)	Natural	Bag of 100	10	10

*Minimum run requirements and lead times may apply.

24" - 48" 175lb Ties

ANSI/UL 181B compliant

Tested to UL 2043, "Fire Test for Heat and Visible Smoke Release for Discrete Products and Their Accessories Installed in Air-Handling Spaces"

Suitable for use in plenums in accordance with the "International Mechanical Code, "Uniform Mechanical Code," and ANSI/NFPA 90A," Installation of Air-Conditioning and Ventilating Systems

HEAVY DUTY 175lb

- 6/6 nylon
- 175lb tensile strength
- 0.35" (9mm) width
- UL E257228 & MH29023



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
CAMBRIDGE / ZIPITS									
105596	CT24-175KOW-B	24 (630)	0.35 (9)	175	7.1 (180)	UV Black	Bag of 50	10	10
105597	CT24-175K9-B	24 (630)	0.35 (9)	175	7.1 (180)	Natural	Bag of 50	10	10
105599	CT32-175K9-B	32 (830)	0.35 (9)	175	9.4 (239)	Natural	Bag of 50	10	10
106234	CT36-175KOW-B	36 (920)	0.35 (9)	175	10.3 (263)	UV Black	Bag of 50	10	10
105570	CT36-175K9-B	36 (920)	0.35 (9)	175	10.3 (263)	Natural	Bag of 50	10	10
108959	CT48-175XOW-B	48 (1220)	0.35 (9)	175	14.4 (365)	UV Black	Bag of 25	20	20
106235	CT48-175KOW-B	48 (1220)	0.35 (9)	175	14.4 (365)	UV Black	Bag of 50	10	10
105840	CT48-175K9-B	48 (1220)	0.35 (9)	175	14.4 (365)	Natural	Bag of 50	10	10
112411	CT53-175XOW-C	53 (1370)	0.35 (9)	175	16.2 (412)	UV Black	Bag of 25	20	20
UNBRANDED									
104414	CT17-175COW	17 (430)	0.35 (9)	175	4.3 (110)	UV Black	Bag of 100	10	10
103764	CT17-175C9	17 (430)	0.35 (9)	175	4.3 (110)	Natural	Bag of 100	10	10
104350	CT21-175KOW	21 (530)	0.35 (9)	175	5.5 (140)	UV Black	Bag of 50	10	10
104266	CT21-175K9	21 (530)	0.35 (9)	175	5.5 (140)	Natural	Bag of 50	10	10
104342	CT24-175KOW	24 (630)	0.35 (9)	175	7.1 (180)	UV Black	Bag of 50	10	10
104132	CT24-175K9	24 (630)	0.35 (9)	175	7.1 (180)	Natural	Bag of 50	10	10
108931*	CT24-175XOW*	24 (630)	0.35 (9)	175	7.1 (180)	Natural	Bag of 25	20	20
105056	CT32-175KOW	32 (830)	0.35 (9)	175	9.4 (239)	UV Black	Bag of 50	10	10

*Minimum run requirements and lead times may apply.

CABLE TIES - HEAVY DUTY 175LB / EXTRA HEAVY DUTY 250LB / EXTREME WEATHER / RELEASABLE

HEAVY DUTY

175lb *Continued*

- 6/6 nylon
- 175lb tensile strength
- 0.35" (9mm) width
- UL E257228 & MH29023



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
HEAVY DUTY 175LB UNBRANDED <i>CONTINUED</i>									
104018	CT32-175K9	32 (830)	0.35 (9)	175	9.4 (239)	Natural	Bag of 50	10	10
104267	CT36-175K0W	36 (920)	0.35 (9)	175	10.3 (263)	UV Black	Bag of 50	10	10
105482	CT36-175K9-P	36 (920)	0.35 (9)	175	10.3 (263)	Natural	Bag of 50	10	10
104268	CT48-175K0W	48 (1220)	0.35 (9)	175	14.4 (365)	UV Black	Bag of 50	10	10
103961	CT48-175K9	48 (1220)	0.35 (9)	175	14.4 (365)	Natural	Bag of 50	10	10
110594	CT53-175X9	53 (1370)	0.35 (9)	175	16.2 (412)	Natural	Bag of 25	20	20
109831*	CT60-175K0W*	60 (1530)	0.35 (9)	175	18.1 (460)	UV Black	Bag of 50	10	10
106337	CT60-175K9	60 (1530)	0.35 (9)	175	18.1 (460)	Natural	Bag of 50	10	10

*Minimum run requirements and lead times may apply.

EXTRA HEAVY DUTY 250lb

- 6/6 nylon
- 250lb tensile strength
- 0.5" (12.7mm) width
- UL E257228



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
UNBRANDED									
106669	CT18-250X0W	18.5 (480)	0.5 (12.7)	250	4.7 (120)	UV Black	Bag of 25	40	40
103875	CT18-250X9	18.5 (480)	0.5 (12.7)	250	4.7 (120)	Natural	Bag of 25	40	40
105065	CT23-250X0W	23 (580)	0.5 (12.7)	250	6.0 (152)	UV Black	Bag of 25	40	40
105315	CT23-250X9	23 (580)	0.5 (12.7)	250	6.0 (152)	Natural	Bag of 25	40	40
105119*	CT35-250X0W*	35 (880)	0.5 (12.7)	250	9.8 (250)	UV Black	Bag of 25	20	20
104705*	CT35-250X9*	35 (880)	0.5 (12.7)	250	9.8 (250)	Natural	Bag of 25	20	20
105052*	CT40-250X9*	40 (1030)	0.5 (12.7)	250	11.5 (292)	Natural	Bag of 25	20	20

*Minimum run requirements and lead times may apply.

EXTREME WEATHER

- 6/6 nylon
- 175lb tensile strength
- 0.35" (9mm) width
- UL E257228



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
CAMBRIDGE / ZIPITS									
112411	CT53-175X0W-C	53 (1370)	0.35 (9)	175	16.2 (412)	UV Black	Bag of 25	20	20

SPECIALTY TIES

Specialty ties are engineered with specific applications in mind. Whether multiple bundles or multiple usage; ease of use or added flexibility, Cambridge™ specialty ties ensure each application's needs are met with the standards and quality our customers rely on.

RELEASABLE TIES



Cambridge™ releasable cable ties have an **easy push-button release mechanism** that makes them ideal for removing, repositioning, and reusing.

- 6/6 nylon
- 50lb tensile strength
- 0.30" (7.6mm) width
- UL E257228



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
CAMBRIDGE / ZIPITS									
110873*	CT10279*	8 (200)	0.30 (7.6)	50	2.0 (50)	UV Black & Natural	Bag of 20	12	12
110891	CT12796	8 (200)	0.30 (7.6)	50	2.0 (50)	UV Black	Bag of 20	12	120
110874	CT10280	12 (300)	0.30 (7.6)	50	3.1 (80)	UV Black & Natural	Bag of 20	12	12
110311	CTRG14-50COW-B	14.5 (370)	0.30 (7.6)	50	4.0 (102)	UV Black	Bag of 100	50	50
UNBRANDED									
104856	CTRG6-50COW	6 (150)	0.30 (7.6)	50	1.4 (35)	UV Black	Bag of 100	50	50
105046*	CTRG6-50C9*	6 (150)	0.30 (7.6)	50	1.4 (35)	Natural	Bag of 100	50	50
104601	CTRG8-50COW	8 (200)	0.30 (7.6)	50	2.0 (50)	UV Black	Bag of 100	90	90
104792	CTRG8-50C9	8 (200)	0.30 (7.6)	50	2.0 (50)	Natural	Bag of 100	90	90
109692*	CTRG8-50C2*	8 (200)	0.30 (7.6)	50	2.0 (50)	Red	Bag of 100	90	90
104738*	CTRG10-50COW*	10 (250)	0.30 (7.6)	50	2.6 (66)	UV Black	Bag of 100	50	50
105045*	CTRG10-50C9*	10 (250)	0.30 (7.6)	50	2.6 (66)	Natural	Bag of 100	50	50
104855	CTRG12-50COW	12 (300)	0.30 (7.6)	50	3.1 (80)	UV Black	Bag of 100	50	50
105072*	CTRG12-50C9*	12 (300)	0.30 (7.6)	50	3.1 (80)	Natural	Bag of 100	50	50
111726*	CTRG12-50C2*	12 (300)	0.30 (7.6)	50	3.1 (80)	Red	Bag of 100	50	50
109691*	CTRG12-50C6*	12 (300)	0.30 (7.6)	50	3.1 (80)	Blue	Bag of 100	50	50
105082	CTRG14-50COW	14.5 (370)	0.30 (7.6)	50	4.0 (102)	UV Black	Bag of 100	50	50
105048*	CTRG14-50C9*	14.5 (370)	0.30 (7.6)	50	4.0 (102)	Natural	Bag of 100	50	50

*Minimum run requirements and lead times may apply.

CABLE TIES - HEADSTRONG / SCREWMOUNT / PUSH MOUNT

HEADSTRONG™ TIES

Steel Lock

Reinforced metal pawl provides increased strength and security.
Great for ever-changing environments and where constant resistance is placed on the tie.


- 6/6 nylon
- Variety of tensile strengths available



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
CAMBRIDGE / ZIPITS									
200601	200601	7 (186)	0.19 (4.8)	50	1.77 (45)	UV Black	Bag of 20	12	120
112475	CT12807	7 (186)	0.19 (4.8)	50	1.77 (45)	UV Black	Bag of 100	120	120
UNBRANDED									
109865	CTHS4-18COW	4 (100)	0.09 (2.4)	18	.9 (23)	UV Black	Bag of 100	50	50
109857	CTHS4-18C9	4 (100)	0.09 (2.4)	18	.9 (23)	Natural	Bag of 100	50	50
109913*	CTHS8-18COW*	8 (200)	0.09 (2.4)	18	2.0 (51)	UV Black	Bag of 100	50	50
109911	CTHS6-40COW	6 (150)	0.14 (3.6)	40	1.4 (35)	UV Black	Bag of 100	50	50
110896	CTHS7-50COW	7 (186)	0.19 (4.8)	50	1.7 (45)	UV Black	Bag of 100	50	50
110897	CTHS7-50C9	7 (186)	0.19 (4.8)	50	1.7 (45)	Natural	Bag of 100	50	50
110899	CTHS7-50M9	7 (186)	0.19 (4.8)	50	1.7 (45)	Natural	Bag of 1000	5	5
106430	CTHS11-50COW	11 (300)	0.19 (4.8)	50	3.2 (81)	UV Black	Bag of 100	50	50
106432	CTHS14-50COW	14 (355)	0.19 (4.8)	50	3.9 (100)	UV Black	Bag of 100	50	50
109904*	CTHS15-50C9*	15 (380)	0.19 (4.8)	50	4.2 (107)	Natural	Bag of 100	50	50
109909	CTHS28-110KOW	28 (710)	0.28 (7)	110	8.0 (203)	UV Black	Bag of 50	10	10
109901	CTHS15-120KOW	15 (380)	0.39 (10)	120	4.3 (109)	UV Black	Bag of 50	20	20
109907	CTHS18-120KOW	18 (457)	0.39 (10)	120	4.9 (124)	UV Black	Bag of 50	50	50

*Minimum run requirements and lead times may apply.

SCREWMOUNT TIES



Screw mount cable tie heads feature a screw hole used for mounting the cable tie to any surface.


- 6/6 nylon
- Variety of tensile strengths available
- UL E257228



ITEM#	SKU#	LENGTH Inches (mm)	SCREW SIZE	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
CAMBRIDGE / ZIPITS										
110868	CT14089	8 (200)	#12	0.19 (4.8)	50	2.0 (50)	UV Black	Bag of 100	12	120
110867	CT14088	8 (200)	#12	0.19 (4.8)	50	2.0 (50)	Natural	Bag of 100	12	120
114187	CT14091	11 (280)	#12	0.19 (4.8)	50	3.0 (76)	UV Black	Bag of 100	12	60
122239	CT14090	11 (280)	#12	0.19 (4.8)	50	3.0 (76)	Natural	Bag of 100	10	50
122244	CT14093	14.5 (370)	#12	0.19 (4.8)	50	4.0 (102)	UV Black	Bag of 100	10	50
122240	CT14092	14.5 (370)	#12	0.19 (4.8)	50	4.0 (102)	Natural	Bag of 100	10	50
UNBRANDED										
105246*	CTM4-18COW*	4 (110)	#5	0.10 (2.4)	18	0.9 (22)	UV Black	Bag of 100	100	100
103758*	CTM4-18C9*	4 (110)	#5	0.10 (2.4)	18	0.9 (22)	Natural	Bag of 100	100	100
104951	CTM6-40COW	6 (150)	#8	0.14 (3.6)	40	1.3 (32)	UV Black	Bag of 100	100	100
103848	CTM6-40C9	6 (150)	#8	0.14 (3.6)	40	1.3 (32)	Natural	Bag of 100	100	100
104402	CTM8-50COW	8 (200)	#12	0.19 (4.8)	50	2.0 (50)	UV Black	Bag of 100	100	100
103767	CTM8-50C9	8 (200)	#12	0.19 (4.8)	50	2.0 (50)	Natural	Bag of 100	100	100
104726	CTM11-50COW	11 (300)	#12	0.19 (4.8)	50	3.0 (76)	UV Black	Bag of 100	50	50
104558	CTM11-50C9	11 (300)	#12	0.19 (4.8)	50	3.0 (76)	Natural	Bag of 100	50	50
104401	CTM14-50COW	14.5 (370)	#12	0.19 (4.8)	50	4.0 (102)	UV Black	Bag of 100	50	50
104249	CTM14-50C9	14.5 (370)	#12	0.19 (4.8)	50	4.0 (102)	Natural	Bag of 100	50	50
104445*	CTM15-120COW*	15 (380)	1/4"	0.30 (7.6)	120	3.9 (98)	UV Black	Bag of 100	20	20
104338	CTM15-120C9	15 (380)	1/4"	0.30 (7.6)	120	3.9 (98)	Natural	Bag of 100	20	20

*Minimum run requirements and lead times may apply.

PUSH MOUNT TIES



Push mount cable ties feature an easy-to-use built-in anchor mount that securely snaps into pre-drilled holes to secure cables or other objects to surfaces. This eliminates the need for any cable tie base when attaching directly to a panel.

- 6/6 nylon
- Variety of tensile strengths
- UL E257228



ITEM#	SKU#	LENGTH Inches (mm)	HOLE SIZE Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
UNBRANDED										
105485	CTP4-18COW	4 (110)	0.19 (4.7)	0.10 (2.4)	18	1.1 (28)	UV Black	Bag of 100	50	50
105721	CTP5-30COW	5 (130)	0.157 (4.0)	0.13 (3.2)	30	1.1 (28)	UV Black	Bag of 100	50	50
104672	CTP7-50COW	7.5 (200)	0.252 (6.4)	0.19 (4.8)	50	1.8 (45)	UV Black	Bag of 100	100	100
104653	CTP7-50C9	7.5 (200)	0.252 (6.4)	0.19 (4.8)	50	1.8 (45)	Natural	Bag of 100	100	100

CABLE TIES - TIE WITH STOPPER / ID MARKER / DOUBLE HEADED / LADDER

TIE WITH STOPPER (SHOE TIE)

- 6/6 nylon
- Variety of tensile strengths available
- UL E257228



Cambridge™ ties with stoppers feature a unique **stop** that restricts the length the tie can be fastened. This allows for easy fitting while also assuring security.




ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
CAMBRIDGE / ZIPITS									
200399	200399	6 (150)	0.14 (3.6)	40	1.40 (35)	Natural	Bag of 100	250	250
UNBRANDED									
110166	CBT11WST-OW	11 (300)	0.14 (3.6)	40	3.2 (82)	UV Black	Bag of 1000	5	5
103639	CBT11WST	11 (300)	0.14 (3.6)	40	3.2 (82)	Natural	Bag of 1000	5	5
103747	CBT24WST	24 (600)	0.14 (3.6)	18	6.9 (175)	Natural	Bag of 500	20	20
103641	CBT31WST	31.5 (800)	0.14 (3.6)	18	9.2 (235)	Natural	Bag of 500	20	20

IDENTIFICATION MARKER

- 6/6 nylon
- Variety of tensile strengths available
- UL E257228



ID marker ties have large writable areas that are ideal for imprinting, hot stamping or other specialized customer requirements.




ITEM#	SKU#	LENGTH Inches (mm)	SCREW SIZE	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
UNBRANDED										
A. FLAG TIES										
104319	CTID4-1-18C9	4.4 (112)	1" x 0.3"	0.10 (2.4)	18	0.7 (18)	Natural	Bag of 100	100	100
B. HORIZONTAL TIES										
103715	CTID4-2-18C9	4 (100)	1" x 0.3"	0.10 (2.4)	18	0.7 (18)	Natural	Bag of 100	100	100
C. VERTICAL TIES										
103766	CTID7-3-50C9	7.5 (190)	0.5" x 1.1"	0.19 (4.8)	50	1.8 (46)	Natural	Bag of 100	50	50
106608*	CTID11-3-50C9*	10.6 (270)	0.5" x 1.1"	0.19 (4.8)	50	2.6 (65)	Natural	Bag of 100	50	50

DOUBLE HEADED

- 6/6 nylon
- 50lb tensile strength
- UR E257228



Double headed cable ties feature a two-loop design made for separating wire bundles. The added loop can also fasten to a fixed object, eliminating the need for additional ties.




ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
UNBRANDED									
105791*	CTDH8-50MOW*	8 (200)	0.19 (48)	50	1.85 (47), 1.77 (45)	UV Black	Bag of 1000	10	10
105707	CTDH8-50C9	8 (200)	0.19 (48)	50	1.85 (47), 1.77 (45)	Natural	Bag of 100	50	50
106477*	CTDH11-50COW*	11 (300)	0.19 (48)	50	2.83 (72), 2.76 (70)	UV Black	Bag of 100	50	50
105122*	CTDH11-50C9*	11 (300)	0.19 (48)	50	2.83 (72), 2.76 (70)	Natural	Bag of 100	50	50

*Minimum run requirements and lead times may apply.

LADDER

- 6/6 nylon
- what specs can i put here??



Ladder ties are more flexible than typical cable ties, making them great for bundling in hard to reach places. Their durable lock keeps bundles that are prone to vibration, sturdy and secure. Composed of less plastic than the average cable ties, ladder ties are lightweight and environmentally conscious.



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
UNBRANDED									
108795	CT11-LADM9	7 (178)	0.14 (3.6)	28	2.0 (50)	Natural	Bag of 1000	5	5

CABLE TIES - LOOP LOCK / STAINLESS STEEL 100LB, 175LB, 250LB / CABLE TIE TOOLS

LOOP LOCK



Loop locks and loop ties are a great way to secure price tags to merchandise, seal totes, and connect many other items.

- 6/6 nylon
- 10lb tensile strength



ITEM#	SKU#	LENGTH Inches (mm)	TENSILE STRENGTH lbs	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
UNBRANDED							
104942*	3LLB-BX*	3 (76)	10	UV Black	Bag of 5000	10	10
101418	3LL-BX	3 (76)	10	Natural	Bag of 5000	10	10
103904*	5LLB*	5 (127)	10	UV Black	Bag of 5000	10	10
101489	5ALT-BX	5 (127)	10	Natural	Bag of 5000	10	10
100568	5LL-BX	5 (127)	10	Natural	Bag of 5000	10	10
100663	9LL-BX	9 (229)	10	Natural	Bag of 5000	10	10


*Minimum run requirements and lead times may apply.

STAINLESS STEEL 100lb/175lb/ 250lb

- Stainless steel
- Variety of tensile strengths available



RESISTANT TO



FIRE | CORROSION | CHEMICALS | WATER | UV EXPOSURE

Holds up to severe weather conditions and environments and is perfect for heavy duty applications. Commonly used for hanging street signs or holding large pipes in place.

ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
CAMBRIDGE / ZIPITS									
110890	CT10294	10 (250)	0.18 (4.6)	100	2.5 (63)	Stainless Steel	Bag of 10	120	120
200218	200218	36 (914)	0.30 (7.6)	175	10.35 (263)	Stainless Steel	Bag of 50	10	10
UNBRANDED									
104476*	CTSS8-100C*	8 (200)	0.18 (4.6)	100	1.97 (50)	Stainless Steel	Bag of 100	10	10
107388	CTSS10-100C	10 (250)	0.18 (4.6)	100	2.52 (64)	Stainless Steel	Bag of 100	10	10
104475	CTSS14-100C	14 (350)	0.18 (4.6)	100	3.54 (90)	Stainless Steel	Bag of 100	10	10
105388	CTSS20-100C	20 (500)	0.18 (4.6)	100	5.12 (130)	Stainless Steel	Bag of 100	10	10
104422*	CTSS26-100C*	26 (650)	0.18 (4.6)	100	6.65 (169)	Stainless Steel	Bag of 100	10	10
104669*	CTSS8-250C*	8 (200)	0.30 (7.6)	250	1.97 (50)	Stainless Steel	Bag of 100	10	10
107389	CTSS10-250C	10 (250)	0.30 (7.6)	250	2.52 (64)	Stainless Steel	Bag of 100	35	35
104848*	CTSS14-250C*	14 (350)	0.30 (7.6)	250	3.54 (90)	Stainless Steel	Bag of 100	10	10
105398*	CTSS20-250C*	20 (500)	0.30 (7.6)	250	5.12 (130)	Stainless Steel	Bag of 100	10	10
107770*	CTSS33-250C*	33 (850)	0.30 (7.6)	250	7.95 (202)	Stainless Steel	Bag of 100	10	10
107771	CTSS47-250C	47 (1200)	0.30 (7.6)	250	10.16 (258)	Stainless Steel	Bag of 100	10	10

*Minimum run requirements and lead times may apply.

CABLE TIE TOOLS



ITEM# 103725 SKU# CTT-701

This lightweight and economical cable tie tool allows you to easily tighten cable ties to the desired tension for a maximum hold. A slight twist of the tool cuts off the excess strap from the cable tie. Ergonomically designed, this tool is easy to use without straining your hands.

Designed to work with mini and standard cable ties.

UOM: Bag of 1
ORDER MULTIPLE: 100
MASTER QTY: 100



ITEM# 103726 SKU# CTT-702

This lightweight plastic tool automatically controls tension and cuts off by squeezing its handle. It cuts close to the head of the cable tie to ensure no sharp edges are sticking out. Ergonomically designed to reduce operator fatigue.

Designed to work with 18-50lb cable ties.

UOM: Blister of 1
ORDER MULTIPLE: 25
MASTER QTY: 25



ITEM# 200060

This cable tie tensioning tool installs nylon cable ties quickly and safely. It has non-slip cushion handles providing comfort and control, and an easy to operate cut-off mechanism that trims excess cable tie strap.

Designed to work with 40-175lb cable ties.

UOM: Blister of 1
ORDER MULTIPLE: 10
MASTER QTY: 40



ITEM# 200551

This premium cable tie tensioning tool installs nylon cable ties quickly and safely with cushioned handle grips that allow for comfort and control. There is a tensioning adjustment knob that makes cutting easier and more precise, with an easy-to-read tension setting window.

Designed to work with 40-175lb cable ties

UOM: Blister of 1
ORDER MULTIPLE: 42
MASTER QTY: 42

CABLE TIE MOUNTS / SADDLE MOUNTS / CABLE CLAMPS

CABLE TIE MOUNTS

Cambridge cable tie mounts are made of nylon and securely fasten cable ties to any surface. A screw hole and self-adhesive backing enable users to easily attach the mount to any flat surface. This allows for easy organization of all cables, wires, ropes, and more.



· Use with 18lb
· No screw hole

· Use with 18 & 40lb
· Screw size: #5

· Use with 18, 40, & 50lb
· Screw size: #10

ITEM#	SKU#	SIZE Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
UNBRANDED						
103759	ACMB50C	0.50 (12.7)	Natural	Bag of 100	1	50
105281*	ACMB50C-0*	0.50 (12.7)	UV Black	Bag of 100	50	50
103760	ACMB75C	0.75 (19)	Natural	Bag of 100	1	50
104796	ACMB75C-0	0.75 (19)	UV Black	Bag of 100	1	50
103729	ACMB11C	1.1 (28)	Natural	Bag of 100	1	50
104265	ACMB11C-0	1.1 (28)	UV Black	Bag of 100	1	50
BRANDED						
109976	CT12792	1.1 (28)	UV Black	Bag of 10	20	120
200463	200463	1.1 (28)	Natural	Bag of 25	4	200
110592	ACMB11K-0-B	1.1 (28)	UV Black	Bag of 50	1	50

*Minimum run requirements and lead times may apply.

SADDLE MOUNTS



Cambridge saddle mounts are screwed into place, providing enhanced stability, increased load-bearing capacity and versatile installation options.

ITEM#	SKU#	HOLE DIAMETER Inches (mm)	COUNTERBORE DIAMETER Inches (mm)	SCREW SIZE Mounting	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
UNBRANDED								
106415*	SM-1*	0.15 (3.7)	0.276 (7)	#6	Natural	Bag of 100	50	50
106416*	SM-2*	0.25 (6.4)	0.496 (12.6)	1/4"	Natural	Bag of 100	50	50

*Minimum run requirements and lead times may apply.

CABLE CLAMPS



CLOSED

OPEN

BOTTOM

Cambridge cable clamps are made of nylon and feature a screw hole designed for mounting bundles of wires, cables, and ropes to a wall or panel. The cable clamps are easy-to-use and provide a strong hold around wires, cables, ropes, and more.

ITEM#	SKU#	A Inches (mm)	B Inches (mm)	C Inches (mm)	SCREW DIAMETER Inches (mm)	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
CAMBRIDGE BRANDED									
112740	CL14585	0.82 (20.9)	0.248 (6.3)	0.500 (12.7)	0.21 (5.3)	Natural	Bag of 48	12	120
112741	CL14586	1.05 (26.7)	0.374 (9.5)	0.500 (12.7)	0.21 (5.3)	Natural	Bag of 41	12	120
112742	CL14587	1.19 (30.2)	0.500 (12.7)	0.500 (12.7)	0.21 (5.3)	Natural	Bag of 25	12	120
UNBRANDED									
104614*	CC3-1/8B*	0.130 (3.3)	0.142 (3.6)	0.358 (9.1)	0.21 (5.3)	UV Black	Bag of 100	100	100
103752	CC3-3/16	0.189 (4.8)	0.209 (5.3)	0.358 (9.1)	0.21 (5.3)	Natural	Bag of 100	1	100
105500	CC3-3/16B	0.189 (4.8)	0.209 (5.3)	0.358 (9.1)	0.21 (5.3)	UV Black	Bag of 100	1	100
103751	CC3-1/4	0.260 (6.6)	0.291 (7.4)	0.358 (9.1)	0.21 (5.3)	Natural	Bag of 100	1	100
104966	CC3-1/4B	0.260 (6.6)	0.291 (7.4)	0.358 (9.1)	0.21 (5.3)	UV Black	Bag of 100	1	100
105502	CC3-5/16B	0.307 (7.8)	0.350 (8.9)	0.358 (9.1)	0.21 (5.3)	UV Black	Bag of 100	1	100
103753	CC3-3/8	0.382 (9.7)	0.429 (10.9)	0.362 (9.2)	0.21 (5.3)	Natural	Bag of 100	1	100
105501	CC3-3/8B	0.382 (9.7)	0.429 (10.9)	0.362 (9.2)	0.21 (5.3)	UV Black	Bag of 100	1	100
105852	CC5-1/8B	0.114 (2.9)	0.122 (3.1)	0.500 (12.7)	0.21 (5.3)	UV Black	Bag of 100	1	100
103776*	CC5-1/4*	0.232 (5.9)	0.248 (6.3)	0.500 (12.7)	0.21 (5.3)	Natural	Bag of 100	100	100
106177*	CC5-1/4B*	0.232 (5.9)	0.248 (6.3)	0.500 (12.7)	0.21 (5.3)	UV Black	Bag of 100	100	100
103820	CC5-3/8	0.358 (9.1)	0.374 (9.5)	0.500 (12.7)	0.21 (5.3)	Natural	Bag of 100	1	100
105755*	CC5-3/8B*	0.358 (9.1)	0.374 (9.5)	0.500 (12.7)	0.21 (5.3)	UV Black	Bag of 100	100	100
103755	CC5-1/2	0.480 (12.2)	0.500 (12.7)	0.500 (12.7)	0.21 (5.3)	Natural	Bag of 100	1	100
105686	CC5-1/2B	0.480 (12.2)	0.500 (12.7)	0.500 (12.7)	0.21 (5.3)	UV Black	Bag of 100	1	100
105776*	CC5-5/8B*	0.607 (15.4)	0.622 (15.8)	0.500 (12.7)	0.21 (5.3)	UV Black	Bag of 100	50	50
105893*	CC5-3/4B*	0.732 (18.6)	0.748 (19.0)	0.500 (12.7)	0.21 (5.3)	UV Black	Bag of 100	50	50
105894*	CC5-7/8B*	0.858 (21.8)	0.874 (22.2)	0.500 (12.7)	0.21 (5.3)	UV Black	Bag of 100	50	50
111596*	CC5-1-1/8B*	1.10 (27.9)	1.122 (28.5)	0.500 (12.7)	0.21 (5.3)	UV Black	Bag of 100	50	50

*Minimum run requirements and lead times may apply.

CLAMPS - STANDARD HOSE CLAMPS

Cambridge clamps are used in a wide range of applications, including:

Material Guide

- All Stainless Steel
- Stainless Steel Band & Housing
Zinc Plated Screw
- Stainless Steel Band
Zinc Plated Housing & Screw



Auto



Plumbing



Construction



HVAC



Home Improvement



Stainless steel resists corrosion, heat damage and chemical damage

STANDARD HOSE CLAMPS



Standard hose clamps are multi-purpose clamps used to seal hoses or pipes onto fittings. They are easy to use and provide a tight and secure hold. The Standard hose clamps exceed 60 inch pounds of torque, and meets or exceeds SAE J1508 standards.

SERIES 2000
All Stainless Steel
1/2" BAND

SERIES 2300
Stainless Steel Band & Housing, Zinc Plated Screw
1/2" BAND

SERIES 2500
Stainless Steel Band, Zinc Plated Housing & Screw
1/2" BAND

SERIES 3300
Stainless Steel Band & Housing, Zinc Plated Screw
9/16" BAND



SAE SIZE	ITEM#	SKU#	ITEM#	SKU#	ITEM#	SKU#	ITEM#	SKU#	MINIMUM DIAMETER Inches (mm)	MAXIMUM DIAMETER Inches (mm)	UOM	ORDER MULTIPLE	MASTER QTY
6	106191	HC2-6S	105794	HC2-6P	106224	HC2-6E	105815	HC3-6P	7/16 (11)	25/32 (20)	Box of 10	1	100
8	106214	HC2-8S	105795	HC2-8P	106225	HC2-8E	105816	HC3-8P	1/2 (13)	29/32 (23)	Box of 10	1	100
10	106143	HC2-10S	105778	HC2-10P	106217	HC2-10E	105814	HC3-10P	9/16 (14)	1-1/16 (27)	Box of 10	1	100
12	106144	HC2-12S	105749	HC2-12P	106218	HC2-12E	105759	HC3-12P	11/16 (17)	1-1/4 (32)	Box of 10	1	50
16	106048	HC2-16S	105750	HC2-16P	106219	HC2-16E	*105711	HC3-16P	13/16 (21)	1-1/2 (38)	Box of 10	1	50
20	106049	HC2-20S	105751	HC2-20P	106220	HC2-20E	105712	HC3-20P	13/16 (21)	1-3/4 (44)	Box of 10	1	50
24	105818	HC2-24S	105709	HC2-24P	106221	HC2-24E	*105713	HC3-24P	1-1/16 (27)	2 (51)	Box of 10	1	50
28	105792	HC2-28S	105758	HC2-28P	106222	HC2-28E	105753	HC3-28P	1-5/16 (33)	2-1/4 (57)	Box of 10	1	50
32	105777	HC2-32S	105752	HC2-32P	106223	HC2-32E	105779	HC3-32P	1-9/16 (40)	2-1/2 (64)	Box of 10	1	50
36	105793	HC2-36S	105710	HC2-36P	106245	HC2-36E	105780	HC3-36P	1-13/16 (46)	2-3/4 (70)	Box of 10	1	50
40	106305	HC2-40S	106145	HC2-40P	*114966	HC2-40E	*HC3-40P	*HC3-40P	2-1/16 (52)	3 (76)	Box of 10	20	20
44	106574	HC2-44S	107350	HC2-44P	*114967	HC2-44E	*HC3-44P	*HC3-44P	2-5/16 (59)	3-1/4 (83)	Box of 10	20	20
48	105345	HC2-48S	106838	HC2-48P	*108969	HC2-48E	*HC3-48P	*HC3-48P	2-9/16 (65)	3-1/2 (89)	Box of 10	20	20
52	106857	HC2-52S	107453	HC2-52P	*114968	HC2-52E	*HC3-52P	*HC3-52P	2-13/16 (71)	3-3/4 (95)	Box of 10	20	20
56	106845	HC2-56S	106356	HC2-56P	*114969	HC2-56E	*HC3-56P	*HC3-56P	3-1/16 (78)	4 (102)	Box of 10	20	20
64	106306	HC2-64S	106271	HC2-64P	*108970	HC2-64E	*HC3-64P	*HC3-64P	3-9/16 (90)	4-1/2 (114)	Box of 10	20	20
72	106307	HC2-72S	106898	HC2-72P	*114971	HC2-72E	*HC3-72P	*HC3-72P	4-1/18 (105)	5 (127)	Box of 10	20	20
80	106013	HC2-80S	106192	HC2-80P	*114972	HC2-80E	*HC3-80P	*HC3-80P	4-5/8 (117)	5-1/2 (140)	Box of 10	20	20
88	106198	HC2-88S	106193	HC2-88P	*114973	HC2-88E	*HC3-88P	*HC3-88P	5-1/8 (133)	6 (152)	Box of 10	20	20
96	106195	HC2-96S	106194	HC2-96P	*114974	HC2-96E	*HC3-96P	*HC3-96P	5-5/8 (143)	6-1/2 (165)	Box of 10	20	20
104	106304	HC2-104S	106303	HC2-104P	*108968	HC2-104E	*HC3-104P	*HC3-104P	6-1/8 (159)	7 (178)	Box of 10	20	20

*Minimum run requirements and lead times may apply.

MINI HOSE CLAMPS

SERIES 1000
5/16" BAND



All Stainless Steel Design

SERIES 1300
5/16" BAND

Stainless Steel Band & Housing, Zinc Plated Screw

SERIES 1500
5/16" BAND

Stainless Steel Band, Zinc Plated Housing & Screw



SAE SIZE	ITEM#	SKU#	ITEM#	SKU#	ITEM#	SKU#	MINIMUM DIAMETER Inches (mm)	MAXIMUM DIAMETER Inches (mm)	UOM	ORDER MULTIPLE	MASTER QTY
4	105040	HCM-4S	105039	HCM-4P	106226	HCM-4E	7/32 (6)	5/8 (16)	Box of 10	1	100
6	105042	HCM-6S	105041	HCM-6P	106227	HCM-6E	7/16 (11)	25/32 (20)	Box of 10	1	100

HOSE CLAMPS IN JARS

Cambridge jars are a convenient way to display and store hose clamps. The assortments are made up of commonly used clamps.



ITEM# 106520 UOM: Jar of 30
SKU# CJ-HC30 ORDER MULTIPLE: 20
MASTER QTY: 20

3 each SAE sizes:
4, 6, 8, 10, 12, 16, 20, 24, 28, 32

SAE sizes 4 & 6 have 5/16" band.
All others have 1/2" band.

Stainless steel band, zinc-plated housing and screw

HOSE CLAMPS IN BAGS

Cambridge hose clamps also come in assorted bag options for convenience in merchandising and storing.



ITEM#	SKU#	SAE SIZE	MINIMUM DIAMETER Inches	MAXIMUM DIAMETER Inches	BAND WIDTH Inches	UOM	ORDER MULTIPLE	MASTER QTY
**112667	HC14635	4	7/32	5/8	5/16	Bag of 6	12	120
*112743	HC14636	6	7/16	25/32	5/16	Bag of 6	12	120
**112745	HC14638	10	9/16	1-1/16	1/2	Bag of 6	12	120
**112744	HC14637	16	13/16	1-1/2	1/2	Bag of 6	12	120


*Stainless steel band, housing, and screw

**Stainless steel band and housing with a zinc-plated screw

QUICK-RELEASE CLAMPS

- Stainless steel band with zinc plated screw
- Designed to exceed 40 inch pounds of torque

ITEM#	SKU#	SAE SIZE	CLAMPING DIAMETER Inches	LENGTH Inches (mm)	BAND WIDTH Inches (mm)	UOM	ORDER MULTIPLE	MASTER QTY
105734	QR-104PB	104	1-3/4 - 7	22 (559)	1/2 (12.7)	1	50	200
105866	QR-128PB	128	1-3/4 - 8-1/2	27 (686)	1/2 (12.7)	1	50	100
105867	QR-152PB	152	1-3/4 - 10	31 (787)	1/2 (12.7)	1	50	100
105868	QR-188PB	188	1-3/4 - 12-1/4	38 (965)	1/2 (12.7)	1	50	100
105869	QR-232PB	232	1-3/4 - 15	47 (1194)	1/2 (12.7)	1	50	100
105870	QR-258PB	258	1-3/4 - 16-1/4	51 (1295)	1/2 (12.7)	1	50	100
105871	QR-288PB	288	1-3/4 - 18-1/2	57 (1448)	1/2 (12.7)	1	50	100
105872	QR-312PB	312	1-3/4 - 20	63 (1600)	1/2 (12.7)	1	50	100



HIGH-TORQUE QUICK-RELEASE CLAMPS

- Stainless steel band with zinc plated screw
- Designed to exceed 80 inch-pounds of torque

ITEM#	SKU#	SAE SIZE	CLAMPING DIAMETER Inches	LENGTH Inches (mm)	BAND WIDTH Inches (mm)	UOM	ORDER MULTIPLE	MASTER QTY
106160*	QR3-152PBP*	152	1-3/4 - 10	31 (787)	9/16 (14.3)	1	50	100
106084	QR-188PBP	188	1-3/4 - 12-1/4	38 (965)	1/2 (12.7)	1	50	100
106256	QR3-188PBP	188	1-3/4 - 12-1/4	38 (965)	9/16 (14.3)	1	50	100

*Minimum run requirements and lead times may apply.



CLAMPS - BLACK COATED QUICK RELEASE / DRYER / TENSION / T-BOLT / FUEL INJECTOR

BLACK COATED QUICK-RELEASE CLAMPS

- Finished with a smooth black coating
- Stainless steel band with zinc plated screw
- Designed to exceed 40 inch-pounds of torque

ITEM#	SKU#	SAE SIZE	CLAMPING DIAMETER Inches	LENGTH Inches (mm)	BAND WIDTH Inches (mm)	UOM	ORDER MULTIPLE	MASTER QTY
107449*	QR-104PB-C*	104	1-3/4 - 7	22 (559)	1/2 (12.7)	1	200	200
107450*	QR-152PB-C*	152	1-3/4 - 10	31 (787)	1/2 (12.7)	1	50	100
107451*	QR-188PB-C*	188	1-3/4 - 12-1/4	38 (965)	1/2 (12.7)	1	50	100

*Minimum run requirements and lead times may apply.



DRYER CLAMPS

The unique design of Cambridge dryer ventilation clamps makes them the easiest screw style clamps to tighten. Available in a variety of diameter ranges, techs can always find the perfectly sized clamp for most home or industrial dryer installation.

- Zinc plated steel

ITEM#	SKU#	SAE SIZE	MINIMUM DIAMETER Inches (mm)	MAXIMUM DIAMETER Inches (mm)	UOM	ORDER MULTIPLE	MASTER QTY
108956*	HC2-48EE*	48	2-9/16 (65)	3-1/2 (89)	1	200	200
107292*	HC2-64EE*	64	3-9/16 (90)	4-1/2 (114)	1	200	200
111518*	HC2-80EE*	80	4-5/8 (117)	5-1/2 (140)	1	200	200
111519*	HC2-96EE*	96	5-5/8 (143)	6-1/2 (165)	1	200	200

*Minimum run requirements and lead times may apply.



TENSION CLAMPS

Tension clamps have an easy-to-use pressure mechanism.

- Use with 4" non-rigid flexible duct



ITEM#	SKU#	SIZE Inches (mm)	UOM	ORDER MULTIPLE	MASTER QTY
107849	SC-4	4 (102)	1	500	500

*Minimum run requirements and lead times may apply.

HEAVY DUTY T-BOLT CLAMPS


T-bolt clamps are ideal for heavy trucks and industrial machinery.

- Uniform pressure creates a reliable seal
- 34" stainless steel band
- Bolt, nut and trunnion are all constructed of plated steel



ITEM#	SKU#	SAE SIZE	MINIMUM DIAMETER Inches (mm)	MAXIMUM DIAMETER Inches (mm)	UOM	ORDER MULTIPLE	MASTER QTY
106344*	STB-44P*	44	2 (57.2)	2-9/16 (65)	1	100	100
106345*	STB-72P*	72	3 (79.5)	3-7/16 (87.4)	1	50	50
106346*	STB-88P*	88	3-5/8 (92.2)	3-15/16 (100.1)	1	50	50
106342*	STB-116P*	116	4-1/2 (114.3)	4-13/16 (122.2)	1	50	50
106343*	STB-148P*	148	5-1/2 (139.7)	5-13/16 (147.6)	1	50	50

*Minimum run requirements and lead times may apply.




FUEL INJECTOR CLAMPS

Fuel injector clamps feature a rolled-edge band to safeguard fuel injector hoses.

- SERIES 1100
- 5/16" band
- Zinc plated, non-perforated rolled edge band with nut and bolt tightening design



ITEM#	SKU#	SAE SIZE	HOSE SIZE Inches (mm)	UOM	ORDER MULTIPLE	MASTER QTY
105825	HCM-4F	4	1/4 (6.35)	Box of 10	100	100
105826	HCM-6F	6	5/16 (7.94)	Box of 10	100	100
105827	HCM-8F	8	3/8 (9.52)	Box of 10	100	100



CLAMPS - PINCH / PEX / PINCH CLAMP CRIMPER / HOSE CLAMP DISPLAY / VINYL DIPPED

PINCH CLAMPS Pinch clamps have a specialized tongue-in-groove design which provide a full 360° seal. They are ideal for both flexible and inflexible thin-walled hoses.

ITEM#	SKU#	MINIMUM DIAMETER Inches (mm)	OPEN DIAMETER Inches (mm)	WIDTH mm	THICKNESS	UOM	ORDER MULTIPLE	MASTER QTY
106169	PEC716	.38 (9.6)	7/16 (11.3)	5	0.5mm	100	1	100
106166	PEC12	.43 (10.8)	1/2 (13.3)	7	0.6 mm	100	1	50
106171	PEC916	.47 (12)	9/16 (14.5)	7	0.6 mm	100	1	50
106168	PEC58	.52 (13.2)	5/8 (15.7)	7	0.6 mm	100	1	50
106167	PEC2332	.60 (15.3)	23/32 (18.5)	7	0.6 mm	100	1	50
106170	PEC78	.76 (19.4)	7/8 (22.6)	7	0.6 mm	100	1	25
106162	PEC100	.88 (22.4)	1 (25.4)	7	0.6 mm	100	1	25
106165	PEC118	1 (25.4)	1-1/8 (28.6)	7	0.6 mm	100	1	25
106164*	PEC114*	1.12 (28.4)	1-1/4 (31.6)	7	0.6 mm	100	25	25


*Minimum run requirements and lead times may apply.



- Made with 100% 304 stainless steel
- Smooth-edge band prevents damage to hose
- Tamper evident design
- Custom open diameters available

PEX PINCH CLAMPS

- ASTM F2098
- Safe for potable water and radiant floor heating
- Made with heavy duty 304 stainless steel



ITEM#	SKU#	TUBE SIZE Inches (mm)	OPEN DIAMETER mm	WIDTH Inches (mm)	UOM	ORDER MULTIPLE	MASTER QTY
108376	PEX12	1/2 (12.7)	17.5	.276 (7)	100	1	20
108377	PEX34	3/4 (19)	23.3	.354 (9)	100	1	20
109859*	PEX58*	5/8 (15.9)	20.8	.276 (7)	100	20	20
108375	PEX01	1 (25.4)	29.6	.394 (10)	50	1	20

*Minimum run requirements and lead times may apply.

PINCH CLAMP CRIMPER

ITEM# 106244 SKU# CSC-102 UOM# Blister of 1
ORDER MULTIPLE: 30 MASTER QTY: 30

- Installs every standard pinch clamp, regardless of size
- Unique "Tab" design provides crimping access in hard-to-reach spaces
- No gauging or tool calibration necessary
- Fully compliant with ASTM F-2098 specifications
- Constructed of high quality carbon steel
- Ratcheting action to ensure a sufficient grip



HOSE CLAMP DISPLAY

ITEM# 106359* SKU# CCDU-101*
UOM: Box of 1

Contents:

- (1) Polystyrene display
- (2) Pegboard mounting brackets
- (14) Hose clamp hooks



Cambridge's Hose Clamp Display provides an attractive countertop platform for Point-Of-Purchase merchandising. It is available for all standard series hose clamps.

* Requires minimum run and lead time

*Hose clamps sold separately

Dimensions:
H: 32" x W: 25" x D: 6"


VINYL DIPPED CLAMPS Vinyl Coated Clamps are great for protecting clamped materials and reducing vibration. They are constructed for extreme durability even under the harshest conditions.

ITEM#	SKU#	CLOSED CLAMPING DIAMETER Inches (mm)	SCREW HOLE DIAMETER Inches (mm)	WIDTH Inches (mm)	UOM	ORDER MULTIPLE	MASTER QTY
106037	VCC14	1/4 (6.4)	.281 (7.14)	1/2 (12.7)	1	1000	1000
106040	VCC38	3/8 (9.5)	.281 (7.14)	1/2 (12.7)	1	1000	1000
106036	VCC12	1/2 (12.7)	.281 (7.14)	1/2 (12.7)	1	1000	1000
106041	VCC58	5/8 (15.9)	.281 (7.14)	1/2 (12.7)	1	500	500
106039	VCC34	3/4 (19)	.281 (7.14)	1/2 (12.7)	1	500	500
106042	VCC78	7/8 (22.3)	.281 (7.14)	1/2 (12.7)	1	500	500
106033	VCC1	1 (25.4)	.281 (7.14)	1/2 (12.7)	1	500	500
106035	VCC114	1-1/4 (31.8)	.281 (7.14)	1/2 (12.7)	1	500	500
108432*	VCC138*	1-3/8 (35)	.281 (7.14)	1/2 (12.7)	1	250	250
106034	VCC112	1-1/2 (38.1)	.281 (7.14)	1/2 (12.7)	1	250	250
107178	VCC134	1-3/4 (44)	.281 (7.14)	1/2 (12.7)	1	250	250
106038	VCC2	2 (50.8)	.281 (7.14)	1/2 (12.7)	1	250	250
108434	VCC34W	3/4 (19)	.406 (10.31)	3/4 (19)	1	250	250
108433	VCC1W	1 (25.4)	.406 (10.31)	3/4 (19)	1	250	250
108431	VCC114W	1-1/4 (31.8)	.406 (10.31)	3/4 (19)	1	250	250
108479	VCC138W	1-3/8 (35)	.406 (10.31)	3/4 (19)	1	250	250
106312*	VCC112W*	1-1/2 (38.1)	.406 (10.31)	3/4 (19)	1	250	250
106313	VCC2W	2 (50.8)	.406 (10.31)	3/4 (19)	1	250	250
106115	VCC212W	2-1/2 (63.5)	.406 (10.31)	3/4 (19)	1	150	150
106045	VCC3W	3 (76.2)	.406 (10.31)	3/4 (19)	1	100	100

*Minimum run requirements and lead times may apply.



- Galvanized steel
- Medium and heavy duty loop-type steel clamps
- Round hole / slotted hole design



STANDARD WIRE CONNECTORS - GRAY / BLUE / ORANGE / YELLOW / RED / ASSORTMENT

WIRE CONNECTORS

All Cambridge wire connectors feature flame - retardant thermoplastic shell, providing excellent electrical insulation. They are UL listed and CSA certified.



Color coded to industry standards

FOR USE WITH COPPER TO COPPER

Temperature Rating: 105°C (221°F) Maximum


Voltage rating 600 volts maximum building wires. (*300 volts) 1000 volts maximum in signs and lighting fixtures (luminaries).

Fixed, precise square wire spring provides more secure gripping on conductors

Deep-skirt entry provides protection from flashover and shorts

Sure-grip ribs improve gripping ability and comfort

Threaded funnel entry guides wires easily into the connector



STANDARD GRAY

- Gray
- #22 - #14 AWG
- Temp. 105°C (221°F)
- 300 volt max.
- Min. 2#22 | Max. 2#16
- Strip solid wires 1/4" (6.4mm)
- Strip stranded wires 5/16" (7.9mm)
- UL 486C



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
104357	WCS-C8	Box of 100	10	10
200597	200597	Bag of 25	36	36
105630	WCS-M8	Bag of 1000	20	20

STANDARD BLUE

- Blue
- #22 - #14 AWG
- Temp. 105°C (221°F)
- 300 volt max.
- Min. 2#22 | Max. 3#16
- Strip wires 3/8" (9.5mm)
- For #16 and smaller wires, strip 1/2" (12.7mm)
- UL 486C



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
106521	CJ-WCB	Jar of 100	20	20
104356	WCS-C6	Box of 100	10	10
112715	WC11962	Bag of 25	12	120
105624	WCS-M6	Bag of 1000	10	10

STANDARD ORANGE

- Orange
- #22 - #14 AWG
- Temp. 105°C (221°F)
- 600 volt max.
- Min. 1#18 w/1#20 | Max. 4#16 w/1#20
- Strip wires 5/16" (7.9mm)
- For #16 and smaller wires, strip 3/8" (9.5mm)
- UL 486C



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
106522	CJ-WCO	Jar of 100	20	20
104354	WCS-C3	Box of 100	10	10
112716	WC11963	Bag of 20	12	120
110274	WC13628	Bag of 25	25	25
105628	WCS-H3	Bag of 500	10	10

STANDARD YELLOW

- Yellow
- #22 - #10 AWG
- Temp. 105°C (221°F)
- 600 volt max.
- Min. 3#20 Sol | Max. 2#12 w/2#14
- Strip wires 3/8" (9.5mm)
- For #16 and smaller wires, strip 7/16" (11.1mm)
- UL 486C



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
106523	CJ-WCY	Jar of 100	20	20
104355	WCS-C4	Box of 100	10	10
200599	200599	Bag of 10	48	48
112717	WC11964	Bag of 22	12	120
110273	WC13625	Bag of 25	25	25
105629	WCS-H4	Bag of 500	10	10

STANDARD RED

- Red
- #22 - #10 AWG
- Temp. 105°C (221°F)
- 600 volt max.
- Min. 3#18 | Max. 2#10 Sol w/2#12 Str
- Strip wires 7/16" (11.1mm)
- For #16 and smaller wires, strip 1/2" (12.7mm)
- UL 486C



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
106515	CJ-WCR	Jar of 50	20	20
104353	WCS-C2	Box of 100	10	10
112718	WC11965	Bag of 15	12	120

STANDARD ASSORTMENT

- Assorted
- UL 486C



ITEM#	SKU#	BREAKDOWN	UOM	ORDER MULTIPLE	MASTER QTY
110272	WC12996	3 Gray, 4 Blue, 6 Orange, 6 Yellow, 6 Red	Bag of 25	25	25
112714	WC11961	10 Gray, 10 Blue, 15 Orange, 15 Yellow, 5 Red	Bag of 55	12	120

WINGED WIRE CONNECTORS - YELLOW / TAN / RED / GRAY / BLUE / ASSORTED / GROUNDING

WINGED WIRE CONNECTORS

Swept-back wing design fits into your fingers naturally and provides finger-tip comfort, resulting in increased torquing power.



WINGED YELLOW

- Yellow
- #18 - #10 AWG
- Temp. 105°C (221°F)
- 600 volt max.
- Min. 3#18 | Max. 3#14
- Strip wires 3/8" (9.5mm)
- UL 486C



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
104359	WCW-C4	Bag of 100	10	10
105632	WCW-H4	Bag of 500	10	10

WINGED TAN

- Tan
- #22 - #8 AWG
- Temp. 105°C (221°F)
- 600 volt max.
- Min. 3#22 Sol | Max. 4#12
- Strip wires 1/2" (12.7mm)
- UL 486C



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
200628	200628	Bag of 10	48	48
105141	WCW-CT	Bag of 100	10	10
105619	WCW-HT	Bag of 500	10	10

WINGED RED

- Red
- #18 - #8 AWG
- Temp. 105°C (221°F)
- 600 volt max.
- Min. 3#16 | Max. 5#12 Sol
- Strip wires 5/8" (15.9mm)
- UL 486C



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
104358	WCW-C2	Bag of 100	10	10
105618	WCW-H2	Bag of 500	10	10

WINGED GRAY

- Gray
- #18 - #8 AWG
- Temp. 105°C (221°F)
- 600 volt max.
- Min. 3#14 W/1 #18 | Max. 3#10
- Strip wires 3/4" (19.1mm)
- UL 486C



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
105143	WCW-K8	Bag of 50	20	20
112719	WC11995	Bag of 6	12	120

WINGED BLUE

- Blue
- #14 - #6 AWG
- Temp. 105°C (221°F)
- 600 volt max.
- Min. 2#10 W/1 #12 | Max. 3#8 W/1 #12
- Strip wires 7/8" (22.2mm)
- UL 486C



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
106524	CJ-WWCB	Jar of 25	20	20
105142	WCW-K6	Bag of 50	20	20
105631	WCW-C6	Bag of 100	15	15

WINGED ASSORTMENT

- Assorted
- UL 486C




ITEM#	SKU#	BREAKDOWN	UOM	ORDER MULTIPLE	MASTER QTY
110275	WC13648	8 Yellow, 7 Tan, 8 Red, 2 Blue	Bag of 25	25	25

GROUNDING

- Tough thermoplastic, UL 94V-2 flame-retardant shell rated for 105°C (221°F)
- Specifically designed for making positive ground connections and bonding non-metallic sheathed cable
- Zinc-plated square spring draws wires deep into spring for safe, tight grip and making a strong connection

- Color-coded Green to industry standards for quick and easy identification



Built-in, swept-back designed wings enable user to tighten connectors easily without tools

- Green
- #14 - #10 AWG
- Temp. 105°C (221°F)
- Min. 2#14 | Max. 5#12
- Strip wires 1" (25.42mm)
- UL E315543

ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
105633	WCW-H5	Bag of 500	10	10



TERMINALS - RING / WEATHERPROOF HEAT SEAL RING / SPADE

TERMINALS



PVC terminals have excellent insulation and flame retardancy.



Nylon terminals have an added durability to their insulation and flame retardancy.



Weatherproof terminals have a layer of PE surrounding them. Once heated, it shrinks around the wire creating a weatherproof seal.

RING TERMINALS

RED RING TERMINALS

• Red • 8 AWG • PVC • UL 486A/B



ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112675	T11897	1/4"	Bag of 6	12	120
112674	T11895	1/4"	Bag of 25	12	120

BLUE RING TERMINALS

• Blue • 16-14 AWG • PVC • UL 486A/B



ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
110966	T13750	No. 8	Clamshell of 20	6	120
109616*	TRP-B8-B*	No. 8	Bag of 1000	10	10
110960	T13740	No. 10	Clamshell of 18	6	120
112764	T11896	No. 10	Bag of 23	12	120
112673	T11894	No. 10	Bag of 50	12	120
109028	TRP-B10-B	No. 10	Bag of 500	20	20
110958	T13738	1/4"	Clamshell of 16	6	120
109612*	TRP-B25-B*	1/4"	Bag of 1000	10	10
110964	T13747	3/8"	Clamshell of 14	6	120

*Minimum run requirements and lead times may apply.

RED RING TERMINALS

• Red • 22-16 AWG • PVC • UL 486A/B



ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
109622*	TRP-R6-B*	No. 6	Bag of 1000	10	10
112676	T11899	No. 8	Bag of 50	12	120
110972	T13756	No. 10	Clamshell of 21	6	120
109617*	TRP-R10-B*	No. 10	Bag of 1000	10	10
109619*	TRP-R38-B*	3/8"	Bag of 1000	10	10

*Minimum run requirements and lead times may apply.

YELLOW RING TERMINALS

• Yellow • 12-10 AWG • PVC • UL 486A/B



ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
110961	T13744	No. 10	Clamshell of 13	6	120
112763	T11893	No. 10	Bag of 50	12	120
110959	T13739	1/4"	Clamshell of 11	6	120
109626*	TRP-Y25-B*	1/4"	Bag of 500	10	10
110949	T13729	5/16"	Clamshell of 11	6	120
110955	T13735	3/8"	Clamshell of 11	6	120

*Minimum run requirements and lead times may apply.

WEATHERPROOF HEAT SEAL RING TERMINALS

WEATHERPROOF HEAT SEAL BLUE RING TERMINALS

• Blue • 16-14 AWG • PE • UL 486A/B



ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
110975	T13761	No. 10	Clamshell of 10	6	120
110970	T13754	1/4"	Clamshell of 10	6	120

WEATHERPROOF HEAT SEAL YELLOW RING TERMINALS

• Yellow • 12-10 AWG • PE • UL 486A/B



ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
110971	T13755	1/4"	Clamshell of 7	6	120
110967	T13751	3/8"	Clamshell of 7	6	120

SPADE TERMINALS

RED SPADE

• Red • 22-16 AWG • PVC • UL 486A/B



ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
109578*	TSP-R6-B*	No. 6	Bag of 1000	10	10
112766	T11907	No. 8	Bag of 22	12	120
109579	TSP-R8-B	No. 8	Bag of 1000	10	10
109575*	TSP-R10-B*	No. 10	Bag of 1000	10	10

*Minimum run requirements and lead times may apply.

BLUE SPADE

• Blue • 16-14 AWG • PVC • UL 486A/B



ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
109573*	TSP-B6-B*	No. 6	Bag of 1000	10	10
112679	T11906	No. 8	Bag of 22	12	120
112765	T11903	No. 8	Bag of 50	12	120
109574*	TSP-B8-B*	No. 8	Bag of 1000	10	10
109569*	TSP-B10-B*	No. 10	Bag of 1000	10	10

*Minimum run requirements and lead times may apply.

YELLOW SPADE

• Yellow • 12-10 AWG • PVC • UL 486A/B



ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112678	T11905	No. 10	Bag of 17	12	120
112677	T11902	No. 10	Bag of 50	12	120
109580	TSP-Y10-B	No. 10	Bag of 500	10	10

ASSORTED SPADE

• Red, Blue, Yellow

• 22-16 AWG, 16-14 AWG, 12-10 AWG • PVC • UL 486A/B



ITEM#	SKU#	STUD SIZE	BREAK DOWN	UOM	ORDER MULTIPLE	MASTER QTY
110940	T12859	Red: No. 8, Blue: No. 8, Yellow: No. 8	8 Red, 7 Blue, 5 Yellow	Clamshell of 20	6	120

TERMINALS - LOCKING SPADE / FEMALE DISCONNECTS

LOCKING SPADE TERMINALS

Locking spade terminals have a Flared-end entry for easier wire insertion.

BLUE LOCKING SPADE

• Blue • 16-14 AWG • PVC • UL 486A/B

ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112767	T11910	No. 8	Bag of 50	12	120



FEMALE DISCONNECTS

RED FEMALE DISCONNECTS

• Red • 22-16 AWG • PVC • UL 310



ITEM#	SKU#	TAB SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112688	T11921	3/16"	Bag of 22	12	120
112686	T11919	1/4"	Bag of 22	12	120
112770	T11915	1/4"	Bag of 50	12	120

BLUE FEMALE DISCONNECTS

• Blue • 16-14 AWG • PVC • UL 310



ITEM#	SKU#	TAB SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112687	T11920	3/16"	Bag of 22	12	120
112685	T11918	3/16"	Bag of 50	12	120
109554*	TFDP-B187-B*	3/16"	Bag of 1000	10	10
110945	T13725	1/4"	Clamshell of 20	6	120
112683	T11916	1/4"	Bag of 22	12	120
112768	T11913	1/4"	Bag of 50	12	120
109555*	TFDP-B25-B*	1/4"	Bag of 1000	10	10

*Minimum run requirements and lead times may apply.

YELLOW FEMALE DISCONNECTS

• Yellow • 12-10 AWG • PVC • UL 310



ITEM#	SKU#	TAB SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112684	T11917	1/4"	Bag of 17	12	120
112769	T11914	1/4"	Bag of 50	12	120
111822	TFDP-Y25-B	1/4"	Bag of 500	10	10

FULLY INSULATED FEMALE DISCONNECTS

FULLY INSULATED RED FEMALE DISCONNECTS

• Red • 22-16 AWG • Nylon • UL 310



ITEM#	SKU#	TAB SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112777	T11938	1/4"	Bag of 11	12	120
112778	T11939	1/4"	Bag of 50	12	120

FULLY INSULATED BLUE FEMALE DISCONNECTS

• Blue • 16-14 AWG • Nylon • UL 310



ITEM#	SKU#	TAB SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112697	T11957	1/4"	Bag of 14	12	120
112776	T11937	1/4"	Bag of 50	12	120
109551	TFDIN-B25-B	1/4"	Bag of 1000	10	10

FULLY INSULATED YELLOW FEMALE DISCONNECTS

• Yellow • 12-10 AWG • Nylon • UL 310

ITEM#	SKU#	TAB SIZE	UOM	ORDER MULTIPLE	MASTER QTY
109553*	TFDIN-Y25-B*	1/4"	Bag of 500	10	10

*Minimum run requirements and lead times may apply.



WEATHERPROOF HEAT SEAL FEMALE DISCONNECTS

WEATHERPROOF HEAT SEAL BLUE FEMALE DISCONNECTS

• Blue • 16-14 AWG • PE • UL 310



ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
110968	T13752	1/4"	Clamshell of 10	6	120

WEATHERPROOF HEAT SEAL YELLOW FEMALE DISCONNECTS

• Yellow • 12-10 AWG • PE • UL 310



ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
110978	T13766	1/4"	Clamshell of 7	6	120

NON-INSULATED FEMALE DISCONNECTS

NON-INSULATED FEMALE DISCONNECTS

• UL 310

ITEM#	SKU#	AWG	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112772	T11926	16-14	1/4"	Bag of 100	12	120
112773	T11927	12-10	1/4"	Bag of 26	12	120



TERMINALS - MALE DISCONNECTS / MALE AND FEMALE DISCONNECTS / RECEPTACLE CONNECTORS

MALE DISCONNECTS

BLUE MALE DISCONNECTS

• Blue • 16-14 AWG • PVC • UL 310

ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
110965*	T13749*	1/4"	Clamshell of 20	6	120

*Minimum run requirements and lead times may apply.



FULLY INSULATED MALE DISCONNECTS

FULLY INSULATED BLUE MALE DISCONNECTS

• Blue • 16-14 AWG • Nylon • UL 310

ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112775	T11936	1/4"	Bag of 50	12	120



MALE AND FEMALE DISCONNECT SETS

ASSORTED MALE AND FEMALE DISCONNECT SETS

• Red, Blue, Yellow
• 22-16 AWG, 16-14 AWG, 12-10 AWG
• PVC • UL 310

ITEM#	SKU#	STUD SIZE	BREAK DOWN	UOM	ORDER MULTIPLE	MASTER QTY
110956	T13736	Red: 1/4" Blue: 1/4" Yellow: 1/4"	2 Red (M) 2 Red (F) 4 Blue (M) 6 Blue (F) 2 Yellow (M) 2 Yellow (F)	Clamshell of 18	6	120



FULLY INSULATED MALE AND FEMALE DISCONNECT SETS

FULLY INSULATED RED FEMALE AND MALE DISCONNECT SETS

• Red • 22-16 AWG • Nylon • UL 310

ITEM#	SKU#	STUD SIZE	BREAK DOWN	UOM	ORDER MULTIPLE	MASTER QTY
110973	T13757	1/4"	5 Male 5 Female	Clamshell of 10	6	120



FULLY INSULATED BLUE FEMALE AND MALE DISCONNECT SETS

• Blue • 16-14 AWG • Nylon • UL 310

ITEM#	SKU#	STUD SIZE	BREAK DOWN	UOM	ORDER MULTIPLE	MASTER QTY
110954	T13734	1/4"	5 Male 5 Female	Clamshell of 10	6	120
112774	T11935	1/4"	25 Male 25 Female	Bag of 50	12	120



FULLY INSULATED YELLOW FEMALE AND MALE DISCONNECT SETS

• Yellow • 12-10 AWG • Nylon • UL 310

ITEM#	SKU#	STUD SIZE	BREAK DOWN	UOM	ORDER MULTIPLE	MASTER QTY
110969	T13753	1/4"	5 Male 5 Female	Clamshell of 10	6	120



RECEPTACLE CONNECTORS

RED RECEPTACLE CONNECTORS

• Red • 22-16 AWG • Nylon • UL 310

ITEM#	SKU#	TAB SIZE	UOM	ORDER MULTIPLE	MASTER QTY
109542*	TRCP-R156-B*	.156"	Bag of 1000	10	10

*Minimum run requirements and lead times may apply.



BLUE RECEPTACLE CONNECTORS

• Blue • 16-14 AWG • Nylon • UL 310

ITEM#	SKU#	TAB SIZE	UOM	ORDER MULTIPLE	MASTER QTY
109541*	TRCP-B156-B*	.156"	Bag of 1000	10	10

*Minimum run requirements and lead times may apply.



TERMINALS - BULLET AND RECEPTACLE SETS / BUTT CONNECTORS / PIGGYBACK DISCONNECTS

BULLET AND RECEPTACLE CONNECTOR SETS

BLUE BULLET AND RECEPTACLE CONNECTORS SETS

• Blue • 16-14 AWG • PVC • UL 310

ITEM#	SKU#	STUD SIZE	BREAKDOWN	UOM	ORDER MULTIPLE	MASTER QTY
110963	T13746	0.157"	10 Bullet 10 Receptacle	Clamshell of 20	6	120
111831	T12865	0.157"	5 Bullet 5 Receptacle	Clamshell of 10	6	120



BUTT CONNECTORS

RED BUTT CONNECTORS

• Red • 22-18 AWG • PVC • UL 486A/B



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
110942	T13722	Clamshell of 21	6	120
112696	T11956	Bag of 26	12	120
112692	T11952	Bag of 50	12	120
109547*	TBP-R-B*	Bag of 1000	10	10

*Minimum run requirements and lead times may apply.

YELLOW BUTT CONNECTORS

• Yellow • 12-10 AWG • PVC • UL 486A/B



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
110952	T13732	Clamshell of 13	6	120
110938	T12837	Clamshell of 50	6	120
112694	T11954	Bag of 16	12	120
112693	T11953	Bag of 50	12	120
109548*	TBP-Y-B*	Bag of 500	10	10

*Minimum run requirements and lead times may apply.

BLUE BUTT CONNECTORS

• Blue • 16-14 AWG • PVC • UL 486A/B



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
110943	T13723	Clamshell of 21	6	120
112695	T11955	Bag of 27	12	120
112690	T11950	Bag of 50	12	120
112691	T11951	Bag of 100	12	120
110937	T12835	Clamshell of 100	6	120
109546	TBP-B-B	Bag of 1000	10	10

ASSORTED BUTT CONNECTORS

• Red, Blue, Yellow

• 22-18 AWG, 16-14 AWG, 12-10 AWG • PVC • UL 486A/B



ITEM#	SKU#	BREAKDOWN	UOM	ORDER MULTIPLE	MASTER QTY
110953	T13733	7 Red, 5 Blue, 4 Yellow	Clamshell of 16	6	120

WEATHERPROOF HEAT SEAL BUTT CONNECTORS

WEATHERPROOF HEAT SEAL RED BUTT CONNECTORS

• Red • 22-18 AWG • PE • UL 486A/B



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
110947	T13727	Clamshell of 10	6	120
109544	TBN-R-B	Bag of 1000	10	10

WEATHERPROOF HEAT SEAL YELLOW BUTT CONNECTORS

• Yellow • 12-10 AWG • PE • UL 486A/B

ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
110957	T13737	Clamshell of 7	6	120
109545*	TBN-Y-B*	Bag of 500	10	10

*Minimum run requirements and lead times may apply.



WEATHERPROOF HEAT SEAL BLUE BUTT CONNECTORS

• Blue • 16-14 AWG • PE • UL 486A/B



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
110944	T13724	Clamshell of 10	6	120
109543*	TBN-B-B*	Bag of 1000	10	10

*Minimum run requirements and lead times may apply.

PIGGYBACK DISCONNECTS

RED PIGGYBACK DISCONNECTS

• Red • 22-16 AWG • PVC • UL 310



ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
109539	TPBP-R25-B	1/4"	Bag of 1000	10	10

BLUE PIGGYBACK DISCONNECTS

• Blue • 16-14 AWG • PVC • UL 310



ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112782	T11945	1/4"	Bag of 11	12	120
109538	TPBP-B25-B	1/4"	Bag of 1000	10	10

TERMINALS - PIGGYBACK DISCONNECTS / COMPRESSOR / TANDEM DISCONNECT ADAPTERS / QUICK SPLICE CONNECTORS / FLAG DISCONNECTS / RING LUGS

YELLOW PIGGYBACK DISCONNECTS

• Yellow • 12-10 AWG • PVC • UL 486A/B

ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
109540	TPBP-Y25-B	1/4"	Bag of 500	10	10



COMPRESSOR TERMINALS

• 12-10 AWG • Non-insulated • UL 310

ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112771	T11922	1/4"	Bag of 19	12	120
112689	T11923	1/4"	Bag of 100	12	120



TANDEM DISCONNECT ADAPTERS

• 2 Male, 1 Female

ITEM#	SKU#	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112780	T11942	1/4"	Bag of 27	12	120
112781	T11943	1/4"	Bag of 100	12	120



QUICK SPLICE CONNECTORS

BLUE QUICK SPLICE CONNECTORS

• Blue • 18-14 AWG • PVC • UL 486C



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
110948	T13728	Clamshell of 7	6	120
110951	T13731	Clamshell of 25	6	60
109566	TQS-B-B	Bag of 1000	10	10

YELLOW QUICK SPLICE CONNECTORS

• Yellow • 12-10 AWG • PVC • UL 486C



ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
109568	TQS-Y-B	Bag of 1000	5	5

ASSORTED QUICK SPLICE CONNECTORS

• Red, Blue, Yellow

• 22-18 AWG, 16-14 AWG, 12-10 AWG • PVC • UL 486A/B



ITEM#	SKU#	BREAKDOWN	UOM	ORDER MULTIPLE	MASTER QTY
110962	T13745	6 Red, 12 Blue, 3 Yellow	Clamshell of 21	6	60

WEATHERPROOF QUICK-SPLICE CONNECTORS

BLUE WEATHERPROOF QUICK-SPLICE CONNECTORS

• Blue • 18-14 AWG • Nylon • UL 486C

ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
110906	T13742	Clamshell of 4	6	120



FULLY INSULATED FLAG DISCONNECTS

BLUE FULLY INSULATED FLAG DISCONNECTS

• Blue • 16-14 AWG • Nylon • UL 310

ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
112779	T11940	Bag of 25	12	120



RING LUGS

• Copper



ITEM#	SKU#	AWG	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
110946	T13726	2	3/8"	Clamshell of 2	6	120
110980	T13768	6	1/4"	Clamshell of 2	6	120
110979	T13767	6	3/8"	Clamshell of 2	6	120

INSULATED RING LUGS

• Copper



ITEM#	SKU#	AWG	STUD SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112178	T14411	2	3/8"	Clamshell of 2	120	120

TERMINALS - CLOSED END CONNECTORS / TERMINAL KITS / TERMINAL TOOLS

CLOSED-END CONNECTORS

• Copper/Nylon • UL 486C

ITEM#	SKU#	AWG	UOM	ORDER MULTIPLE	MASTER QTY
112698	T11968	18-10	Bag of 50	12	120
113062	T11967	22-14	Bag of 50	12	120
108691	TCWCN-2214C-B	22-14	Bag of 1000	20	20



TERMINAL KITS

ITEM# 110977 SKU# T13765

UOM: Kit of 101 pcs
ORDER MULTIPLE: 12
MASTER QTY: 12



Breakdown:

8 Red Ring Terminals 22-18 AWG #10
8 Blue Ring Terminals 16-14 AWG #10
10 Blue Ring Terminals 16-14 AWG #6
8 Blue Ring Terminals 16-14 AWG 1/4"
8 Yellow Ring Terminals 12-10 AWG #10
8 Yellow Ring Terminals 12-10 AWG 1/4"
2 Red Spade Terminals 22-18 AWG #10
8 Blue Spade Terminals 16-14 AWG #10
4 Yellow Spade Terminals 12-10 AWG #10
6 Red Butt Connectors 22-18 AWG
6 Blue Butt Connectors 16-14 AWG
4 Red Male Disconnects 22-18 AWG 1/4"
8 Blue Male Disconnects 16-14 AWG 1/4"
4 Red Female Disconnects 22-18 AWG 1/4"
8 Blue Female Disconnects 16-14 AWG 1/4"
1 Crimper/Stripper Tool

ITEM# 110941 SKU# T12867

UOM: Kit of 175 pcs
ORDER MULTIPLE: 12
MASTER QTY: 12



Breakdown:

10 Red Ring Terminals 22-18 AWG #10
15 Red Ring Terminals 22-18 AWG #6
10 Blue Ring Terminals 16-14 AWG #10
10 Blue Ring Terminals 16-14 AWG #8
15 Blue Ring Terminals 16-14 AWG #4
5 Yellow Ring Terminals 12-10 AWG #10
10 Red Spade Terminals 22-18 AWG #10
10 Red Spade Terminals 22-18 AWG #8
10 Red Spade Terminals 22-18 AWG #4
10 Blue Spade Terminals 16-14 AWG #10
5 Yellow Spade Terminals 12-10 AWG #10
10 Red Butt Connectors 22-18 AWG
10 Blue Butt Connectors 16-14 AWG
5 Yellow Butt Connectors 12-10 AWG
10 Red Male Disconnects 22-18 AWG 1/4"
10 Blue Male Disconnects 16-14 AWG 1/4"
10 Red Female Disconnects 22-18 AWG 1/4"
10 Blue Female Disconnects 16-14 AWG 1/4"

ITEM# 110974 SKU# T13759

UOM: Clamshell of 36
ORDER MULTIPLE: 6
MASTER QTY: 120

All terminals are 12-10 AWG



Breakdown:

4 Yellow Male Disconnects - Vinyl .25"
4 Yellow Female Disconnects - Vinyl .25"
4 Yellow Fully Insulated Female Disconnects - Nylon .25"
4 Yellow Butt Connectors

4 Yellow Spade Terminals - Vinyl #8
4 Yellow Spade Terminals - Vinyl #10
4 Yellow Ring Terminals - Vinyl 3/8"
4 Yellow Ring Terminals - Vinyl 5/16"
4 Yellow Ring Terminals - Vinyl 1/4"

ITEM# 106531 SKU# CTK-180

UOM: Kit of 181 pcs
ORDER MULTIPLE: 5
MASTER QTY: 20



Breakdown:

10 Red Ring Terminals 22-18 AWG #6
10 Red Ring Terminals 22-18 AWG #8
10 Red Ring Terminals 22-18 AWG #10
10 Blue Ring Terminals 16-14 AWG #6
10 Blue Ring Terminals 16-14 AWG #8
10 Blue Ring Terminals 16-14 AWG #10
5 Yellow Ring Terminals 12-10 AWG #10
10 Red Spade Terminals 22-18 AWG #8
10 Red Spade Terminals 22-18 AWG #10
10 Blue Spade Terminals 16-14 AWG #8
10 Blue Spade Terminals 16-14 AWG #10
5 Yellow Spade Terminals 12-10 AWG #10
10 Red Butt Connectors 22-18 AWG
10 Blue Butt Connectors 16-14 AWG
10 Yellow Butt Connectors 12-10 AWG
10 Red Male Disconnects 22-18 AWG .25"
10 Blue Male Disconnects 16-14 AWG .25"
10 Red Female Disconnects 22-18 AWG .25"
10 Blue Female Disconnects 16-14 AWG .25"
1 8" Crimping tool

ITEM# 106532 SKU# CTK-510

UOM: Kit of 510 pcs
ORDER MULTIPLE: 5
MASTER QTY: 5



Breakdown:

40 Red Ring Terminals 22-18 AWG #10
40 Red Ring Terminals 22-18 AWG #6
30 Blue Ring Terminals 16-14 AWG #10
30 Blue Ring Terminals 16-14 AWG #6
20 Yellow Ring Terminals 12-10 AWG #8
20 Yellow Ring Terminals 12-10 AWG .25"
40 Red Spade Terminals 22-18 AWG #10
40 Red Spade Terminals 22-18 AWG #6
25 Blue Spade Terminals 16-14 AWG #10
25 Blue Spade Terminals 16-14 AWG #6
15 Yellow Spade Terminals 12-10 AWG #8
15 Yellow Spade Terminals 12-10 AWG .25"
35 Red Butt Connectors 22-18 AWG
25 Blue Butt Connectors 16-14 AWG
15 Yellow Butt Connectors 12-10 AWG
40 Red Female Disconnects 22-18 AWG .25"
35 Blue Female Disconnects 16-14 AWG .25"
20 Yellow Female Disconnects 12-10 AWG .25"

TERMINAL TOOLS



ITEM# 110985 SKU# TL13716 UOM: Blister of 1
ORDER MULTIPLE: 4 MASTER QTY: 24

Easily cut, strip and crimp 10-22 gauge wires with the Cambridge crimper stripper tool.



ITEM# 112699 SKU# TL14634 UOM: Blister of 1
ORDER MULTIPLE: 12 MASTER QTY: 12

- Crimps insulated and non-insulated terminals
- Features two precision ground wire cutters, one on the nose and one behind the pivot point
- Plastic cushion handle
- Cut and strip 10-24 gauge wires
- Strips stranded wire 22-10 gauge, solid wire 18-8 gauge



ITEM# 110983 SKU# TL13714 UOM: Blister of 1
ORDER MULTIPLE: 4 MASTER QTY: 24

The Cambridge self-adjusting crimper/stripper tool makes repair and assembly projects more efficient for both home and professional users. The adjustable swivel knob allows for wire gauges between 10-24 AWG

TEST LEADS AND ALLIGATOR TEST CLIPS

ITEM# 110931 SKU# SW13707

UOM: Clamshell of 2
ORDER MULTIPLE: 6
MASTER QTY: 60

Insulated clamps
• 30 AMP
• Black and red handles



ITEM# 112177 SKU# SW14412

UOM: Clamshell of 4
ORDER MULTIPLE: 120
MASTER QTY: 120

Insulated clamps
• 10 AMP
• Black and red handles



ITEM# 110930 SKU# SW13706

UOM: Clamshell of 1
ORDER MULTIPLE: 6
MASTER QTY: 120

Test leads with alligator clips
• Max Amp: 1.5
• 22GA
• 30" Length



ITEM# 112202 SKU# SW14415

UOM: Blister of 1
ORDER MULTIPLE: 48
MASTER QTY: 48

Retractable test leads
• Max 8A w/ leads unwound
• Max 6A w/ leads wound
• 20 Gauge wire
• 10' long



ITEM# 110929 SKU# SW13705

UOM: Clamshell of 6
ORDER MULTIPLE: 6
MASTER QTY: 120



Alligator test clips
• Steel
• Max Amp: 1.5
• Comes with screw

ITEM# 112200 SKU# SW14413

UOM: Clamshell of 4
ORDER MULTIPLE: 60
MASTER QTY: 60



Insulated alligator test clips
• 1"
• Black and red insulation

ELECTRICAL TOOLS

CIRCUIT ELECTRICAL TESTER



ITEM# 110986
SKU# TL13717
UOM: Blister of 1
ORDER MULTIPLE: 4
MASTER QTY: 24

The Cambridge electrical circuit tester tests wire and indicates if the electrical socket is wired properly.

SOLDERING IRON



ITEM# 110982
SKU# TL13713
UOM: Blister of 1
ORDER MULTIPLE: 4
MASTER QTY: 24

The Cambridge soldering iron heats up quickly, is UL listed and comes with a safety stand.

MINI BUTANE TORCH

*Fuel not included



ITEM# 110984
SKU# TL13715
UOM: Blister of 1
ORDER MULTIPLE: 20
MASTER QTY: 120

Temperature:
2372°F
(1300°C)

Cambridge mini butane torch comes with a refillable fuel cartridge and a CPSC certified child safety lock. It is ideal for heat shrinking terminals and tubing and is compact to easily fit into any tool kit.

ELECTRICAL REPAIR KITS



ITEM# 110754
SKU# T13762

UOM: 1 Kit of 399 pcs
ORDER MULTIPLE: 6 MASTER QTY: 6

Breakdown:

- (5) Red Ring Terminals 22-18 AWG #8
- (5) Blue Ring Terminals 16-14 AWG #10
- (4) Yellow Ring Terminals 12-10 AWG #10
- (5) Red Male Disconnects 22-18 AWG .25"
- (5) Red Female Disconnects 22-18 AWG .25"
- (5) Blue Male Disconnects 16-14 AWG .25"
- (5) Blue Female Disconnects 16-14 AWG .25"
- (5) Red Spade Terminals 22-18 AWG #8
- (5) Blue Spade Terminals 16-14 AWG #8
- (4) Yellow Spade Terminals 12-10 AWG #10
- (8) Blue Quick Splice Connectors 16-14 AWG
- (14) Red Butt Connectors 22-18 AWG
- (14) Blue Butt Connectors 16-14 AWG
- (10) Gray Standard Wire Connectors
- (10) Blue Standard Wire Connectors
- (10) Orange Standard Wire Connectors
- (250) 4" Natural/Black/Red/Yellow/Green Cable Ties 18lb
- (6) 8" Natural Cable Ties 18lb
- (4) 6" Black/Blue/Green/Yellow Hook & Loop Ties
- (1) Crimping Tool
- (1) Insulated shaft screwdriver straight blade
- (1) Insulated shaft screwdriver Philips
- (1) 6" Long nose pliers/cutter
- (1) 6-12 volts DC circuit tester
- (1) Fuse puller
- (2) 30" Red & Black Test leads; 20 Gauge
- (1) 60" Red insulated wire 18 Gauge
- (9) Wire Clamps 1/8"
- (3) Wire clamps 1/4"
- (3) Wire Clamps 3/8"
- (1) Roll black Tape 3/4" x 30ft



ITEM# 110976
SKU# T13763

UOM: 1 Kit of 208 pcs
ORDER MULTIPLE: 6 MASTER QTY: 6

Breakdown:

- (5) Standard Blue Wire Connectors
- (5) Standard Orange Wire Connectors
- (30) 4" Natural Cable Ties 18lb
- (10) 6" Natural Cable Ties 40lb
- (10) 8" Natural Cable Ties 50lb
- (6) Black Heat Shrink Tubing .2"
- (5) Red Heat Shrink Tubing .12"
- (10) Black Grommets 1/8"
- (5) Black Grommets 3/16"
- (5) Black Grommets 1/4"
- (1) Fuse Puller
- (1) Flathead Screwdriver
- (1) Battery Brush
- (1) Crimper Tool
- (1) Phillips Screwdriver
- (1) Flathead Screwdriver
- (1) Voltage Tester
- (1) 24" Automotive Wire
- (1) 3/4" Black Electrical Tape 30ft
- (1) 30" Test Leads (Pair)
- (10) Natural Cable Clamps 1/8"
- (3) Natural Cable Clamps 1/4"
- (3) Natural Cable Clamps 3/8"
- (15) Red Ring Terminals 22-18 AWG #8
- (8) Blue Ring Terminals 16-14 AWG #10
- (3) Yellow Ring Terminals 12-10 AWG #10
- (2) Yellow Ring Terminals 12-10 AWG 3/8"
- (4) Blue Ring Terminals 16-14 AWG 1/4"
- (4) Blue Ring Terminals 16-14 AWG 5/16"
- (16) Blue Female Disconnects 16-14 AWG 1/4"
- (8) Blue Spade Terminals 16-14 AWG #10
- (7) Blue Quick Splice Connectors 16-14 AWG
- (8) Red Butt Connectors 22-18 AWG
- (8) Blue Butt Connectors 16-14 AWG
- (5) Yellow Butt Connectors 12-10 AWG
- (5) Closed-End Connectors 22-14 AWG
- (5) Closed-End Connectors 22-12 AWG
- (3) Blue Fully Insulated Male Quick Disconnects 16-14 AWG 1/4"
- (3) Blue Fully Insulated Female Quick Disconnects 16-14 AWG 1/4"

ELECTRICAL TAPE

• UL 510

LISTED
INSUL. TAPE
E337275Suitable for use at no more than
600 Volts as primary insulation
and not more than 80°C (178°F).

Cambridge electrical tape comes in a variety of colors lengths and sizes. They deliver superior adhesion and durability as it insulates and protects wires and cables. Its exceptional quality makes it the perfect electrical tape for all applications.

ITEM#	SKU#	LENGTH Feet	WIDTH Feet	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
110910	ET13709	30	3/4	Black	1	144	144
109072	CET-0160BLK	60	3/4	Black	1	200	200
108383	CET-01BLK	66	3/4	Black	1	144	144
108387	CET-01RED	66	3/4	Red	1	144	144
108386	CET-01ORG	66	3/4	Orange	1	144	144
108389	CET-01YLW	66	3/4	Yellow	1	144	144
108385	CET-01GRN	66	3/4	Green	1	144	144
108384	CET-01BLU	66	3/4	Blue	1	144	144
109001	CET-01PUR	66	3/4	Purple	1	144	144
108962	CET-01BRN	66	3/4	Brown	1	144	144
108963	CET-01GRY	66	3/4	Gray	1	144	144
108388	CET-01WHT	66	3/4	White	1	144	144
110909	ET12885	20 (EA)	1/2	R,Y, B,G,W	Clamshell of 5	12	12

LIQUID TAPE

Cambridge Liquid Tape adheres to all metal, plastic, vinyl, rubber, and composite surfaces. It seals loose terminal connections caused by vibration and normal wear, and forms a protective, dielectric coating over connections in order to seal out moisture and prevent corrosion. It is great for exposed wiring, lighting fixtures, bilge pumps, timers, and any connection requiring a waterproof seal.



ITEM# 110911 SKU# ET13710

Description:
4oz Black liquid tapeUOM: Blister of 1
ORDER MULTIPLE: 12
MASTER QTY: 12

HEAT SHRINK TUBING

ITEM# 111002 SKU# WM13780

Breakdown:

- (1) 5.75" L x 1/2" Diameter
- (1) 5.75" L x 3/8" Diameter
- (1) 5" L x 5/32" Diameter
- (1) 5.75" L x 1/4" Diameter
- (1) 5" L x 3/16" Diameter



UOM: Clamshell of 5 | ORDER MULTIPLE: 120 | MASTER QTY: 120

ITEM# 204174

Dual Wall Heat Shrink Tubing
48" L x 1-1/4" Diameter

UOM: Roll of 1 | ORDER MULTIPLE: 25 | MASTER QTY: 25

HOOK-UP WIRE

- 600V
 - Stranded
 - THHN
 - UL 83
- Cambridge Hook-Up Wire features fine strands of wire which allows it to handle higher voltages. It is resistant to grease, oil, acids, water, solvents, and fungus and is most commonly used as internal wiring in appliances and HVAC equipment.



ITEM#	AWG	LENGTH Feet	STRANDED	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
200078	8	25	19	Black	1	12	12
200065*	10	48	19	Black	1	12	12
200067	12	48	19	Black	1	12	12
200066	14	48	19	Black	1	12	12
200070	16	48	26	Black	1	12	12
200074	10	48	19	Red	1	12	12
200068	14	48	19	Red	1	12	12
200072	16	48	26	Red	1	12	12
200069	14	48	19	Green	1	12	12
200076	10	48	19	White	1	12	12
200075	12	48	19	White	1	12	12
200071	14	48	19	White	1	12	12
200077*	16	48	26	White	1	12	12

*Minimum run requirements and lead times may apply.

PRIMARY WIRE

- 12V
 - Stranded
- Cambridge Primary Wire comes in a wide range of sizes, gauges, and colors. It is made from high-quality materials that ensure durability and strength and are available in convenient easy-to-use spools.



ITEM#	SKU#	AWG	LENGTH Feet	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
110990	W13790	18	40	Black	Blister of 1	24	24
110993	W13795	18	40	Red	Blister of 1	24	24
110996	W13798	16	100	Black	Spool of 1	12	12
110999	W13801	16	100	Red	Spool of 1	12	12
110989	W13789	14	20	Black	Blister of 1	24	24
110992	W13794	14	20	Red	Blister of 1	24	24
110995	W13797	14	100	Black	Spool of 1	12	12
110998	W13800	14	100	Red	Spool of 1	12	12
110994	W13796	12	100	Black	Spool of 1	12	12
110997	W13799	12	100	Red	Spool of 1	12	12
110988	W13787	10	8	Black	Blister of 1	24	24
110991	W13792	10	8	Red	Blister of 1	24	24

SJTO-SERVICE CORD / FLEX TUBING / STAPLES / SWITCHES - ROCKER / PUSH, TOUCH & PULL / STARTER

SJTO-SERVICE CORD

- 300V
- 3 Conductors
- 14 AWG



Cambridge service cords are used for electrical power connections. Typical applications include wiring for industrial machinery, appliances, temporary electrical power and lighting for construction sites.

ITEM#	VOLTAGE	LENGTH Feet	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
200079	300V	20	Gray	1	6	6

FLEX TUBING

Cambridge™ Flex Tubing provides a convenient way to keep wires organized and protect them from outside elements.



ITEM#	SKU#	DIAMETER Inches	LENGTH Feet	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
111001	WM13779	3/4	3'	Black	Bag of 1	12	12
111000	WM13777	3/8	5'	Black	Bag of 1	12	12

STAPLES

AWG

- 1/2": 14/2, 12/2, 10/2
- 3/4": 14/3, 12/3, 10/3



Cambridge Staples are designed to organize cable wires and hold them securely in place. Plastic and zinc-plated nails resist rust and corrosion caused by extreme weather.

ITEM#	SKU#	SIZE	MATERIAL	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
110271	ST12994	1/2"	Metal	Silver	Blister of 50	6	6
110270	ST12902	1/2"	Plastic	White	Bag of 50	10	10
112669	ST14629	1/2"	Plastic	White	Bag of 50	12	120
112670	ST14630	3/4"	Plastic	White	Bag of 50	12	120

SWITCHES

ROCKER SWITCHES

- 12V DC
- On-Off style



ITEM#	SKU#	AMP	VOLTS	WATTS	STYLE	GLOW	UOM	ORDER MULTIPLE	MASTER QTY
110921	SW12933	20	12	240	On-Off	Red	1	6	120
111826	SW13870	30	12	360	On-Off	Blue	1	120	120
110923	SW12941	30	12	360	On-Off	Red	1	120	120
111095	SW11736	20	12	240	On-Off	Red	1	6	120
202186	202186	6	12	72	On-Off-On	N/A	1	120	120

PUSH, TOUCH & PULL SWITCHES

- 12V DC



ITEM#	SKU#	AMP	WATTS	DESCRIPTION	STYLE	UOM	ORDER MULTIPLE	MASTER QTY
110922	SW12935	20	240	Metal push-pull	On-Off	1	6	120
110928	SW12958	15	180	Fused push-pull headlight	On-Off	1	6	60
110933	SW13772	75	900	Push-pull	On-Off	1	6	120
202184	202184	2		Push button w/ blue LED	SPST On-Off	1	120	120
202185	202185	2		Weatherproof momentary push button	On-Off	1	120	120
202190	202190	2		Touch with red light	Momentary On-Off	1	120	120
110915	SW12923	15	180	Brass push-button starter	Momentary On	1	6	120
110927	SW12957	20	240	Push button	Momentary On	1	120	120
110932	SW13771	6	72	Flush-mount horn	Push button	1	6	120

STARTER SWITCHES

- 12V DC



ITEM#	SKU#	AMP	WATTS	DESCRIPTION	STYLE	UOM	ORDER MULTIPLE	MASTER QTY
110918	SW12926	20	240	Sealed starter	Push-button	1	6	120
110913	SW12920	30	360	Universal starter switch with keys	Key	1	6	60
200002	200002	50		Universal start ignition switch w/ red light	Push Momentary Off-(On)	1	6	60
110912	SW12919	20	240	Push-button starter switch	Momentary On	1	120	120

TOGGLE SWITCHES



ITEM#	SKU#	AMP	VOLTS	WATTS	DESCRIPTION	STYLE	UOM	ORDER MULTIPLE	MASTER QTY
110914	SW12921	20	12	240	Brass	On-Off	1	6	120
110916	SW12924	15	12	180	Metal	On-Off	1	6	120
110936	SW13880	20	12	240	Metal	On-Off	1	6	120
110919	SW12929	15	12	180	Metal Bat w/ Screw	On-Off-On	1	6	120
112746	SW14596	15 20	250 125	2500	Metal	On-Off SPST	1	12	120
202187	202187	20	12	240	Metal w/ Red LED	On-Off SPST	1	120	120
110917	SW12925	6	12	72	Pre-wired Metal	On-Off	1	6	120
110926	SW12951	35	12	420	Weatherproof w/ Interchangeable Boots	On-Off	1	6	120
110920	SW12932	35	12	420	Chrome	On-Off-On	1	6	120
110935	SW13776	35	12	420	Chrome	On-Off	1	6	120
111003	SW12945	30	12	240	Metal w/ Red LED	On-Off	1	6	120
110925	SW12949	30	12	360	Metal w/ Green LED	On-Off	1	6	120
111096	SW11737	20	12	240	Plastic w/ Red LED	On-Off	1	6	120
202189	202189	10	12	120	Flat line	On-Off-On	1	120	120

BATTERY ISOLATOR SWITCH

- 12V DC
- 300A

ITEM# 110924
SKU# SW12943

UOM: Clamshell of 1
ORDER MULTIPLE: 6
MASTER QTY: 120



SWITCH WIRING KIT

- 30A
- 5 Pin Relay

Contents:

- (7) Wires
- (1) Relay
- (1) Switch & Panel
- (3) Screws
- (1) Quick Splice Connector



Control and protect circuits from surges and shorting out.

Increase the light bulb, wiring, and switch operating life.

Operate a maximum of (2) 55-watt halogen auxiliary lights; or one 150-watt auxiliary light, or any similarly powered circuit.

ITEM# 110934 SKU# SW13774

UOM: Blister of 1 ORDER MULTIPLE: 6
MASTER QTY: 12

BLADE-TYPE FUSE

- Fast acting
- Auto



ITEM#	AMP	COLOR	V	UOM	ORDER MULTIPLE	MASTER QTY
204278	3	Purple	32	Box of 5	50	500
204279	5	Orange	32	Box of 5	50	50

FUSE HOLDER

BLADE-STYLE FUSE HOLDER

- Weatherproof
- 14GA

ITEM# 110987 SKU# TL13721
UOM: Clamshell of 1
ORDER MULTIPLE: 24
MASTER QTY: 24



USB LIGHTER SOCKET

- Input 12V-24V
- Output 2.4A 5V



ITEM# 202188
UOM: Clamshell of 1
ORDER MULTIPLE: 120
MASTER QTY: 120

MOUNTING STRAPS

- Rigid
- Steel



ITEM#	SIZE	STYLE	UOM	ORDER MULTIPLE	MASTER QTY
200196	3/4"	1 Hole	1	50	500
200197	1"	1 Hole	1	50	50

- EMT
- Steel



ITEM#	SKU#	SIZE	STYLE	UOM	ORDER MULTIPLE	MASTER QTY
113060	CL14641	1/2"	1 Hole	Bag of 20	12	120
200190	200190	1/2"	1 Hole	1	100	1000
113059	CL14640	3/4"	1 Hole	Bag of 12	12	120
200189	200189	3/4"	1 Hole	1	100	500
200191	200191	1"	1 Hole	1	50	500
200192	200192	1-1/4"	1 Hole	1	20	100
200193	200193	1-1/2"	1 Hole	1	50	50
200198	200198	1/2"	2 Hole	1	50	500
200199	200199	3/4"	2 Hole	1	50	500
200200	200200	1-1/4"	2 Hole	1	50	50
200201	200201	1-1/2"	2 Hole	1	25	25
200202	200202	2"	2 Hole	1	25	25

RECEPTACLES / JUNCTION BOXES / ELECTRICAL COVERS / EMERGENCY SWITCH COVERS

RECEPTACLES

- 2 pole, 3 wire receptacle
- Grounded



ITEM#	SKU#	STYLE	AMP	VAC	UOM	ORDER MULTIPLE	MASTER QTY
112749	SW14601	Single	20	250	1	12	120

JUNCTION BOXES

All utility, switch and receptacle junction boxes come with knockouts for maximum flexibility and simplicity. Our boxes are made of durable steel construction.

- Steel




ITEM#	SKU#	DESCRIPTION	SIZE	STYLE	UOM	ORDER MULTIPLE	MASTER QTY
112755	SW14622	Utility Box	Single Gang	1/2" Knockouts	1	10	50
112889	SW14621	Switch Box	Single Gang	1/2" Knockouts	1	10	50
112756	SW14625	Receptacle Box	4" x 4" x 2"	1/2" & 3/4" Knockouts	1	10	40
112757	SW14626	Receptacle Box	4" Octagonal	1/2" & 3/4" Knockouts	1	10	50
112890	SW14624	Receptacle Box	4" x 4" x 1-1/2"	1/2" & 3/4" Knockouts	1	10	40
113061	SW14627	Weatherproof Receptacle Box	4-1/2"	1/2" Knockouts	1	20	20

ELECTRICAL COVERS

Cambridge offers standard steel utility covers for switches, receptacles, boxes, and switch/receptacle combinations.

- Steel




ITEM#	SKU#	DESCRIPTION	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112750	SW14613	Single Toggle Switch Cover	4" x 4"	1	12	120
112672	SW14668	Single Toggle Switch Cover	Single Gang	1	10	100
112751	SW14614	Single Receptacle Cover	4" x 4"	1	12	120
112888*	SW14617*	Duplex Receptacle Cover	Single Gang	1	12	120
112912	SW14618	Duplex Receptacle Cover	4" x 4"	1	12	120
112753	SW14616	Single Receptacle and Toggle Switch Cover	4" x 4"	1	12	120
112754	SW14619	Duplex Receptacle and Toggle Switch Cover	4" x 4"	1	12	120
112758	SW14628	Weatherproof Utility Box Cover	Single Gang	1	12	120
112671	SW14667	Blank Utility Box Cover	Single Gang	1	10	100
112887	SW14612	Flat Blank Box Cover	4" x 4"	1	12	120

*Minimum run requirements and lead times may apply.

EMERGENCY SWITCH COVERS

Switch covers come in the industry-standard red, and already have gas, oil, or emergency printed on them.

- On/Off Covers
- Red with white letters



ITEM#	SKU#	DESCRIPTION	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112759	SW14673	Gas Burner Emergency Cover	2-3/8"x 4-1/4"	1	12	120
112913	SW14721	Gas Burner Emergency Cover	2-3/4" x 4-1/2"	1	12	120
112762	SW14676	Gas Burner Emergency Cover	4" x 4"	1	12	120
112761	SW14675	Oil Burner Emergency Cover	2-3/8"x 4-1/4"	1	12	120
112914	SW14722	Oil Burner Emergency Cover	2-3/4" x 4-1/2"	1	12	120
112760	SW14674	Oil Burner Emergency Cover	4" x 4"	1	12	120

ELECTRICAL DISCONNECTS

Cambridge electrical disconnect boxes simplify wiring by lining up the terminals and feature a pull-out handle that can be replaced without having to replace the entire disconnect. They are made of rust and corrosion-resistant steel for outdoor use.

- Weatherproof
- 240 VAC
- Bottom-to-top opening
- UL 1429



- Weatherproof
- 240 VAC
- Side Opening
- UL 1429

The door on the Cambridge side open A/C Disconnect swings a full 180° for easy access



ITEM#	STYLE	AMP	UOM	ORDER MULTIPLE	MASTER QTY
200556	Fused	30	1	6	6
200557	Fused	60	1	6	6
200555	Non-Fused	60	1	6	6

ITEM#	STYLE	AMP	UOM	ORDER MULTIPLE	MASTER QTY
201000	Non-Fused	60	1	6	6

LIQUID-TIGHT CONDUIT & FITTINGS

LIQUID-TIGHT FLEXIBLE NON-METALLIC CONDUIT

Cambridge offers weather-proof, flexible, flame resistant (PVC) conduit for weatherproof wiring or outdoor and rooftop equipment. Easy to cut and join with metallic and non-metallic connectors.



- UL 1660



ITEM#	SKU#	SIZE	LENGTH	MATERIAL	UOM	ORDER MULTIPLE	MASTER QTY
112702	W14653	1"	100'	PVC	1 Roll	1	1
112703	W14654	3/4"	100'	PVC	1 Roll	1	1
112704	W14655	1/2"	100'	PVC	1 Roll	1	1

LOCKNUT

- Zinc-plated steel

ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112713	W14664	1/2"	1	10	1000

LIQUID-TIGHT FITTINGS

PVC-constructed liquid-tight connectors are produced from UV-rated material for long outdoor life.

- PVC · 90° Angle · Type B · UL 514B

ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112708	W14659	1/2"	1	10	100
112706	W14657	3/4"	1	10	100
200165	200165	1"	1	5	50



- PVC · Straight · Type B · UL 514B

ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112707	W14658	1/2"	1	25	100
112705	W14656	3/4"	1	10	100
200164	200164	1"	1	5	50

WHIP-KITS

Cambridge Electrical Whip Kits save time and labor, lowering costs of every A/C unit hookup job. Use them for refrigeration, heat pumps, hot tubs, swimming pools, and outdoor lighting.

- UL 1007



ITEM#	LENGTH	WIRE SIZE	CONNECTOR SIZE	CONNECTOR MATERIAL	UOM	ORDER MULTIPLE	MASTER QTY
200048	4'	3 x #10	1/2"	Metallic	1	6	6
200049	4'	3 x #10	1/2"	Non-Metallic	1	6	6
200050	6'	3 x #10	1/2"	Metallic	1	6	6
200051	6'	3 x #10	1/2"	Non-Metallic	1	6	6
200052	4'	2 x #8, 1 x #10	3/4"	Metallic	1	6	6
200053	4'	2 x #8, 1 x #10	3/4"	Non-Metallic	1	6	6
200054	6'	2 x #8, 1 x #10	3/4"	Metallic	1	6	6
200055	6'	2 x #8, 1 x #10	3/4"	Non-Metallic	1	6	6
200546	8'	2 x #8, 1 x #10	3/4"	Metallic	1	6	6

MINI SPLIT KIT

ITEM# 202959 UOM: 1
ORDER MULTIPLE: 1
MASTER QTY: 1



Breakdown:

- (1) Electrical Whip Kit (200051) - 1/2" x 6' Non-metallic conduit | Wire Size: 3x#10 | 1 Straight & 1 90° 1/2" Connectors
- (1) AC Disconnect (200555) - 60 AMP | Non Fused | 240 VAC | Pullout Switch | Max Horsepower 10
- (1) Surge Protector (202506) - Split Phase | 120/240VAC
- (1) Wall Sleeve (202548) - 3-1/4" x 6" to 8" | PVC | White
- (1) Refrigerant Fitting (202960) - 1/4" SAE M x 5/16" SAE FE Adapter

CLAMP SERVICE CONNECTORS



- Use with NM
- Zinc-die cast material

ITEM#	SKU#	SIZE	KNOCKOUT	UOM	ORDER MULTIPLE	MASTER QTY
112785	T14590	3/8"	1/2"	Bag of 8	12	120
112783	T14588	3/8"	1/2"	Bag of 25	12	48
112784	T14589	3/4"	3/4"	Bag of 4	12	120



- Clamp
- Use with NM/SE, NM/Combination
- Zinc-die cast material

ITEM#	SKU#	SIZE	KNOCKOUT	UOM	ORDER MULTIPLE	MASTER QTY
200185	200185	3/4"	3/4"	Bag of 1	50	500
200186	200186	1"	1"	Bag of 1	25	250
112786	T14672	Trade Size: 3/8"	1/2"	Bag of 7	12	72



- Use with 14/2, 14/3, 12/2
- Zinc-die cast material

ITEM#	SIZE	KNOCKOUT	UOM	ORDER MULTIPLE	MASTER QTY
200204	3/8"	1/2"	1	50	500

FLEX CONNECTORS

- 90° Angle
- Use with 14/2, 14/3, 12/2
- Zinc-die cast material



ITEM#	SKU#	SIZE	KNOCKOUT	UOM	ORDER MULTIPLE	MASTER QTY
200203	200203	3/8"	1/2"	Bag of 1	50	500
113063	T14591	3/8"	1/2"	Bag of 3	12	120

NIPPLE CONNECTORS

- Use with IMC and Rigid
- Steel



ITEM#	SKU#	SIZE	STYLE	UOM	ORDER MULTIPLE	MASTER QTY
113068	W14646	1/2"	Offset	Bag of 2	12	60

POWER SUPPLY CORD

- 16/3
- 6' Long



ITEM#	SKU#	PLUG STYLE	VOLTAGE	UOM	ORDER MULTIPLE	MASTER QTY
112701	W14643	90°	110	1	12	120
110597	1283	90°	300	1	12	100
112787	W14642	Straight	110	1	12	120

CAPACITORS

- Oil can endure in higher voltage and temperature, with very low humidity
- Rated to 70°C
- Protected to 10,000 AFC
- Tested and certified to UL 810 and IEC 60252-1:2001 standards
- 100% electrical tested
- Heavy-edged metalized polypropylene film is used for the dielectric

SINGLE OVAL RUN CAPACITORS

Single oval capacitors are designed for use in single-phase AC motors. They provide the necessary phase shift to improve the motor's performance during startup and operation.

- Voltage 440/370



ITEM#	HEIGHT Inches	WIDTH Inches	LENGTH Inches	MICROFARAD RATING	HZ	UOM	ORDER MULTIPLE	MASTER QTY
202359	2.17	2.01	1.22	5µF	50/60	1	10	100
202360	2.17	2.01	1.22	7.5µF	50/60	1	10	100
202361	2.17	2.01	1.22	10µF	50/60	1	10	100
202362	2.17	2.01	1.22	12.5µF	50/60	1	10	100
202363	3.15	2.01	1.22	15µF	50/60	1	10	100

DUAL ROUND RUN CAPACITORS

Dual round capacitors serve dual functions within a motor circuit. C1 is usually used for motor startup, providing the necessary phase shift to initiate rotation, while C2 continues to assist the motor during operation.

- Voltage 440/370



ITEM#	HEIGHT Inches	WIDTH Inches	MICROFARAD RATING	HZ	UOM	ORDER MULTIPLE	MASTER QTY
202364	2.56	1.97	20+5µF	50/60	1	10	50
202365	3.35	1.97	25+5µF	50/60	1	10	50
202366	3.35	1.97	30+5µF	50/60	1	10	50
202367	3.35	1.97	35+5µF	50/60	1	10	50
202368	3.35	1.97	35+7.5µF	50/60	1	10	50
202369	3.94	1.97	40+5µF	50/60	1	10	50
203081	3.94	1.97	40+7.5µF	50/60	1	10	50
202370	3.94	1.97	45+5µF	50/60	1	10	50
202371	3.94	1.97	45+7.5µF	50/60	1	10	50
202582	3.94	1.97	45+10µF	50/60	1	10	50
202372	3.94	1.97	50+5µF	50/60	1	10	50
202579	3.94	1.97	50+7.5µF	50/60	1	10	50
202373	3.94	1.97	55+5µF	50/60	1	10	50
202374	4.53	1.97	55+7.5µF	50/60	1	10	50
202375	4.53	1.97	60+5µF	50/60	1	10	50
202376	4.13	2.17	60+7.5µF	50/60	1	10	50
202583	4.13	2.17	60+10µF	50/60	1	10	50
202377	4.53	2.17	70+5µF	50/60	1	10	50
202580	4.13	2.17	70+7.5µF	50/60	1	10	50
202584	4.53	2.17	70+10µF	50/60	1	10	50
202378	4.53	2.36	80+5µF	50/60	1	10	50
202581	4.53	2.36	80+7.5µF	50/60	1	10	50
202585	4.53	2.36	80+10µF	50/60	1	10	50

CORK INSULATION TAPE

Cambridge cork insulation tape eliminates condensation from hot and cold pipes. With its easy application, it sticks firmly to all metals and to itself, will not dry or crack, and is non-toxic, and non-asbestos.

ITEM# 204276

Size: 1/8" x 2" x 30'

Service Temp: -40°F to 212°F

Color: Black

UOM: Box of 1 Roll

ORDER MULTIPLE: 10

MASTER QTY: 10



FOAM INSULATION TAPE

Cambridge insulation tape eliminates condensation from cold pipes. With its easy application and closed cell structure (low K factor), it sticks firmly to all metals and to itself, will not dry or crack, and reduces heat loss from hot pipes up to 160°F.

ITEM# 200460

Size: 1/8" x 2" x 30'

Color: Black

UOM: Box of 1 Roll

ORDER MULTIPLE: 12

MASTER QTY: 12



FOAM SEALANT

Use Cambridge expanding ready to use foam to fill gaps, cracks and any holes. It is better than standard caulk, with a strong adhesion and superior insulating properties. Tack-free in 10 minutes and fully cured in 12 hours. It is also paintable.

ITEM# 200583

Size: 12 oz / Can

UOM: 1

ORDER MULTIPLE: 12

MASTER QTY: 12



- Polyurethane foam
- Expands 3x when in contact with air
- Optimal can temp: 68°F
- Application temp: 28.4°F - 86°F

BLACK & GALVANIZED MALLEABLE IRON PIPE FITTINGS - CLASS 150

STZ black malleable iron pipe fittings are durable and easy to install. We offer a wide range of fitting types and sizes, so HVAC techs can use the fitting best suited for the job in gas, air, and low pressure applications. All our malleable iron pipe fittings are 100% pressure tested at the factory.

*Not for use with drinking water

*Always check your local plumbing and gas codes before starting any piping projects



STZ galvanized malleable iron pipe fittings are ideal for transporting water, oil, gas, or other liquids. All fittings are coated in zinc to minimize rust and corrosion, and are available in a variety of shapes and sizes.

*For use with residential drinking water applications

*Always check your local plumbing and gas codes before starting any piping projects



90° ELBOWS

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

90° ELBOWS

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501439	310E90-18	1/8"	1	10	10
501438	310E90-14	1/4"	1	10	10
501441	310E90-38	3/8"	1	5	5
502056	312E90-12	1/2"	1	40	40
523969	312E90-12-2	1/2"	Bag of 2	10	10
502057	312E90-12/10	1/2"	Bag of 10	5	5
502058	312E90-34	3/4"	1	25	25
523970	312E90-34-2	3/4"	Bag of 2	10	10
502059	312E90-34/10	3/4"	Bag of 10	5	5
501435	310E90-1	1"	1	10	10
501437	310E90-114	1-1/4"	1	5	5
501436	310E90-112	1-1/2"	1	5	5
501440	310E90-2	2"	1	4	4
502510	350E90-212	2-1/2"	1	1	16
502511	350E90-3	3"	1	1	8
502512	350E90-4	4"	1	1	4

BULK OPTIONS

505827	FMBE90-18	1/8"	1	50	600
505826	FMBE90-14	1/4"	1	35	420
505832	FMBE90-38	3/8"	1	90	360
505825	FMBE90-12	1/2"	1	50	200
505831	FMBE90-34	3/4"	1	35	105
505822	FMBE90-1	1"	1	20	60
505824	FMBE90-114	1-1/4"	1	20	40
505823	FMBE90-112	1-1/2"	1	15	30
505828	FMBE90-2	2"	1	8	16
505833	FMBE90-4	4"	1	2	2

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501810	311E90-18	1/8"	1	10	10
501809	311E90-14	1/4"	1	10	10
501812	311E90-38	3/8"	1	10	10
502083	313E90-12	1/2"	1	25	25
502084	313E90-34	3/4"	1	25	25
501806	311E90-1	1"	1	10	10
501808	311E90-114	1-1/4"	1	5	5
501807	311E90-112	1-1/2"	1	5	5
501811	311E90-2	2"	1	4	4
502575	351E90-212	2-1/2"	1	1	16
502576	351E90-3	3"	1	1	8
502577	351E90-4	4"	1	1	4

BULK OPTIONS

506388	FMGE90-18	1/8"	1	50	600
506387	FMGE90-14	1/4"	1	35	420
506393	FMGE90-38	3/8"	1	90	360
506386	FMGE90-12	1/2"	1	50	200
506392	FMGE90-34	3/4"	1	35	105
506383	FMGE90-1	1"	1	20	60
506385	FMGE90-114	1-1/4"	1	20	40
506384	FMGE90-112	1-1/2"	1	15	30
506389	FMGE90-2	2"	1	8	16
506394	FMGE90-4	4"	1	2	2

BLACK & GALVANIZED MALLEABLE IRON PIPE FITTINGS - 90° STREET ELBOWS / 90° REDUCING ELBOWS

90° STREET ELBOWS

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501547	310SE90-18	1/8"	1	10	10
501546	310SE90-14	1/4"	1	10	10
501550	310SE90-38	3/8"	1	5	5
501545	310SE90-12	1/2"	1	15	15
501549	310SE90-34	3/4"	1	15	15
501542	310SE90-1	1"	1	5	5
501544	310SE90-114	1-1/4"	1	5	5
501543	310SE90-112	1-1/2"	1	5	5
501548	310SE90-2	2"	1	4	4
502523	350 SE90-3	3"	1	1	8
502524	350 SE90-4	4"	1	1	4

BULK OPTIONS

506267	FMBSE90-18	1/8"	1	60	720
506266	FMBSE90-14	1/4"	1	35	420
506272	FMBSE90-38	3/8"	1	60	240
506265	FMBSE90-12	1/2"	1	60	180
506271	FMBSE90-34	3/4"	1	35	105
506262	FMBSE90-1	1"	1	45	90
506264	FMBSE90-114	1-1/4"	1	25	50
506263	FMBSE90-112	1-1/2"	1	9	27
506268	FMBSE90-2	2"	1	8	16

90° STREET ELBOWS

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501909	311SE90-18	1/8"	1	10	10
501908	311SE90-14	1/4"	1	10	10
501912	311SE90-38	3/8"	1	10	10
501907	311SE90-12	1/2"	1	10	10
501911	311SE90-34	3/4"	1	10	10
501904	311SE90-1	1"	1	5	5
501906	311SE90-114	1-1/4"	1	5	5
501905	311SE90-112	1-1/2"	1	5	5
501910	311SE90-2	2"	1	4	4
502588	351SE90-212	2-1/2"	1	1	16
502589	351SE90-3	3"	1	1	8
502590	351SE90-4	4"	1	1	4

BULK OPTIONS

506715	FMGSE90-18	1/8"	1	60	720
506714	FMGSE90-14	1/4"	1	35	420
506720	FMGSE90-38	3/8"	1	60	240
506713	FMGSE90-12	1/2"	1	60	180
506719	FMGSE90-34	3/4"	1	35	105
506710	FMGSE90-1	1"	1	45	90
506712	FMGSE90-114	1-1/4"	1	25	50
506711	FMGSE90-112	1-1/2"	1	9	27
506716	FMGSE90-2	2"	1	8	16

90° REDUCING ELBOWS

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501491	310RE-1214	1/2" x 1/4"	1	25	25
501492	310RE-1238	1/2" x 3/8"	1	10	10
501497	310RE-3438	3/4" x 3/8"	1	25	25
501496	310RE-3412	3/4" x 1/2"	1	10	10
501486	310RE-112	1" x 1/2"	1	10	10
501493	310RE-134	1" x 3/4"	1	5	5
501490	310RE-11434	1-1/4" x 3/4"	1	5	5
501489	310RE-1141	1-1/4" x 1"	1	5	5
501487	310RE-1121	1-1/2" x 1"	1	5	5
501488	310RE-112114	1-1/2" x 1-1/4"	1	5	5
501494	310RE-21	2" x 1"	1	5	5
501495	310RE-2112	2" x 1-1/2"	1	5	5

BULK OPTIONS

506205	FMBRE-1214	1/2" x 1/4"	1	60	240
506206	FMBRE-1238	1/2" x 3/8"	1	60	240
506211	FMBRE-3438	3/4" x 3/8"	1	40	160
506210	FMBRE-3412	3/4" x 1/2"	1	40	160
506200	FMBRE-112	1" x 1/2"	1	25	100
506207	FMBRE-134	1" x 3/4"	1	50	100
506204	FMBRE-11434	1-1/4" x 3/4"	1	15	60
506203	FMBRE-1141	1-1/4" x 1"	1	10	40
506201	FMBRE-1121	1-1/2" x 1"	1	10	40
506202	FMBRE-112114	1-1/2" x 1-1/4"	1	15	30
506208	FMBRE-21	2" x 1"	1	14	28
506209	FMBRE-2112	2" x 1-1/2"	1	10	20

90° REDUCING ELBOWS

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501873	311RE-1418	1/4" x 1/8"	1	10	10
501876	311RE-3814	3/8" x 1/4"	1	10	10
501870	311RE-1214	1/2" x 1/4"	1	25	25
501871	311RE-1238	1/2" x 3/8"	1	5	5
501875	311RE-3412	3/4" x 1/2"	1	5	5
501865	311RE-112	1" x 1/2"	1	10	10
501872	311RE-134	1" x 3/4"	1	5	5
501869	311RE-1141	1-1/4" x 1"	1	5	5
501866	311RE-1121	1-1/2" x 1"	1	5	5
501867	311RE-112114	1-1/2" x 1-1/4"	1	5	5
501874	311RE-2112	2" x 1-1/2"	1	5	5

BULK OPTIONS

506671	FMGRE-1214	1/2" x 1/4"	1	60	240
506672	FMGRE-1238	1/2" x 3/8"	1	60	240
117116	FMGRE-3438	3/4" x 3/8"	1	40	160
506677	FMGRE-3412	3/4" x 1/2"	1	40	160
506666	FMGRE-112	1" x 1/2"	1	25	100
506673	FMGRE-134	1" x 3/4"	1	50	100
506667	FMGRE-1121	1-1/2" x 1"	1	10	40
506668	FMGRE-112114	1-1/2" x 1-1/4"	1	15	30
506675	FMGRE-2112	2" x 1-1/2"	1	10	20

BLACK & GALVANIZED MALLEABLE IRON PIPE FITTINGS - 45° ELBOWS / 45° STREET ELBOWS

45° ELBOWS

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
202221	310E45-18	1/8"	1	10	10
501431	310E45-14	1/4"	1	10	10
501434	310E45-38	3/8"	1	10	10
501430	310E45-12	1/2"	1	10	10
501433	310E45-34	3/4"	1	10	10
501427	310E45-1	1"	1	5	5
501429	310E45-114	1-1/4"	1	5	5
501428	310E45-112	1-1/2"	1	5	5
501432	310E45-2	2"	1	4	4
502507	350E45-212	2-1/2"	1	1	16
502508	350E45-3	3"	1	1	8
502509	350E45-4	4"	1	1	4

BULK OPTIONS

117437	FMBE45-18	1/8"	1	50	600
505815	FMBE45-14	1/4"	1	30	360
505820	FMBE45-38	3/8"	1	75	300
505814	FMBE45-12	1/2"	1	50	200
505819	FMBE45-34	3/4"	1	40	120
505811	FMBE45-1	1"	1	20	60
505813	FMBE45-114	1-1/4"	1	20	40
505812	FMBE45-112	1-1/2"	1	10	30
505816	FMBE45-2	2"	1	12	24
505821	FMBE45-4	4"	1	2	4

45° ELBOWS

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501802	311E45-18	1/8"	1	10	10
501801	311E45-14	1/4"	1	10	10
501805	311E45-38	3/8"	1	10	10
501800	311E45-12	1/2"	1	5	5
501804	311E45-34	3/4"	1	5	5
501797	311E45-1	1"	1	5	5
501799	311E45-114	1-1/4"	1	5	5
501798	311E45-112	1-1/2"	1	5	5
501803	311E45-2	2"	1	4	4
502572	351E45-212	2-1/2"	1	1	16
502573	351E45-3	3"	1	1	8
502574	351E45-4	4"	1	1	4

BULK OPTIONS

506376	FMGE45-18	1/8"	1	50	600
506375	FMGE45-14	1/4"	1	30	360
506381	FMGE45-38	3/8"	1	75	300
506374	FMGE45-12	1/2"	1	50	200
506380	FMGE45-34	3/4"	1	40	120
506371	FMGE45-1	1"	1	20	60
506373	FMGE45-114	1-1/4"	1	20	40
506372	FMGE45-112	1-1/2"	1	10	30
506377	FMGE45-2	2"	1	12	24
506382	FMGE45-4	4"	1	2	4

45° STREET ELBOWS

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501538	310SE45-18	1/8"	1	10	10
501537	310SE45-14	1/4"	1	10	10
501541	310SE45-38	3/8"	1	10	10
501536	310SE45-12	1/2"	1	5	5
501540	310SE45-34	3/4"	1	5	5
501533	310SE45-1	1"	1	5	5
501535	310SE45-114	1-1/4"	1	5	5
501534	310SE45-112	1-1/2"	1	5	5
501539	310SE45-2	2"	1	5	5

BULK OPTIONS

506258	FMBSE45-18	1/8"	1	70	840
506257	FMBSE45-14	1/4"	1	40	480
506261	FMBSE45-38	3/8"	1	100	400
506256	FMBSE45-12	1/2"	1	75	225
506260	FMBSE45-34	3/4"	1	40	120
506253	FMBSE45-1	1"	1	25	75
506255	FMBSE45-114	1-1/4"	1	10	40
506254	FMBSE45-112	1-1/2"	1	10	30
506259	FMBSE45-2	2"	1	12	24

45° STREET ELBOWS

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501900	311SE45-18	1/8"	1	10	10
501899	311SE45-14	1/4"	1	10	10
501903	311SE45-38	3/8"	1	10	10
501898	311SE45-12	1/2"	1	5	5
501902	311SE45-34	3/4"	1	5	5
501895	311SE45-1	1"	1	10	10
501897	311SE45-114	1-1/4"	1	5	5
501896	311SE45-112	1-1/2"	1	5	5
501901	311SE45-2	2"	1	5	5

BULK OPTIONS

506709	FMGSE45-38	3/8"	1	100	400
506704	FMGSE45-12	1/2"	1	75	225
506708	FMGSE45-34	3/4"	1	40	120
506701	FMGSE45-1	1"	1	25	75
506703	FMGSE45-114	1-1/4"	1	10	40
506702	FMGSE45-112	1-1/2"	1	10	30

BLACK & GALVANIZED MALLEABLE IRON PIPE FITTINGS - SIDE OUTLET ELBOWS / COUPLINGS

SIDE OUTLET ELBOWS

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501552	310SOE-38	3/8"	1	10	10
501551	310SOE-12	1/2"	1	6	6
114911	310SOE-1	1"	1	8	8
BULK OPTIONS					
116944	FMBISOE-38	3/8"	1	20	20
517302	FMBISOE-12	1/2"	1	45	135
517303	FMBISOE-34	3/4"	1	20	80
116125	FMBISOE-1	1"	1	20	40

SIDE OUTLET ELBOWS

Galvanized



NSF61-4
NSF372

- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501913	311SOE-12	1/2"	1	10	10
501914	311SOE-34	3/4"	1	10	10
BULK OPTIONS					
506722	FMGISOE-12	1/2"	1	45	135
506723	FMGISOE-34	3/4"	1	20	80
117120	FMGISOE-1	1"	1	20	40

RIGHT LEFT COUPLINGS

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
117439	FMBRLCO-12	1/2"	1	60	240
117440	FMBRLCO-34	3/4"	1	50	150

RIGHT LEFT COUPLINGS

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
117442	FMGRLCO-12	1/2"	1	60	240
117443	FMGRLCO-34	3/4"	1	50	150

COUPLINGS

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501419	310CO-18	1/8"	1	10	10
501418	310CO-14	1/4"	1	10	10
501421	310CO-38	3/8"	1	10	10
502052	312CO-12	1/2"	1	50	50
502053	312CO-12/10	1/2"	Bag of 10	5	5
502054	312CO-34	3/4"	1	25	25
502055	312CO-34/10	3/4"	Bag of 10	5	5
501415	310CO-1	1"	1	10	10
501417	310CO-114	1-1/4"	1	5	5
501416	310CO-112	1-1/2"	1	5	5
501420	310CO-2	2"	1	4	4
502504	350CO-212	2-1/2"	1	1	24
502505	350CO-3	3"	1	1	16
502506	350CO-4	4"	1	1	8

BULK OPTIONS

505800	FMBCO-18	1/8"	1	70	840
505799	FMBCO-14	1/4"	1	40	480
505805	FMBCO-38	3/8"	1	40	480
505798	FMBCO-12	1/2"	1	60	240
505804	FMBCO-34	3/4"	1	50	150
505795	FMBCO-1	1"	1	25	100
505797	FMBCO-114	1-1/4"	1	16	64
505796	FMBCO-112	1-1/2"	1	18	36
505801	FMBCO-2	2"	1	12	24
505806	FMBCO-4	4"	1	3	6

COUPLINGS

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501786	311CO-18	1/8"	1	10	10
501785	311CO-14	1/4"	1	10	10
501788	311CO-38	3/8"	1	5	5
502081	313CO-12	1/2"	1	25	25
502082	313CO-34	3/4"	1	20	20
501782	311CO-1	1"	1	5	5
501784	311CO-114	1-1/4"	1	5	5
501783	311CO-112	1-1/2"	1	5	5
501787	311CO-2	2"	1	4	4
511696	351CO-212	2-1/2"	1	1	24
502570	351CO-3	3"	1	1	16
502571	351CO-4	4"	1	1	8

BULK OPTIONS

506355	FMGCO-18	1/8"	1	70	840
506354	FMGCO-14	1/4"	1	40	480
506360	FMGCO-38	3/8"	1	40	480
506353	FMGCO-12	1/2"	1	60	240
506359	FMGCO-34	3/4"	1	50	150
506350	FMGCO-1	1"	1	25	100
506352	FMGCO-114	1-1/4"	1	16	64
506351	FMGCO-112	1-1/2"	1	18	36
506356	FMGCO-2	2"	1	12	24
506361	FMGCO-4	4"	1	3	6

BLACK & GALVANIZED MALLEABLE IRON PIPE FITTINGS - REDUCING COUPLINGS

REDUCING COUPLINGS

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

REDUCING COUPLINGS

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501474	310RC-1418	1/4" x 1/8"	1	10	10
501485	310RC-3818	3/8" x 1/8"	1	10	10
501484	310RC-3814	3/8" x 1/4"	1	10	10
501471	310RC-1218	1/2" x 1/8"	1	25	25
501470	310RC-1214	1/2" x 1/4"	1	25	25
501472	310RC-1238	1/2" x 3/8"	1	15	15
501481	310RC-3414	3/4" x 1/4"	1	25	25
501483	310RC-3438	3/4" x 3/8"	1	25	25
501480	310RC-3412	3/4" x 1/2"	1	15	15
501462	310RC-112	1" x 1/2"	1	5	5
501473	310RC-134	1" x 3/4"	1	10	10
501468	310RC-11412	1-1/4" x 1/2"	1	5	5
501469	310RC-11434	1-1/4" x 3/4"	1	5	5
501467	310RC-1141	1-1/4" x 1"	1	5	5
501465	310RC-11212	1-1/2" x 1/2"	1	5	5
501466	310RC-11234	1-1/2" x 3/4"	1	5	5
501463	310RC-1121	1-1/2" x 1"	1	5	5
501464	310RC-112114	1-1/2" x 1-1/4"	1	5	5
501478	310RC-212	2" x 1/2"	1	5	5
501479	310RC-234	2" x 3/4"	1	5	5
501475	310RC-21	2" x 1"	1	5	5
501477	310RC-2114	2" x 1-1/4"	1	5	5
501476	310RC-2112	2" x 1-1/2"	1	5	5
502517	350RC-2122	2-1/2" x 2"	1	1	24
502518	350RC-32	3" x 2"	1	1	16
502519	350RC-3212	3" x 2-1/2"	1	1	16
117935	350RC-42	4" x 2"	1	1	3
117936	350RC-4212	4" x 2-1/2"	1	1	3
502520	350RC-43	4" x 3"	1	1	8

BULK OPTIONS

506183	FMBRC-1418	1/4" x 1/8"	1	50	600
506198	FMBRC-3818	3/8" x 1/8"	1	35	420
506197	FMBRC-3814	3/8" x 1/4"	1	30	360
506180	FMBRC-1218	1/2" x 1/8"	1	75	300
506179	FMBRC-1214	1/2" x 1/4"	1	75	300
506181	FMBRC-1238	1/2" x 3/8"	1	60	240
506194	FMBRC-3414	3/4" x 1/4"	1	45	180
506196	FMBRC-3438	3/4" x 3/8"	1	45	180
506193	FMBRC-3412	3/4" x 1/2"	1	60	180
506175	FMBRC-114	1" x 1/4"	1	45	135
506170	FMBRC-112	1" x 1/2"	1	30	120
506182	FMBRC-134	1" x 3/4"	1	25	100
506177	FMBRC-11412	1-1/4" x 1/2"	1	25	75
506178	FMBRC-11434	1-1/4" x 3/4"	1	25	75
506176	FMBRC-1141	1-1/4" x 1"	1	15	60
506173	FMBRC-11212	1-1/2" x 1/2"	1	20	60
506174	FMBRC-11234	1-1/2" x 3/4"	1	15	60
506171	FMBRC-1121	1-1/2" x 1"	1	25	50
506172	FMBRC-112114	1-1/2" x 1-1/4"	1	12	48
506187	FMBRC-212	2" x 1/2"	1	12	36
506190	FMBRC-234	2" x 3/4"	1	12	36
506184	FMBRC-21	2" x 1"	1	12	36
506186	FMBRC-2114	2" x 1-1/4"	1	9	27
506185	FMBRC-2112	2" x 1-1/2"	1	9	27
506199	FMBRC-43	4" x 3"	1	3	6

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501854	311RC-1418	1/4" x 1/8"	1	10	10
501864	311RC-3818	3/8" x 1/8"	1	10	10
501863	311RC-3814	3/8" x 1/4"	1	10	10
501850	311RC-1218	1/2" x 1/8"	1	25	25
501849	311RC-1214	1/2" x 1/4"	1	10	10
501851	311RC-1238	1/2" x 3/8"	1	5	5
501861	311RC-3414	3/4" x 1/4"	1	25	25
501862	311RC-3438	3/4" x 3/8"	1	25	25
501860	311RC-3412	3/4" x 1/2"	1	15	15
501853	311RC-138	1" x 3/8"	1	10	10
501841	311RC-112	1" x 1/2"	1	5	5
501852	311RC-134	1" x 3/4"	1	5	5
501847	311RC-11412	1-1/4" x 1/2"	1	5	5
501848	311RC-11434	1-1/4" x 3/4"	1	5	5
501846	311RC-1141	1-1/4" x 1"	1	5	5
501844	311RC-11212	1-1/2" x 1/2"	1	5	5
501845	311RC-11234	1-1/2" x 3/4"	1	4	4
501842	311RC-1121	1-1/2" x 1"	1	4	4
501843	311RC-112114	1-1/2" x 1-1/4"	1	3	3
501858	311RC-212	2" x 1/2"	1	5	5
501859	311RC-234	2" x 3/4"	1	5	5
501855	311RC-21	2" x 1"	1	5	5
501857	311RC-2114	2" x 1-1/4"	1	5	5
501856	311RC-2112	2" x 1-1/2"	1	5	5
502581	351RC-212112	2-1/2" x 1-1/2"	1	1	24
502582	351RC-2122	2-1/2" x 2"	1	1	24
502583	351RC-32	3" x 2"	1	1	16
502584	351RC-3212	3" x 2-1/2"	1	1	16
502585	351RC-42	4" x 2"	1	1	8
502586	351RC-4212	4" x 2-1/2"	1	1	8
502587	351RC-43	4" x 3"	1	1	8

BULK OPTIONS

506648	FMGRC-1418	1/4" x 1/8"	1	50	600
506662	FMGRC-3818	3/8" x 1/8"	1	35	420
506661	FMGRC-3814	3/8" x 1/4"	1	30	360
506644	FMGRC-1218	1/2" x 1/8"	1	75	300
506643	FMGRC-1214	1/2" x 1/4"	1	75	300
506645	FMGRC-1238	1/2" x 3/8"	1	60	240
506659	FMGRC-3414	3/4" x 1/4"	1	45	180
506658	FMGRC-3412	3/4" x 1/2"	1	60	180
506660	FMGRC-3438	3/4" x 3/8"	1	45	180
506635	FMGRC-112	1" x 1/2"	1	30	120
506646	FMGRC-134	1" x 3/4"	1	25	100
506641	FMGRC-11412	1-1/4" x 1/2"	1	25	75
506642	FMGRC-11434	1-1/4" x 3/4"	1	25	75
506640	FMGRC-1141	1-1/4" x 1"	1	15	60
506638	FMGRC-11212	1-1/2" x 1/2"	1	20	60
506639	FMGRC-11234	1-1/2" x 3/4"	1	15	60
506636	FMGRC-1121	1-1/2" x 1"	1	25	50
506637	FMGRC-112114	1-1/2" x 1-1/4"	1	12	48
506652	FMGRC-212	2" x 1/2"	1	12	36
506655	FMGRC-234	2" x 3/4"	1	12	36
506649	FMGRC-21	2" x 1"	1	12	36
506651	FMGRC-2114	2" x 1-1/4"	1	9	27
506650	FMGRC-2112	2" x 1-1/2"	1	9	27
506663	FMGRC-42	4" x 2"	1	3	6
506664	FMGRC-4212	4" x 2-1/2"	1	3	6
506665	FMGRC-43	4" x 3"	1	3	6

BLACK & GALVANIZED MALLEABLE IRON PIPE FITTINGS - BUSHINGS

BUSHINGS

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501394	310B-1418	1/4" x 1/8"	1	10	10
501405	310B-3818	3/8" x 1/8"	1	10	10
501404	310B-3814	3/8" x 1/4"	1	10	10
501390	310B-1218	1/2" x 1/8"	1	25	25
501389	310B-1214	1/2" x 1/4"	1	10	10
501391	310B-1238	1/2" x 3/8"	1	15	15
501402	310B-3418	3/4" x 1/8"	1	25	25
501401	310B-3414	3/4" x 1/4"	1	25	25
501403	310B-3438	3/4" x 3/8"	1	25	25
501400	310B-3412	3/4" x 1/2"	1	15	15
501385	310B-114	1" x 1/4"	1	10	10
501393	310B-138	1" x 3/8"	1	10	10
501380	310B-112	1" x 1/2"	1	10	10
501392	310B-134	1" x 3/4"	1	10	10
501387	310B-11412	1-1/4" x 1/2"	1	5	5
501388	310B-11434	1-1/4" x 3/4"	1	5	5
501386	310B-1141	1-1/4" x 1"	1	5	5
501383	310B-11212	1-1/2" x 1/2"	1	5	5
501384	310B-11234	1-1/2" x 3/4"	1	5	5
501381	310B-1121	1-1/2" x 1"	1	5	5
501382	310B-112114	1-1/2" x 1-1/4"	1	5	5
501398	310B-212	2" x 1/2"	1	5	5
501399	310B-234	2" x 3/4"	1	5	5
501395	310B-21	2" x 1"	1	5	5
501397	310B-2114	2" x 1-1/4"	1	5	5
501396	310B-2112	2" x 1-1/2"	1	3	3
502494	350B-21234	2-1/2" x 3/4"	1	1	8
511653	350B-212114	2-1/2" x 1-1/4"	1	1	8
502492	350B-212112	2-1/2" x 1-1/2"	1	1	8
502493	350B-2122	2-1/2" x 2"	1	1	8
502495	350B-3112	3" x 1-1/2"	1	1	6
502496	350B-32	3" x 2"	1	1	6
502497	350B-3212	3" x 2-1/2"	1	1	6
502498	350B-4112	4" x 1-1/2"	1	1	6
502499	350B-42	4" x 2"	1	1	6
117934	350B-4212	4" x 2-1/2"	1	1	5
502500	350B-43	4" x 3"	1	1	6

BULK OPTIONS

505728	FMBB-1418	1/4" x 1/8"	1	120	1440
505747	FMBB-3818	3/8" x 1/8"	1	75	900
505746	FMBB-3814	3/8" x 1/4"	1	75	900
505724	FMBB-1218	1/2" x 1/8"	1	150	600
505723	FMBB-1214	1/2" x 1/4"	1	150	600
505725	FMBB-1238	1/2" x 3/8"	1	150	600
505744	FMBB-3418	3/4" x 1/8"	1	75	300
505743	FMBB-3414	3/4" x 1/4"	1	75	300
505745	FMBB-3438	3/4" x 3/8"	1	75	300
505742	FMBB-3412	3/4" x 1/2"	1	75	300
505719	FMBB-114	1" x 1/4"	1	50	200
505727	FMBB-138	1" x 3/8"	1	50	200
505714	FMBB-112	1" x 1/2"	1	50	200
505726	FMBB-134	1" x 3/4"	1	50	200
505721	FMBB-11412	1-1/4" x 1/2"	1	30	120
505722	FMBB-11434	1-1/4" x 3/4"	1	30	120
505720	FMBB-1141	1-1/4" x 1"	1	30	120
505717	FMBB-11212	1-1/2" x 1/2"	1	25	75
505718	FMBB-11234	1-1/2" x 3/4"	1	25	75
505715	FMBB-1121	1-1/2" x 1"	1	25	75
505716	FMBB-112114	1-1/2" x 1-1/4"	1	25	75

BUSHINGS

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501755	311B-1418	1/4" x 1/8"	1	10	10
501766	311B-3818	3/8" x 1/8"	1	10	10
501765	311B-3814	3/8" x 1/4"	1	5	5
501751	311B-1218	1/2" x 1/8"	1	25	25
501750	311B-1214	1/2" x 1/4"	1	10	10
501752	311B-1238	1/2" x 3/8"	1	5	5
501763	311B-3418	3/4" x 1/8"	1	25	25
501762	311B-3414	3/4" x 1/4"	1	5	5
501764	311B-3438	3/4" x 3/8"	1	25	25
501761	311B-3412	3/4" x 1/2"	1	10	10
501745	311B-114	1" x 1/4"	1	10	10
501754	311B-138	1" x 3/8"	1	10	10
501740	311B-112	1" x 1/2"	1	5	5
501753	311B-134	1" x 3/4"	1	10	10
501748	311B-11414	1-1/4" x 1/4"	1	5	5
501747	311B-11412	1-1/4" x 1/2"	1	5	5
501749	311B-11434	1-1/4" x 3/4"	1	5	5
501746	311B-1141	1-1/4" x 1"	1	5	5
501743	311B-11212	1-1/2" x 1/2"	1	5	5
501744	311B-11234	1-1/2" x 3/4"	1	5	5
501741	311B-1121	1-1/2" x 1"	1	5	5
501742	311B-112114	1-1/2" x 1-1/4"	1	5	5
501759	311B-212	2" x 1/2"	1	5	5
501760	311B-234	2" x 3/4"	1	5	5
501756	311B-21	2" x 1"	1	5	5
501758	311B-2114	2" x 1-1/4"	1	5	5
501757	311B-2112	2" x 1-1/2"	1	5	5
502558	351B-212112	2-1/2" x 1-1/2"	1	1	8
502559	351B-2122	2-1/2" x 2"	1	1	8
502560	351B-3112	3" x 1-1/2"	1	1	6
502562	351B-32	3" x 2"	1	1	6
502563	351B-3212	3" x 2-1/2"	1	1	6
202487	351B-4112	4" x 1-1/2"	1	1	6
502564	351B-42	4" x 2"	1	1	6
502565	351B-4212	4" x 2-1/2"	1	1	6
502566	351B-43	4" x 3"	1	1	6

BULK OPTIONS

506311	FMGB-1418	1/4" x 1/8"	1	120	1440
506327	FMGB-3818	3/8" x 1/8"	1	75	900
506326	FMGB-3814	3/8" x 1/4"	1	75	900
506307	FMGB-1218	1/2" x 1/8"	1	150	600
506306	FMGB-1214	1/2" x 1/4"	1	150	600
506308	FMGB-1238	1/2" x 3/8"	1	150	600
506324	FMGB-3418	3/4" x 1/8"	1	50	300
506323	FMGB-3414	3/4" x 1/4"	1	75	300
506325	FMGB-3438	3/4" x 3/8"	1	75	300
506322	FMGB-3412	3/4" x 1/2"	1	75	300
506301	FMGB-114	1" x 1/4"	1	50	200
506310	FMGB-138	1" x 3/8"	1	50	200
506296	FMGB-112	1" x 1/2"	1	50	200
506309	FMGB-134	1" x 3/4"	1	50	200
506304	FMGB-11414	1-1/4" x 1/4"	1	30	120
506303	FMGB-11412	1-1/4" x 1/2"	1	30	120
506305	FMGB-11434	1-1/4" x 3/4"	1	30	120
506302	FMGB-1141	1-1/4" x 1"	1	30	120
506299	FMGB-11212	1-1/2" x 1/2"	1	25	75
506300	FMGB-11234	1-1/2" x 3/4"	1	25	75
506297	FMGB-1121	1-1/2" x 1"	1	25	75
506298	FMGB-112114	1-1/2" x 1-1/4"	1	25	75

BLACK & GALVANIZED MALLEABLE IRON PIPE FITTINGS - TEES / SIDE OUTLET TEES

BUSHINGS *Continued*

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
120416	FMBB-214	2" x 1/4"	1	20	60
505732	FMBB-212	2" x 1/2"	1	20	60
505738	FMBB-234	2" x 3/4"	1	20	60
505729	FMBB-21	2" x 1"	1	20	60
505731	FMBB-2114	2" x 1-1/4"	1	20	60
505730	FMBB-2112	2" x 1-1/2"	1	20	60

BUSHINGS *Continued*

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
506315	FMGB-212	2" x 1/2"	1	20	60
506318	FMGB-234	2" x 3/4"	1	20	60
506312	FMGB-21	2" x 1"	1	20	60
506314	FMGB-2114	2" x 1-1/4"	1	20	60
506313	FMGB-2112	2" x 1-1/2"	1	20	60

TEES

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501559	310T-18	1/8"	1	10	10
501558	310T-14	1/4"	1	10	10
501561	310T-38	3/8"	1	5	5
502060	312T-12	1/2"	1	25	25
202204	312T-12/10	1/2"	Bag of 10	4	4
502061	312T-34	3/4"	1	15	15
502062	312T-34/10	3/4"	Bag of 10	5	15
501555	310T-1	1"	1	5	5
501557	310T-114	1-1/4"	1	5	5
501556	310T-112	1-1/2"	1	3	3
501560	310T-2	2"	1	4	4
502525	350T-212	2-1/2"	1	1	12
502526	350T-3	3"	1	1	8
502527	350T-4	4"	1	1	4

BULK OPTIONS

506279	FMBT-18	1/8"	1	120	480
506278	FMBT-14	1/4"	1	75	300
506284	FMBT-38	3/8"	1	45	180
506277	FMBT-12	1/2"	1	40	120
506283	FMBT-34	3/4"	1	35	70
506274	FMBT-1	1"	1	20	40
506276	FMBT-114	1-1/4"	1	14	28
506275	FMBT-112	1-1/2"	1	12	24
506280	FMBT-2	2"	1	8	16
506285	FMBT-4	4"	1	2	2

TEES

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501921	311T-18	1/8"	1	10	10
501920	311T-14	1/4"	1	10	10
501923	311T-38	3/8"	1	10	10
502085	313 T-12	1/2"	1	15	15
502086	313 T-34	3/4"	1	15	15
501917	311T-1	1"	1	10	10
501919	311T-114	1-1/4"	1	5	5
501918	311T-112	1-1/2"	1	3	3
501922	311T-2	2"	1	4	4
502591	351T-212	2-1/2"	1	1	12
502592	351T-3	3"	1	1	8
502593	351T-4	4"	1	1	4

BULK OPTIONS

506731	FMGT-18	1/8"	1	120	480
506730	FMGT-14	1/4"	1	75	300
506736	FMGT-38	3/8"	1	45	180
506729	FMGT-12	1/2"	1	40	120
506735	FMGT-34	3/4"	1	35	70
506726	FMGT-1	1"	1	20	40
506728	FMGT-114	1-1/4"	1	14	28
506727	FMGT-112	1-1/2"	1	12	24
506732	FMGT-2	2"	1	8	16
506737	FMGT-4	4"	1	2	2

SIDE OUTLET TEES

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501554	310SOT-38	3/8"	1	10	10
501553	310SOT-12	1/2"	1	6	6
114913	310SOT-34	3/4"	1	10	10
114912	310SOT-1	1"	1	8	8

BULK OPTIONS

116942	FMBSOT-38	3/8"	1	20	20
517304	FMBSOT-12	1/2"	1	25	100
116779	FMBSOT-34	3/4"	1	15	60
116778	FMBSOT-1	1"	1	20	40

SIDE OUTLET TEES

Galvanized



NSF61-4
NSF372

- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501916	311SOT-12	1/2"	1	25	25
501915	311SOT-114	1-1/4"	1	5	5

BULK OPTIONS

506725	FMGSOT-12	1/2"	1	25	100
116787	FMGSOT-34	3/4"	1	15	60
117099	FMGSOT-1	1"	1	20	40

BLACK & GALVANIZED MALLEABLE IRON PIPE FITTINGS - REDUCING TEES / SERVICE TEES

REDUCING TEES

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
510721	310RT-121214	1/2" x 1/2" x 1/4"	1	25	25
501515	310RT-121238	1/2" x 1/2" x 3/8"	1	25	25
501514	310RT-121234	1/2" x 1/2" x 3/4"	1	3	3
501528	310RT-341212	3/4" x 1/2" x 1/2"	1	10	10
501529	310RT-341234	3/4" x 1/2" x 3/4"	1	10	10
501532	310RT-343438	3/4" x 3/4" x 3/8"	1	10	10
501531	310RT-343412	3/4" x 3/4" x 1/2"	1	10	10
501506	310RT-11234	1" x 1/2" x 3/4"	1	10	10
501499	310RT-1121	1" x 1/2" x 1"	1	10	10
501517	310RT-13412	1" x 3/4" x 1/2"	1	10	10
501518	310RT-13434	1" x 3/4" x 3/4"	1	5	5
501516	310RT-1341	1" x 3/4" x 1"	1	10	10
501498	310RT-1112	1" x 1" x 1/2"	1	5	5
501508	310RT-1134	1" x 1" x 3/4"	1	5	5
501509	310RT-11411	1-1/4" x 1" x 1"	1	5	5
501511	310RT-11411412	1-1/4" x 1-1/4" x 1/2"	1	5	5
501512	310RT-11411434	1-1/4" x 1-1/4" x 3/4"	1	5	5
501510	310RT-1141141	1-1/4" x 1-1/4" x 1"	1	5	5
501502	310RT-11211212	1-1/2" x 1-1/2" x 1/2"	1	5	5
501503	310RT-11211234	1-1/2" x 1-1/2" x 3/4"	1	5	5
501500	310RT-1121121	1-1/2" x 1-1/2" x 1"	1	5	5
501501	310RT-112112114	1-1/2" x 1-1/2" x 1-1/4"	1	5	5
501519	310RT-21121	2" x 1-1/2" x 1"	1	4	4
501520	310RT-2112112	2" x 1-1/2" x 1-1/2"	1	4	4
501521	310RT-21122	2" x 1-1/2" x 2"	1	4	4
501526	310RT-2212	2" x 2" x 1/2"	1	5	5
501527	310RT-2234	2" x 2" x 3/4"	1	5	5
501523	310RT-221	2" x 2" x 1"	1	4	4
501525	310RT-22114	2" x 2" x 1-1/4"	1	4	4
501524	310RT-22112	2" x 2" x 1-1/2"	1	4	4

REDUCING TEES

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501885	311RT-121238	1/2" x 1/2" x 3/8"	1	5	5
501884	311RT-121234	1/2" x 1/2" x 3/4"	1	5	5
501892	311RT-341212	3/4" x 1/2" x 1/2"	1	5	5
501893	311RT-341234	3/4" x 1/2" x 3/4"	1	5	5
501894	311RT-343412	3/4" x 3/4" x 1/2"	1	5	5
511083	311RT-34341	3/4" x 3/4" x 1"	1	10	10
501887	311RT-13434	1" x 3/4" x 3/4"	1	10	10
501886	311RT-1341	1" x 3/4" x 1"	1	10	10
501877	311RT-1112	1" x 1" x 1/2"	1	10	10
501881	311RT-1134	1" x 1" x 3/4"	1	10	10
501883	311RT-11411434	1-1/4" x 1-1/4" x 3/4"	1	5	5
501882	311RT-1141141	1-1/4" x 1-1/4" x 1"	1	5	5
501880	311RT-112112114	1-1/2" x 1-1/2" x 1-1/4"	1	5	5
501890	311RT-22114	2" x 2" x 1-1/4"	1	4	4
501889	311RT-22112	2" x 2" x 1-1/2"	1	4	4

SERVICE TEES

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
502521	350RT-212212112	2-1/2" x 2-1/2" x 1-1/2"	1	1	12
511681	350RT-443	4" x 4" x 3"	1	1	4
BULK OPTIONS					
506233	FMBRT-121238	1/2" x 1/2" x 3/8"	1	40	160
506232	FMBRT-121234	1/2" x 1/2" x 3/4"	1	30	120
506247	FMBRT-341212	3/4" x 1/2" x 1/2"	1	25	100
506248	FMBRT-341234	3/4" x 1/2" x 3/4"	1	20	80
506251	FMBRT-343438	3/4" x 3/4" x 3/8"	1	25	100
506250	FMBRT-343412	3/4" x 3/4" x 1/2"	1	20	80
506221	FMBRT-11212	1" x 1/2" x 1/2"	1	20	80
506222	FMBRT-11234	1" x 1/2" x 3/4"	1	20	80
506215	FMBRT-1121	1" x 1/2" x 1"	1	15	60
506235	FMBRT-13412	1" x 3/4" x 1/2"	1	20	80
506236	FMBRT-13434	1" x 3/4" x 3/4"	1	15	60
506234	FMBRT-1341	1" x 3/4" x 1"	1	15	60
121372	FMBRT-1114	1" x 1" x 1/4"	1	20	80
506214	FMBRT-1112	1" x 1" x 1/2"	1	15	60
506224	FMBRT-1134	1" x 1" x 3/4"	1	12	48
506230	FMBRT-114341	1-1/4" x 3/4" x 1"	1	10	40
506225	FMBRT-11411	1-1/4" x 1" x 1"	1	20	40
506227	FMBRT-11411412	1-1/4" x 1-1/4" x 1/2"	1	20	40
506228	FMBRT-11411434	1-1/4" x 1-1/4" x 3/4"	1	20	40
506226	FMBRT-1141141	1-1/4" x 1-1/4" x 1"	1	20	40
506223	FMBRT-11234112	1-1/2" x 3/4" x 1-1/2"	1	12	24
506218	FMBRT-11211212	1-1/2" x 1-1/2" x 1/2"	1	18	36
506219	FMBRT-11211234	1-1/2" x 1-1/2" x 3/4"	1	15	30
506216	FMBRT-1121121	1-1/2" x 1-1/2" x 1"	1	10	30
506240	FMBRT-212	2" x 1" x 2"	1	8	16
506237	FMBRT-21121	2" x 1-1/2" x 1"	1	10	20
506238	FMBRT-2112112	2" x 1-1/2" x 1-1/2"	1	8	16
506239	FMBRT-21122	2" x 1-1/2" x 2"	1	8	16
506244	FMBRT-2212	2" x 2" x 1/2"	1	10	20
506245	FMBRT-2234	2" x 2" x 3/4"	1	10	20
506241	FMBRT-221	2" x 2" x 1"	1	10	20
506243	FMBRT-22114	2" x 2" x 1-1/4"	1	8	16
506242	FMBRT-22112	2" x 2" x 1-1/2"	1	8	16
506252	FMBRT-443	4" x 4" x 3"	1	2	2

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
BULK OPTIONS					
506689	FMGRT-121238	1/2" x 1/2" x 3/8"	1	40	160
506688	FMGRT-121234	1/2" x 1/2" x 3/4"	1	30	120
506697	FMGRT-341212	3/4" x 1/2" x 1/2"	1	25	100
506698	FMGRT-341234	3/4" x 1/2" x 3/4"	1	20	80
117119	FMGRT-343438	3/4" x 3/4" x 3/8"	1	25	100
506700	FMGRT-343412	3/4" x 3/4" x 1/2"	1	20	80
506699	FMGRT-34341	3/4" x 3/4" x 1"	1	40	80
517502	FMGRT-11411412	1-1/4" x 1-1/4" x 1/2"	1	20	40
117117	FMGRT-11234	1" x 1/2" x 3/4"	1	20	80
517478	FMGRT-1121	1" x 1/2" x 1"	1	15	60
117118	FMGRT-13412	1" x 3/4" x 1/2"	1	20	80
506691	FMGRT-13434	1" x 3/4" x 3/4"	1	15	60
506690	FMGRT-1341	1" x 3/4" x 1"	1	30	60
506681	FMGRT-1112	1" x 1" x 1/2"	1	15	60
506685	FMGRT-1134	1" x 1" x 3/4"	1	12	48
506687	FMGRT-11411434	1-1/4" x 1-1/4" x 3/4"	1	20	40
506686	FMGRT-1141141	1-1/4" x 1-1/4" x 1"	1	20	40
506693	FMGRT-221	2" x 2" x 1"	1	10	20
506695	FMGRT-22114	2" x 2" x 1-1/4"	1	8	16
506694	FMGRT-22112	2" x 2" x 1-1/2"	1	8	16

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
BULK OPTIONS					
117444	FMGST-1	1"	1	20	40

BLACK & GALVANIZED MALLEABLE IRON PIPE FITTINGS - UNIONS / CROSSES / EXTENSION PIECES

UNIONS

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
202147	310U-18	1/8"	1	10	10
501566	310U-14	1/4"	1	10	10
501570	310U-38	3/8"	1	5	5
501565	310U-12	1/2"	1	15	15
501569	310U-34	3/4"	1	15	15
501562	310U-1	1"	1	5	5
501564	310U-114	1-1/4"	1	5	5
501563	310U-112	1-1/2"	1	4	4
501568	310U-2	2"	1	3	3
502528	350U-212	2-1/2"	1	1	12
502529	350U-3	3"	1	1	8

BULK OPTIONS

506290	FMBU-14	1/4"	1	20	240
506295	FMBU-38	3/8"	1	40	160
506289	FMBU-12	1/2"	1	50	100
506294	FMBU-34	3/4"	1	35	70
506286	FMBU-1	1"	1	20	40
506288	FMBU-114	1-1/4"	1	15	30
506287	FMBU-112	1-1/2"	1	10	20
506291	FMBU-2	2"	1	6	12

UNIONS

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501929	311U-18	1/8"	1	10	10
501928	311U-14	1/4"	1	10	10
501932	311U-38	3/8"	1	10	10
501927	311U-12	1/2"	1	10	10
501931	311U-34	3/4"	1	10	10
501924	311U-1	1"	1	5	5
501926	311U-114	1-1/4"	1	5	5
501925	311U-112	1-1/2"	1	5	5
501930	311U-2	2"	1	3	3
502594	351U-212	2-1/2"	1	1	12
502595	351U-3	3"	1	1	8
502596	351U-4	4"	1	1	4

BULK OPTIONS

506743	FMGU-18	1/8"	1	60	240
506742	FMGU-14	1/4"	1	20	240
506748	FMGU-38	3/8"	1	40	160
506741	FMGU-12	1/2"	1	50	100
506747	FMGU-34	3/4"	1	35	70
506738	FMGU-1	1"	1	20	40
506740	FMGU-114	1-1/4"	1	15	30
506739	FMGU-112	1-1/2"	1	10	20
506744	FMGU-2	2"	1	6	12

CROSSES

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501426	310CR-38	3/8"	1	10	10
501423	310CR-12	1/2"	1	10	10
501425	310CR-34	3/4"	1	10	10
501422	310CR-1	1"	1	10	10
501424	310CR-2	2"	1	2	2

BULK OPTIONS

116958	FMBCR-14	1/4"	1	60	240
516771	FMBCR-38	3/8"	1	50	150
505808	FMBCR-12	1/2"	1	30	90
505810	FMBCR-34	3/4"	1	20	60
505807	FMBCR-1	1"	1	15	30
116956	FMBCR-112	1-1/2"	1	8	16
505809	FMBCR-2	2"	1	5	10

CROSSES

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501793	311CR-14	1/4"	1	10	10
501796	311CR-38	3/8"	1	10	10
501792	311CR-12	1/2"	1	5	5
501795	311CR-34	3/4"	1	5	5
501789	311CR-1	1"	1	10	10
501791	311CR-114	1-1/4"	1	5	5
501790	311CR-112	1-1/2"	1	5	5
501794	311CR-2	2"	1	2	2

BULK OPTIONS

506366	FMGCR-14	1/4"	1	60	240
506365	FMGCR-12	1/2"	1	30	90
506369	FMGCR-34	3/4"	1	20	60
506362	FMGCR-1	1"	1	15	30
506364	FMGCR-114	1-1/4"	1	10	20
506363	FMGCR-112	1-1/2"	1	8	16
506367	FMGCR-2	2"	1	5	10

EXTENSION PIECES

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501442	310EXPC-1	1"	1	10	10

EXTENSION PIECES

Galvanized



NSF61-4
NSF372

- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501813	311EXPC-12	1/2"	1	25	25
501814	311EXPC-34	3/4"	1	25	25

BULK OPTIONS

122141	FMGEXPC-12	1/2"	1	75	300
122142	FMGEXPC-34	3/4"	1	40	160

BLACK & GALVANIZED MALLEABLE IRON PIPE FITTINGS - CAPS / PLUGS

CAPS

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501411	310CA-18	1/8"	1	10	10
501410	310CA-14	1/4"	1	10	10
501414	310CA-38	3/8"	1	10	10
501409	310CA-12	1/2"	1	65	65
523869	310CA-12-10	1/2"	Bag of 10	8	8
501413	310CA-34	3/4"	1	25	25
523870	310CA-34-10	3/4"	Bag of 10	5	5
501406	310CA-1	1"	1	10	10
501408	310CA-114	1-1/4"	1	5	5
501407	310CA-112	1-1/2"	1	5	5
501412	310CA-2	2"	1	5	5
502501	350CA-212	2-1/2"	1	1	6
502502	350CA-3	3"	1	1	6
502503	350CA-4	4"	1	1	16

BULK OPTIONS

505788	FMBCA-18	1/8"	1	120	1440
505787	FMBCA-14	1/4"	1	80	960
505793	FMBCA-38	3/8"	1	60	720
505786	FMBCA-12	1/2"	1	75	300
505792	FMBCA-34	3/4"	1	40	160
505783	FMBCA-1	1"	1	25	100
505785	FMBCA-114	1-1/4"	1	20	80
505784	FMBCA-112	1-1/2"	1	18	54
505789	FMBCA-2	2"	1	12	36
505794	FMBCA-4	4"	1	6	12

CAPS

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501772	311CA-18	1/8"	1	10	10
501771	311CA-14	1/4"	1	10	10
501775	311CA-38	3/8"	1	5	5
501770	311CA-12	1/2"	1	25	25
501774	311CA-34	3/4"	1	15	15
501767	311CA-1	1"	1	5	5
501769	311CA-114	1-1/4"	1	5	5
501768	311CA-112	1-1/2"	1	5	5
501773	311CA-2	2"	1	5	5
502567	351CA-212	2-1/2"	1	1	6
502568	351CA-3	3"	1	1	6
502569	351CA-4	4"	1	1	16

BULK OPTIONS

506336	FMGCA-14	1/4"	1	80	960
506342	FMGCA-38	3/8"	1	60	720
506335	FMGCA-12	1/2"	1	75	300
506341	FMGCA-34	3/4"	1	40	160
506332	FMGCA-1	1"	1	25	100
506334	FMGCA-114	1-1/4"	1	20	80
506333	FMGCA-112	1-1/2"	1	18	54
506338	FMGCA-2	2"	1	12	36
506343	FMGCA-4	4"	1	6	12

PLUGS

Black



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501458	310P-18	1/8"	1	10	10
501457	310P-14	1/4"	1	10	10
501461	310P-38	3/8"	1	10	10
501456	310P-12	1/2"	1	25	25
501460	310P-34	3/4"	1	20	20
501453	310P-1	1"	1	10	10
501455	310P-114	1-1/4"	1	5	5
501454	310P-112	1-1/2"	1	4	4
501459	310P-2	2"	1	5	5
502513	350P-212	2-1/2"	1	1	12
502514	350P-3	3"	1	1	9
502515	350P-4	4"	1	1	6

BULK OPTIONS

506163	FMBP-18	1/8"	1	300	3600
506162	FMBP-14	1/4"	1	150	1800
506168	FMBP-38	3/8"	1	120	1440
506161	FMBP-12	1/2"	1	50	600
506167	FMBP-34	3/4"	1	30	360
506158	FMBP-1	1"	1	20	240
506160	FMBP-114	1-1/4"	1	40	120
506159	FMBP-112	1-1/2"	1	30	90
506164	FMBP-2	2"	1	20	60

PLUGS

Galvanized



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501837	311P-18	1/8"	1	10	10
501836	311P-14	1/4"	1	10	10
501840	311P-38	3/8"	1	5	5
501835	311P-12	1/2"	1	20	20
501839	311P-34	3/4"	1	10	10
501832	311P-1	1"	1	5	5
501834	311P-114	1-1/4"	1	5	5
501833	311P-112	1-1/2"	1	5	5
501838	311P-2	2"	1	5	5
502578	351P-212	2-1/2"	1	1	12
502579	351P-3	3"	1	1	9
502580	351P-4	4"	1	1	6

BULK OPTIONS

506627	FMGP-14	1/4"	1	150	1800
506633	FMGP-38	3/8"	1	120	1440
506626	FMGP-12	1/2"	1	50	600
506632	FMGP-34	3/4"	1	30	360
506623	FMGP-1	1"	1	20	240
506625	FMGP-114	1-1/4"	1	40	120
506624	FMGP-112	1-1/2"	1	30	90
506629	FMGP-2	2"	1	20	60

BLACK & GALVANIZED MALLEABLE IRON PIPE FITTINGS - FLANGES / LOCK NUTS / MALE ADAPTERS / COMPRESSION COUPLINGS / INSERT COUPLINGS

FLANGES

Black



· Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
202220	310F-14	1/4"	1	10	10
501451	310F-38	3/8"	1	10	10
501446	310F-12	1/2"	1	18	18
501447	310F-12-2	1/2"	Bag of 2	18	18
523954	310F-12-4	1/2"	Bag of 4	8	8
523865	310F-12-6	1/2"	Bag of 6	5	5
501449	310F-34	3/4"	1	18	18
501450	310F-34-2	3/4"	Bag of 2	12	12
523866	310F-34-6	3/4"	Bag of 6	3	3
501443	310F-1	1"	1	10	10
523863	310F-1-6	1"	Bag of 6	4	4
501445	310F-114	1-1/4"	1	5	5
501444	310F-112	1-1/2"	1	5	5
501448	310F-2	2"	1	4	4

BULK OPTIONS

117438	FMBF-14	1/4"	1	25	200
506157	FMBF-38	3/8"	1	25	200
516852	FMBF-12	1/2"	1	25	150
506156	FMBF-34	3/4"	1	15	120
506152	FMBF-1	1"	1	15	90
506154	FMBF-114	1-1/4"	1	10	80
506153	FMBF-112	1-1/2"	1	8	32
506155	FMBF-2	2"	1	8	32

FLANGES

Galvanized



NSF61-4
NSF372

- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501819	311F-14	1/4"	1	10	10
501822	311F-38	3/8"	1	10	10
501818	311F-12	1/2"	1	20	20
523867	311F-12-6	1/2"	Bag of 6	4	4
501821	311F-34	3/4"	1	20	20
501815	311F-1	1"	1	10	10
523864	311F-1-6	1"	Bag of 6	4	4
501817	311F-114	1-1/4"	1	5	5
501816	311F-112	1-1/2"	1	5	5
501820	311F-2	2"	1	4	4

BULK OPTIONS

506610	FMGF-14	1/4"	1	25	200
506613	FMGF-38	3/8"	1	25	200
506609	FMGF-12	1/2"	1	25	150
506612	FMGF-34	3/4"	1	15	120
506606	FMGF-1	1"	1	15	90
506608	FMGF-114	1-1/4"	1	10	80
506607	FMGF-112	1-1/2"	1	8	32
506611	FMGF-2	2"	1	8	32

LOCK NUTS

Galvanized



NSF61-4
NSF372

- Galvanized done by hot dip process, according to ASTM A153
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501828	311LN-18	1/8"	1	10	10
501827	311LN-14	1/4"	1	10	10
501831	311LN-38	3/8"	1	10	10
501826	311LN-12	1/2"	1	25	25
501830	311LN-34	3/4"	1	25	25
501823	311LN-1	1"	1	10	10
501825	311LN-114	1-1/4"	1	5	5
501824	311LN-112	1-1/2"	1	5	5
501829	311LN-2	2"	1	5	5

MALE ADAPTERS

Galvanized



NSF61-4
NSF372

- Rated at max. 125 psi
- Galvanized done by hot dip process, according to ASTM A153
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
117991	FIMMA-12	1/2"	1	25	400
117993	FIMMA-34	3/4"	1	25	200
117988	FIMMA-1	1"	1	25	150
117990	FIMMA-114	1-1/4"	1	25	75
117989	FIMMA-112	1-1/2"	1	25	50
117992	FIMMA-2	2"	1	20	40

COMPRESSION COUPLINGS

Galvanized



NSF61-4
NSF372

- Rated at max. 125 psi
- Galvanized done by hot dip process, according to ASTM A153
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501779	311CCL-12	1/2"	1	5	5
501781	311CCL-34	3/4"	1	5	5
501776	311CCL-1	1"	1	6	6
501778	311CCL-114	1-1/4"	1	6	6
501777	311CCL-112	1-1/2"	1	6	6
501780	311CCL-2	2"	1	4	4

INSERT COUPLINGS

Galvanized



NSF61-4
NSF372

- Galvanized done by hot dip process, according to ASTM A153
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
117985	FIMCO-12	1/2"	1	25	400
117987	FIMCO-34	3/4"	1	25	300
117982	FIMCO-1	1"	1	25	200
117984	FIMCO-114	1-1/4"	1	25	100
117983	FIMCO-112	1-1/2"	1	25	75
117986	FIMCO-2	2"	1	25	50

BLACK & GALVANIZED STEEL NIPPLES - SCHEDULE 40

BLACK STEEL NIPPLES - SCHEDULE 40

STZ nipples are composed of durable, schedule 40 black steel. They are hydrostatically tested and available in sizes to fit residential and light commercial gas and air applications.

*Not for use with drinking water
*Always check your local plumbing and gas codes before starting any piping projects



GALVANIZED STEEL NIPPLES - SCHEDULE 40


STZ nipples are the way to go when selecting water pipe for your residence. Our durable, schedule 40 galvanized steel is hydrostatically tested and available in sizes to fit residential and light commercial water applications.

*For use with drinking water
*Always check your local plumbing and gas codes before starting any piping projects



STEEL NIPPLES
Ø Sizing Chart To scale

NIPPLE SIZE	O.D.
4"	4.50"
3"	3.50"
2-1/2"	2.875"
2"	2.375"
1-1/2"	1.90"
1-1/4"	1.66"
1"	1.315"
3/4"	1.05"
1/2"	.84"
3/8"	.675"
1/4"	.54"
1/8"	.405"



BLACK & GALVANIZED STEEL NIPPLES - SCHEDULE 40

BLACK STEEL NIPPLES - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Made to ASTM A733 specifications



Black 1/8"

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501294	30818XCL	1/8" x Close	1	10	10
501283	30818X112	1/8" x 1-1/2"	1	10	10
501285	30818X2	1/8" x 2"	1	10	10
501286	30818X212	1/8" x 2-1/2"	1	10	10
501287	30818X3	1/8" x 3"	1	10	10
501288	30818X312	1/8" x 3-1/2"	1	10	10
501289	30818X4	1/8" x 4"	1	10	10
501291	30818X5	1/8" x 5"	1	10	10
501292	30818X6	1/8" x 6"	1	10	10
501293	30818X8	1/8" x 8"	1	10	10
501284	30818X12	1/8" x 12"	1	10	10

BULK OPTIONS

506825	FNB18XCL	1/8" x Close	1	25	400
506814	FNB18X112	1/8" x 1-1/2"	1	25	400
506816	FNB18X2	1/8" x 2"	1	25	400
506817	FNB18X212	1/8" x 2-1/2"	1	25	400
506818	FNB18X3	1/8" x 3"	1	25	400
506819	FNB18X312	1/8" x 3-1/2"	1	25	400
506820	FNB18X4	1/8" x 4"	1	25	400
506821	FNB18X412	1/8" x 4-1/2"	1	25	400
506822	FNB18X5	1/8" x 5"	1	25	400
117445	FNB18X512	1/8" x 5-1/2"	1	25	400
506823	FNB18X6	1/8" x 6"	1	25	400
506824	FNB18X8	1/8" x 8"	1	25	400
506815	FNB18X12	1/8" x 12"	1	25	200

Black 1/4" Rated maximum 188 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501282	30814XCL	1/4" x Close	1	10	10
501270	30814X112	1/4" x 1-1/2"	1	10	10
501272	30814X2	1/4" x 2"	1	10	10
501273	30814X212	1/4" x 2-1/2"	1	10	10
501274	30814X3	1/4" x 3"	1	10	10
501275	30814X312	1/4" x 3-1/2"	1	10	10
501276	30814X4	1/4" x 4"	1	5	5
501277	30814X412	1/4" x 4-1/2"	1	10	10
501278	30814X5	1/4" x 5"	1	5	5
501279	30814X512	1/4" x 5-1/2"	1	10	10
501280	30814X6	1/4" x 6"	1	10	10
501281	30814X8	1/4" x 8"	1	10	10
501269	30814X10	1/4" x 10"	1	10	10
501271	30814X12	1/4" x 12"	1	10	10

BULK OPTIONS

506813	FNB14XCL	1/4" x Close	1	25	400
506801	FNB14X112	1/4" x 1-1/2"	1	25	400
506803	FNB14X2	1/4" x 2"	1	25	400
506804	FNB14X212	1/4" x 2-1/2"	1	25	400
506805	FNB14X3	1/4" x 3"	1	25	400
506806	FNB14X312	1/4" x 3-1/2"	1	25	400
506807	FNB14X4	1/4" x 4"	1	25	400
506808	FNB14X412	1/4" x 4-1/2"	1	25	400
506809	FNB14X5	1/4" x 5"	1	25	400
506810	FNB14X512	1/4" x 5-1/2"	1	25	400
506811	FNB14X6	1/4" x 6"	1	25	400
506812	FNB14X8	1/4" x 8"	1	25	200
506800	FNB14X10	1/4" x 10"	1	25	200
506802	FNB14X12	1/4" x 12"	1	25	200

GALVANIZED STEEL NIPPLES - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ASTM A733 specifications

NSF61-4
NSF372



Galvanized 1/8"

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501354	30918XCL	1/8" x Close	1	10	10
501342	30918X112	1/8" x 1-1/2"	1	10	10
501344	30918X2	1/8" x 2"	1	10	10
501345	30918X212	1/8" x 2-1/2"	1	10	10
501346	30918X3	1/8" x 3"	1	10	10
501347	30918X312	1/8" x 3-1/2"	1	10	10
501348	30918X4	1/8" x 4"	1	10	10
501349	30918X412	1/8" x 4-1/2"	1	10	10
501350	30918X5	1/8" x 5"	1	10	10
501352	30918X6	1/8" x 6"	1	10	10
501353	30918X8	1/8" x 8"	1	10	10
501341	30918X10	1/8" x 10"	1	10	10
501343	30918X12	1/8" x 12"	1	10	10

BULK OPTIONS

507043	FNG18XCL	1/8" x Close	1	25	400
507030	FNG18X112	1/8" x 1-1/2"	1	25	400
507032	FNG18X2	1/8" x 2"	1	25	400
507034	FNG18X3	1/8" x 3"	1	25	400
507035	FNG18X312	1/8" x 3-1/2"	1	25	400
507037	FNG18X412	1/8" x 4-1/2"	1	25	400
507040	FNG18X6	1/8" x 6"	1	25	400
507041	FNG18X7	1/8" x 7"	1	25	400
507028	FNG18X10	1/8" x 10"	1	25	200
507031	FNG18X12	1/8" x 12"	1	25	200

Galvanized 1/4" Rated maximum 188 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501340	30914XCL	1/4" x Close	1	10	10
501328	30914X112	1/4" x 1-1/2"	1	10	10
501330	30914X2	1/4" x 2"	1	10	10
501331	30914X212	1/4" x 2-1/2"	1	10	10
501332	30914X3	1/4" x 3"	1	10	10
501333	30914X312	1/4" x 3-1/2"	1	10	10
501334	30914X4	1/4" x 4"	1	10	10
501335	30914X412	1/4" x 4-1/2"	1	10	10
501336	30914X5	1/4" x 5"	1	10	10
501337	30914X512	1/4" x 5-1/2"	1	10	10
501338	30914X6	1/4" x 6"	1	10	10
501339	30914X8	1/4" x 8"	1	10	10
501326	30914X10	1/4" x 10"	1	10	10
501327	30914X11	1/4" x 11"	1	10	10
501329	30914X12	1/4" x 12"	1	10	10

BULK OPTIONS

507027	FNG14XCL	1/4" x Close	1	25	400
507015	FNG14X112	1/4" x 1-1/2"	1	25	400
507017	FNG14X2	1/4" x 2"	1	25	400
507018	FNG14X212	1/4" x 2-1/2"	1	25	400
507019	FNG14X3	1/4" x 3"	1	25	400
507020	FNG14X312	1/4" x 3-1/2"	1	25	400
507021	FNG14X4	1/4" x 4"	1	25	400
507022	FNG14X412	1/4" x 4-1/2"	1	25	400
507023	FNG14X5	1/4" x 5"	1	25	400
507024	FNG14X512	1/4" x 5-1/2"	1	25	400
507025	FNG14X6	1/4" x 6"	1	25	400
507026	FNG14X8	1/4" x 8"	1	25	200
507013	FNG14X10	1/4" x 10"	1	25	200
507014	FNG14X11	1/4" x 11"	1	25	200

BLACK & GALVANIZED STEEL NIPPLES - SCHEDULE 40

BLACK STEEL NIPPLES - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Made to ASTM A733 specifications



Black 3/8" Rated maximum 203 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501308	30838XCL	3/8" x Close	1	10	10
501296	30838X112	3/8" x 1-1/2"	1	10	10
501298	30838X2	3/8" x 2"	1	10	10
501299	30838X212	3/8" x 2-1/2"	1	10	10
501300	30838X3	3/8" x 3"	1	10	10
501301	30838X312	3/8" x 3-1/2"	1	10	10
501302	30838X4	3/8" x 4"	1	5	5
501303	30838X412	3/8" x 4-1/2"	1	10	10
501304	30838X5	3/8" x 5"	1	10	10
501305	30838X512	3/8" x 5-1/2"	1	10	10
501306	30838X6	3/8" x 6"	1	5	5
501307	30838X8	3/8" x 8"	1	10	10
501295	30838X10	3/8" x 10"	1	10	10
501297	30838X12	3/8" x 12"	1	10	10

BULK OPTIONS

506896	FNB38XCL	3/8" x Close	1	25	400
506884	FNB38X112	3/8" x 1-1/2"	1	25	400
506886	FNB38X2	3/8" x 2"	1	25	400
506887	FNB38X212	3/8" x 2-1/2"	1	25	400
506888	FNB38X3	3/8" x 3"	1	25	400
506889	FNB38X312	3/8" x 3-1/2"	1	25	400
506890	FNB38X4	3/8" x 4"	1	25	400
506891	FNB38X412	3/8" x 4-1/2"	1	25	400
506892	FNB38X5	3/8" x 5"	1	25	300
506893	FNB38X512	3/8" x 5-1/2"	1	25	300
506894	FNB38X6	3/8" x 6"	1	25	300
506895	FNB38X8	3/8" x 8"	1	25	150
506883	FNB38X10	3/8" x 10"	1	25	100
506885	FNB38X12	3/8" x 12"	1	25	100

Black 1/2" Rated maximum 214 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
500854	30012XCL	1/2" x Close	1	15	15
500842	30012X112	1/2" x 1-1/2"	1	20	20
500843	30012X2	1/2" x 2"	1	25	25
500844	30012X212	1/2" x 2-1/2"	1	15	15
500845	30012X3	1/2" x 3"	1	25	25
500846	30012X312	1/2" x 3-1/2"	1	15	15
500847	30012X4	1/2" x 4"	1	20	20
500848	30012X412	1/2" x 4-1/2"	1	15	15
500849	30012X5	1/2" x 5"	1	15	15
500850	30012X512	1/2" x 5-1/2"	1	25	25
500851	30012X6	1/2" x 6"	1	15	15
501069	30212X7	1/2" x 7"	1	25	25
501070	30212X8	1/2" x 8"	1	15	15
501071	30212X9	1/2" x 9"	1	25	25
501066	30212X10	1/2" x 10"	1	15	15
501067	30212X11	1/2" x 11"	1	25	25
501068	30212X12	1/2" x 12"	1	15	15
500852	30012XASST-25	1/2" asstd	Box of 25	1	1
500853	30012XASST-66	1/2" asstd	Box of 66	2	2

BULK OPTIONS

506799	FNB12XCL	1/2" x Close	1	25	400
506785	FNB12X112	1/2" x 1-1/2"	1	25	400

GALVANIZED STEEL NIPPLES - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ASTM A733 specifications

NSF61-4
NSF372



Galvanized 3/8" Rated maximum 203 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501369	30938XCL	3/8" x Close	1	10	10
501356	30938X112	3/8" x 1-1/2"	1	10	10
501358	30938X2	3/8" x 2"	1	10	10
501359	30938X212	3/8" x 2-1/2"	1	10	10
501360	30938X3	3/8" x 3"	1	10	10
501361	30938X312	3/8" x 3-1/2"	1	10	10
501362	30938X4	3/8" x 4"	1	5	5
501363	30938X412	3/8" x 4-1/2"	1	10	10
501364	30938X5	3/8" x 5"	1	5	5
501365	30938X512	3/8" x 5-1/2"	1	10	10
501366	30938X6	3/8" x 6"	1	5	5
501367	30938X7	3/8" x 7"	1	10	10
501368	30938X8	3/8" x 8"	1	10	10
501355	30938X10	3/8" x 10"	1	10	10
501357	30938X12	3/8" x 12"	1	10	10

BULK OPTIONS

507114	FNG38XCL	3/8" x Close	1	25	400
507101	FNG38X112	3/8" x 1-1/2"	1	25	400
507103	FNG38X2	3/8" x 2"	1	25	400
507104	FNG38X212	3/8" x 2-1/2"	1	25	400
507105	FNG38X3	3/8" x 3"	1	25	400
507106	FNG38X312	3/8" x 3-1/2"	1	25	400
507107	FNG38X4	3/8" x 4"	1	25	400
507108	FNG38X412	3/8" x 4-1/2"	1	25	400
507109	FNG38X5	3/8" x 5"	1	25	300
507110	FNG38X512	3/8" x 5-1/2"	1	25	300
507111	FNG38X6	3/8" x 6"	1	25	300
507112	FNG38X7	3/8" x 7"	1	25	150
507113	FNG38X8	3/8" x 8"	1	25	150
507100	FNG38X10	3/8" x 10"	1	25	100
507102	FNG38X12	3/8" x 12"	1	25	100

Galvanized 1/2" Rated maximum 214 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
500963	30112XCL	1/2" x Close	1	20	20
500951	30112X112	1/2" x 1-1/2"	1	20	20
500952	30112X2	1/2" x 2"	1	15	15
500953	30112X212	1/2" x 2-1/2"	1	15	15
500954	30112X3	1/2" x 3"	1	20	20
500955	30112X312	1/2" x 3-1/2"	1	10	10
500956	30112X4	1/2" x 4"	1	15	15
500957	30112X412	1/2" x 4-1/2"	1	15	15
500958	30112X5	1/2" x 5"	1	15	15
500959	30112X512	1/2" x 5-1/2"	1	25	25
500960	30112X6	1/2" x 6"	1	20	20
501117	30312X7	1/2" x 7"	1	25	25
501118	30312X8	1/2" x 8"	1	15	15
501119	30312X9	1/2" x 9"	1	25	25
501114	30312X10	1/2" x 10"	1	15	15
501115	30312X11	1/2" x 11"	1	25	25
501116	30312X12	1/2" x 12"	1	15	15
500962	30112XASST-25	1/2" asstd	Box of 25	1	1

BULK OPTIONS

507012	FNG12XCL	1/2" x Close	1	25	400
506997	FNG12X112	1/2" x 1-1/2"	1	25	400

BLACK & GALVANIZED STEEL NIPPLES - SCHEDULE 40

BLACK STEEL NIPPLES - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Made to ASTM A733 specifications



Black 1/2" *Continued* Rated maximum 214 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
506787	FNB12X2	1/2" x 2"	1	25	400
506788	FNB12X212	1/2" x 2-1/2"	1	25	300
506789	FNB12X3	1/2" x 3"	1	25	300
506790	FNB12X312	1/2" x 3-1/2"	1	25	300
506791	FNB12X4	1/2" x 4"	1	25	200
506792	FNB12X412	1/2" x 4-1/2"	1	25	200
506793	FNB12X5	1/2" x 5"	1	25	200
506794	FNB12X512	1/2" x 5-1/2"	1	25	200
506795	FNB12X6	1/2" x 6"	1	25	200
506796	FNB12X7	1/2" x 7"	1	25	100
506797	FNB12X8	1/2" x 8"	1	25	100
506798	FNB12X9	1/2" x 9"	1	25	100
506783	FNB12X10	1/2" x 10"	1	25	100
506784	FNB12X11	1/2" x 11"	1	25	100
506786	FNB12X12	1/2" x 12"	1	25	100

Black 3/4" Rated maximum 217 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
500888	30034XCL	3/4" x Close	1	15	15
500876	30034X112	3/4" x 1-1/2"	1	15	15
500877	30034X2	3/4" x 2"	1	20	20
500878	30034X212	3/4" x 2-1/2"	1	15	15
500879	30034X3	3/4" x 3"	1	15	15
500880	30034X312	3/4" x 3-1/2"	1	15	15
500881	30034X4	3/4" x 4"	1	15	15
500882	30034X412	3/4" x 4-1/2"	1	20	20
500883	30034X5	3/4" x 5"	1	20	20
500884	30034X512	3/4" x 5-1/2"	1	25	25
500885	30034X6	3/4" x 6"	1	15	15
501087	30234X7	3/4" x 7"	1	25	25
501088	30234X8	3/4" x 8"	1	10	10
501089	30234X9	3/4" x 9"	1	25	25
501084	30234X10	3/4" x 10"	1	10	10
501085	30234X11	3/4" x 11"	1	25	25
501086	30234X12	3/4" x 12"	1	15	15
500886	30034XASST-25	3/4" asstd	Box of 25	1	1
500887	30034XASST-66	3/4" asstd	Box of 66	2	2

BULK OPTIONS

506882	FNB34XCL	3/4" x Close	1	25	400
506868	FNB34X112	3/4" x 1-1/2"	1	25	400
506870	FNB34X2	3/4" x 2"	1	25	300
506871	FNB34X212	3/4" x 2-1/2"	1	25	300
506872	FNB34X3	3/4" x 3"	1	25	200
506873	FNB34X312	3/4" x 3-1/2"	1	25	200
506874	FNB34X4	3/4" x 4"	1	25	150
506875	FNB34X412	3/4" x 4-1/2"	1	25	150
506876	FNB34X5	3/4" x 5"	1	25	100
506877	FNB34X512	3/4" x 5-1/2"	1	25	100
506878	FNB34X6	3/4" x 6"	1	25	100
506879	FNB34X7	3/4" x 7"	1	25	75
506880	FNB34X8	3/4" x 8"	1	25	75
506881	FNB34X9	3/4" x 9"	1	25	50
506866	FNB34X10	3/4" x 10"	1	25	50
506867	FNB34X11	3/4" x 11"	1	25	50
506869	FNB34X12	3/4" x 12"	1	25	50

GALVANIZED STEEL NIPPLES - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ASTM A733 specifications

NSF61-4
NSF372



Galvanized 1/2" *Continued* Rated maximum 214 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
506999	FNG12X2	1/2" x 2"	1	25	400
507000	FNG12X212	1/2" x 2-1/2"	1	25	300
507001	FNG12X3	1/2" x 3"	1	25	300
507002	FNG12X312	1/2" x 3-1/2"	1	25	300
507003	FNG12X4	1/2" x 4"	1	25	200
507004	FNG12X412	1/2" x 4-1/2"	1	25	200
507005	FNG12X5	1/2" x 5"	1	25	200
507006	FNG12X512	1/2" x 5-1/2"	1	25	200
507007	FNG12X6	1/2" x 6"	1	25	200
507008	FNG12X612	1/2" x 6-1/2"	1	25	200
507009	FNG12X7	1/2" x 7"	1	25	100
507010	FNG12X8	1/2" x 8"	1	25	100
507011	FNG12X9	1/2" x 9"	1	25	100
506995	FNG12X10	1/2" x 10"	1	25	100
506996	FNG12X11	1/2" x 11"	1	25	100
506998	FNG12X12	1/2" x 12"	1	25	100

Galvanized 3/4" Rated maximum 217 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
500995	30134XCL	3/4" x Close	1	15	15
500984	30134X112	3/4" x 1-1/2"	1	15	15
500985	30134X2	3/4" x 2"	1	10	10
500986	30134X212	3/4" x 2-1/2"	1	15	15
500987	30134X3	3/4" x 3"	1	15	15
500988	30134X312	3/4" x 3-1/2"	1	15	15
500989	30134X4	3/4" x 4"	1	10	10
500990	30134X412	3/4" x 4-1/2"	1	10	10
500991	30134X5	3/4" x 5"	1	5	5
500992	30134X512	3/4" x 5-1/2"	1	25	25
500993	30134X6	3/4" x 6"	1	10	10
501135	30334X7	3/4" x 7"	1	25	25
501136	30334X8	3/4" x 8"	1	10	10
501137	30334X9	3/4" x 9"	1	25	25
501132	30334X10	3/4" x 10"	1	10	10
501133	30334X11	3/4" x 11"	1	25	25
501134	30334X12	3/4" x 12"	1	10	10
500994	30134XASST-25	3/4" asstd	Box of 25	1	1

BULK OPTIONS

507099	FNG34XCL	3/4" x Close	1	25	400
507085	FNG34X112	3/4" x 1-1/2"	1	25	400
507087	FNG34X2	3/4" x 2"	1	25	300
507088	FNG34X212	3/4" x 2-1/2"	1	25	300
507089	FNG34X3	3/4" x 3"	1	25	200
507090	FNG34X312	3/4" x 3-1/2"	1	25	200
507091	FNG34X4	3/4" x 4"	1	25	150
507092	FNG34X412	3/4" x 4-1/2"	1	25	150
507093	FNG34X5	3/4" x 5"	1	25	100
507094	FNG34X512	3/4" x 5-1/2"	1	25	100
507095	FNG34X6	3/4" x 6"	1	25	100
507096	FNG34X7	3/4" x 7"	1	25	75
507097	FNG34X8	3/4" x 8"	1	25	75
507098	FNG34X9	3/4" x 9"	1	25	50
507083	FNG34X10	3/4" x 10"	1	25	50
507084	FNG34X11	3/4" x 11"	1	25	50
507086	FNG34X12	3/4" x 12"	1	25	50

BLACK & GALVANIZED STEEL NIPPLES - SCHEDULE 40

BLACK STEEL NIPPLES - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Made to ASTM A733 specifications



Black 1" Rated maximum 226 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
500866	3001XCL	1" x Close	1	10	10
500855	3001X2	1" x 2"	1	10	10
500856	3001X212	1" x 2-1/2"	1	10	10
500857	3001X3	1" x 3"	1	5	5
500858	3001X312	1" x 3-1/2"	1	5	5
500859	3001X4	1" x 4"	1	10	10
500860	3001X412	1" x 4-1/2"	1	5	5
500861	3001X5	1" x 5"	1	5	5
500862	3001X512	1" x 5-1/2"	1	10	10
500863	3001X6	1" x 6"	1	5	5
501075	3021X7	1" x 7"	1	10	10
501076	3021X8	1" x 8"	1	5	5
501077*	3021X9	1" x 9"	1	10	10
501072	3021X10	1" x 10"	1	5	5
501073*	3021X11	1" x 11"	1	10	10
501074	3021X12	1" x 12"	1	5	5
500864	3001XASST-25	1" asstd	Box of 25	1	1
500865	3001XASST-60	1" asstd	Box of 60	2	2

BULK OPTIONS

506841	FNB1XCL	1" x Close	1	25	200
506829	FNB1X2	1" x 2"	1	25	200
506830	FNB1X212	1" x 2-1/2"	1	25	150
506831	FNB1X3	1" x 3"	1	25	150
506832	FNB1X312	1" x 3-1/2"	1	25	100
506833	FNB1X4	1" x 4"	1	25	100
506834	FNB1X412	1" x 4-1/2"	1	25	100
506835	FNB1X5	1" x 5"	1	25	75
506836	FNB1X512	1" x 5-1/2"	1	25	75
506837	FNB1X6	1" x 6"	1	25	50
506838	FNB1X7	1" x 7"	1	25	50
506839	FNB1X8	1" x 8"	1	25	50
506840	FNB1X9	1" x 9"	1	25	50
506826	FNB1X10	1" x 10"	1	20	40
506827	FNB1X11	1" x 11"	1	20	40
506828	FNB1X12	1" x 12"	1	20	40

*Minimum run requirements and lead times may apply.

Black 1-1/4" Rated maximum 229 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
500841	300114XCL	1-1/4" x Close	1	5	5
500832	300114X2	1-1/4" x 2"	1	5	5
500833	300114X212	1-1/4" x 2-1/2"	1	5	5
500834	300114X3	1-1/4" x 3"	1	5	5
500835	300114X312	1-1/4" x 3-1/2"	1	5	5
500836	300114X4	1-1/4" x 4"	1	5	5
500837	300114X412	1-1/4" x 4-1/2"	1	5	5
500838	300114X5	1-1/4" x 5"	1	5	5
500839	300114X512	1-1/4" x 5-1/2"	1	5	5
500840	300114X6	1-1/4" x 6"	1	5	5
501063	302114X7	1-1/4" x 7"	1	5	5
501064	302114X8	1-1/4" x 8"	1	5	5
501060	302114X10	1-1/4" x 10"	1	5	5
501061	302114X11	1-1/4" x 11"	1	5	5
501062	302114X12	1-1/4" x 12"	1	4	4

BULK OPTIONS

506782	FNB114XCL	1-1/4" x Close	1	25	100
506770	FNB114X2	1-1/4" x 2"	1	25	100
506771	FNB114X212	1-1/4" x 2-1/2"	1	25	100
506772	FNB114X3	1-1/4" x 3"	1	25	100
506773	FNB114X312	1-1/4" x 3-1/2"	1	25	50
506774	FNB114X4	1-1/4" x 4"	1	25	50
506775	FNB114X412	1-1/4" x 4-1/2"	1	25	50

GALVANIZED STEEL NIPPLES - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ASTM A733 specifications

NSF61-4
NSF372



Galvanized 1" Rated maximum 226 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
500974	3011XCL	1" x Close	1	5	5
500964	3011X2	1" x 2"	1	10	10
500965	3011X212	1" x 2-1/2"	1	10	10
500966	3011X3	1" x 3"	1	5	5
500967	3011X312	1" x 3-1/2"	1	10	10
500968	3011X4	1" x 4"	1	10	10
500969	3011X412	1" x 4-1/2"	1	10	10
500970	3011X5	1" x 5"	1	5	5
500971	3011X512	1" x 5-1/2"	1	10	10
500972	3011X6	1" x 6"	1	5	5
501123	3031X7	1" x 7"	1	10	10
501124	3031X8	1" x 8"	1	5	5
501125	3031X9	1" x 9"	1	10	10
501120	3031X10	1" x 10"	1	5	5
501121	3031X11	1" x 11"	1	10	10
501122	3031X12	1" x 12"	1	5	5

BULK OPTIONS

507059	FNG1XCL	1" x Close	1	25	200
507047	FNG1X2	1" x 2"	1	25	200
507048	FNG1X212	1" x 2-1/2"	1	25	150
507049	FNG1X3	1" x 3"	1	25	150
507050	FNG1X312	1" x 3-1/2"	1	25	100
507051	FNG1X4	1" x 4"	1	25	100
507052	FNG1X412	1" x 4-1/2"	1	25	100
507053	FNG1X5	1" x 5"	1	25	75
507054	FNG1X512	1" x 5-1/2"	1	25	75
507055	FNG1X6	1" x 6"	1	25	50
507056	FNG1X7	1" x 7"	1	25	50
507057	FNG1X8	1" x 8"	1	25	50
507058	FNG1X9	1" x 9"	1	25	50
507044	FNG1X10	1" x 10"	1	20	40
507045	FNG1X11	1" x 11"	1	20	40
507046	FNG1X12	1" x 12"	1	20	40

Galvanized 1-1/4" Rated maximum 229 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
500950	301114XCL	1-1/4" x Close	1	5	5
500941	301114X2	1-1/4" x 2"	1	5	5
500942	301114X212	1-1/4" x 2-1/2"	1	5	5
500943	301114X3	1-1/4" x 3"	1	5	5
500944	301114X312	1-1/4" x 3-1/2"	1	5	5
500945	301114X4	1-1/4" x 4"	1	5	5
500946	301114X412	1-1/4" x 4-1/2"	1	5	5
500947	301114X5	1-1/4" x 5"	1	5	5
500948	301114X512	1-1/4" x 5-1/2"	1	5	5
500949	301114X6	1-1/4" x 6"	1	5	5
501111	303114X7	1-1/4" x 7"	1	5	5
501112	303114X8	1-1/4" x 8"	1	5	5
501113	303114X9	1-1/4" x 9"	1	5	5
501108	303114X10	1-1/4" x 10"	1	5	5
501109	303114X11	1-1/4" x 11"	1	5	5
501110	303114X12	1-1/4" x 12"	1	5	5

BULK OPTIONS

506994	FNG114XCL	1-1/4" x Close	1	25	100
506982	FNG114X2	1-1/4" x 2"	1	25	100
506983	FNG114X212	1-1/4" x 2-1/2"	1	25	100
506984	FNG114X3	1-1/4" x 3"	1	25	100
506985	FNG114X312	1-1/4" x 3-1/2"	1	25	50
506986	FNG114X4	1-1/4" x 4"	1	25	50
506987	FNG114X412	1-1/4" x 4-1/2"	1	25	50

BLACK & GALVANIZED STEEL NIPPLES - SCHEDULE 40

BLACK STEEL NIPPLES - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Made to ASTM A733 specifications



Black 1-1/4" *Continued* **Rated maximum 229 psi at 400°F**

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
506776	FNB114X5	1-1/4" x 5"	1	25	50
506777	FNB114X512	1-1/4" x 5-1/2"	1	25	50
506778	FNB114X6	1-1/4" x 6"	1	25	50
506779	FNB114X7	1-1/4" x 7"	1	15	30
506780	FNB114X8	1-1/4" x 8"	1	15	30
506781	FNB114X9	1-1/4" x 9"	1	15	30
506767	FNB114X10	1-1/4" x 10"	1	30	30
506768	FNB114X11	1-1/4" x 11"	1	30	30
506769	FNB114X12	1-1/4" x 12"	1	30	30

Black 1-1/2" **Rated maximum 229 psi at 400°F**

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
500831	300112XCL	1-1/2" x Close	1	5	5
500822	300112X2	1-1/2" x 2"	1	5	5
500823	300112X212	1-1/2" x 2-1/2"	1	5	5
500824	300112X3	1-1/2" x 3"	1	5	5
500825	300112X312	1-1/2" x 3-1/2"	1	5	5
500826	300112X4	1-1/2" x 4"	1	5	5
500827	300112X412	1-1/2" x 4-1/2"	1	5	5
500828	300112X5	1-1/2" x 5"	1	5	5
500829	300112X512	1-1/2" x 5-1/2"	1	5	5
500830	300112X6	1-1/2" x 6"	1	5	5
501059	302112X8	1-1/2" x 8"	1	4	4
501057	302112X10	1-1/2" x 10"	1	5	5
501058	302112X12	1-1/2" x 12"	1	4	4

BULK OPTIONS

506766	FNB112XCL	1-1/2" x Close	1	25	100
506756	FNB112X2	1-1/2" x 2"	1	25	100
506757	FNB112X212	1-1/2" x 2-1/2"	1	25	50
506758	FNB112X3	1-1/2" x 3"	1	25	50
506759	FNB112X312	1-1/2" x 3-1/2"	1	25	50
506760	FNB112X4	1-1/2" x 4"	1	25	50
506761	FNB112X412	1-1/2" x 4-1/2"	1	25	50
506762	FNB112X5	1-1/2" x 5"	1	20	40
506763	FNB112X512	1-1/2" x 5-1/2"	1	20	40
506764	FNB112X6	1-1/2" x 6"	1	20	40
506765	FNB112X8	1-1/2" x 8"	1	15	30
506754	FNB112X10	1-1/2" x 10"	1	10	20
506755	FNB112X12	1-1/2" x 12"	1	10	20

Black 2" **Rated maximum 230 psi at 400°F**

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
500875	3002XCL	2" x Close	1	5	5
500867	3002X212	2" x 2-1/2"	1	5	5
500868	3002X3	2" x 3"	1	5	5
500869	3002X312	2" x 3-1/2"	1	5	5
500870	3002X4	2" x 4"	1	4	4
500871	3002X412	2" x 4-1/2"	1	5	5
500872	3002X5	2" x 5"	1	3	3
500873	3002X512	2" x 5-1/2"	1	5	5
500874	3002X6	2" x 6"	1	3	3
501081	3022X7	2" x 7"	1	5	5
501082	3022X8	2" x 8"	1	3	3
501083	3022X9	2" x 9"	1	5	5

GALVANIZED STEEL NIPPLES - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ASTM A733 specifications

NSF61-4
NSF372



Galvanized 1-1/4" *Continued* **Rated maximum 229 psi at 400°F**

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
506988	FNG114X5	1-1/4" x 5"	1	25	50
506989	FNG114X512	1-1/4" x 5-1/2"	1	25	50
506990	FNG114X6	1-1/4" x 6"	1	25	50
506991	FNG114X7	1-1/4" x 7"	1	15	30
506992	FNG114X8	1-1/4" x 8"	1	15	30
506993	FNG114X9	1-1/4" x 9"	1	15	30
506979	FNG114X10	1-1/4" x 10"	1	15	30
506980	FNG114X11	1-1/4" x 11"	1	15	30
506981	FNG114X12	1-1/4" x 12"	1	15	30

Galvanized 1-1/2" **Rated maximum 229 psi at 400°F**

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
500940	301112XCL	1-1/2" x Close	1	5	5
500931	301112X2	1-1/2" x 2"	1	5	5
500932	301112X212	1-1/2" x 2-1/2"	1	5	5
500933	301112X3	1-1/2" x 3"	1	5	5
500934	301112X312	1-1/2" x 3-1/2"	1	5	5
500935	301112X4	1-1/2" x 4"	1	5	5
500936	301112X412	1-1/2" x 4-1/2"	1	5	5
500937	301112X5	1-1/2" x 5"	1	5	5
500938	301112X512	1-1/2" x 5-1/2"	1	5	5
500939	301112X6	1-1/2" x 6"	1	5	5
501105	303112X7	1-1/2" x 7"	1	5	5
501106	303112X8	1-1/2" x 8"	1	5	5
501107	303112X9	1-1/2" x 9"	1	5	5
501102	303112X10	1-1/2" x 10"	1	5	5
501103	303112X11	1-1/2" x 11"	1	5	5
501104	303112X12	1-1/2" x 12"	1	5	5

BULK OPTIONS

506978	FNG112XCL	1-1/2" x Close	1	25	100
506966	FNG112X2	1-1/2" x 2"	1	25	100
506967	FNG112X212	1-1/2" x 2-1/2"	1	25	50
506968	FNG112X3	1-1/2" x 3"	1	25	50
506969	FNG112X312	1-1/2" x 3-1/2"	1	25	50
506970	FNG112X4	1-1/2" x 4"	1	25	50
506971	FNG112X412	1-1/2" x 4-1/2"	1	25	50
506972	FNG112X5	1-1/2" x 5"	1	20	40
506973	FNG112X512	1-1/2" x 5-1/2"	1	20	40
506974	FNG112X6	1-1/2" x 6"	1	20	40
506975	FNG112X7	1-1/2" x 7"	1	30	30
506976	FNG112X8	1-1/2" x 8"	1	15	30
506977	FNG112X9	1-1/2" x 9"	1	25	25
506963	FNG112X10	1-1/2" x 10"	1	10	20
506964	FNG112X11	1-1/2" x 11"	1	10	20
506965	FNG112X12	1-1/2" x 12"	1	15	15

Galvanized 2" **Rated maximum 230 psi at 400°F**

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
500983	3012XCL	2" x Close	1	5	5
500975	3012X212	2" x 2-1/2"	1	5	5
500976	3012X3	2" x 3"	1	5	5
500977	3012X312	2" x 3-1/2"	1	5	5
500978	3012X4	2" x 4"	1	5	5
500979	3012X412	2" x 4-1/2"	1	5	5
500980	3012X5	2" x 5"	1	3	3
500981	3012X512	2" x 5-1/2"	1	5	5
500982	3012X6	2" x 6"	1	3	3
501129	3032X7	2" x 7"	1	5	5
501130	3032X8	2" x 8"	1	2	2
501131	3032X9	2" x 9"	1	5	5

BLACK & GALVANIZED STEEL NIPPLES - SCHEDULE 40

BLACK STEEL NIPPLES - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Made to ASTM A733 specifications



Black 2" Continued Rated maximum 230 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501078	3022X10	2" x 10"	1	3	3
501079*	3022X11	2" x 11"	1	3	3
501080	3022X12	2" x 12"	1	3	3
BULK OPTIONS					
506865	FNB2XCL	2" x Close	1	25	50
506854	FNB2X212	2" x 2-1/2"	1	25	50
506855	FNB2X3	2" x 3"	1	25	50
506856	FNB2X312	2" x 3-1/2"	1	40	40
506857	FNB2X4	2" x 4"	1	20	40
506858	FNB2X412	2" x 4-1/2"	1	20	40
506859	FNB2X5	2" x 5"	1	20	40
506860	FNB2X512	2" x 5-1/2"	1	28	28
506861	FNB2X6	2" x 6"	1	28	28
506862	FNB2X7	2" x 7"	1	18	18
506863	FNB2X8	2" x 8"	1	18	18
506864	FNB2X9	2" x 9"	1	14	14
506851	FNB2X10	2" x 10"	1	14	14
506852	FNB2X11	2" x 11"	1	14	14
506853	FNB2X12	2" x 12"	1	14	14

*Minimum run requirements and lead times may apply.

Black 2-1/2" Rated maximum 230 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
502477	350212XCL	2-1/2" x Close	1	1	30
502472	350212X3	2-1/2" x 3"	1	1	20
502473	350212X4	2-1/2" x 4"	1	1	15
502474	350212X512	2-1/2" x 5-1/2"	1	1	10
502475	350212X6	2-1/2" x 6"	1	1	10
502476	350212X8	2-1/2" x 8"	1	1	5
511632	350212X10	2-1/2" x 10"	1	1	5
502471	350212X12	2-1/2" x 12"	1	1	5

Black 3" Rated maximum 214 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
502485	3503XCL	3" x Close	1	1	20
502480	3503X3	3" x 3"	1	1	15
502481	3503X4	3" x 4"	1	1	10
502482	3503X5	3" x 5"	1	1	5
502483	3503X6	3" x 6"	1	1	5
502478	3503X10	3" x 10"	1	1	5
502479	3503X12	3" x 12"	1	1	4

Black 4" Rated maximum 175 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
502491	3504XCL	4" x Close	1	1	10
502488	3504X4	4" x 4"	1	1	5
502489	3504X6	4" x 6"	1	1	3
502490	3504X8	4" x 8"	1	1	3
502486	3504X10	4" x 10"	1	1	2

Black Right Left Steel Nipple - Schedule 40

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
120337	FNBR12X4	1/2" x 4"	1	25	200
506962	FNBR134X4	3/4" x 4"	1	25	150

GALVANIZED STEEL NIPPLES - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ASTM A733 specifications

NSF61-4
NSF372



Galvanized 2" Continued Rated maximum 230 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
501126	3032X10	2" x 10"	1	3	3
501127	3032X11	2" x 11"	1	3	3
501128	3032X12	2" x 12"	1	3	3
BULK OPTIONS					
507082	FNG2XCL	2" x Close	1	25	50
507071	FNG2X212	2" x 2-1/2"	1	25	50
507072	FNG2X3	2" x 3"	1	25	50
507073	FNG2X312	2" x 3-1/2"	1	20	40
507074	FNG2X4	2" x 4"	1	20	40
507075	FNG2X412	2" x 4-1/2"	1	20	40
507076	FNG2X5	2" x 5"	1	20	40
507077	FNG2X512	2" x 5-1/2"	1	28	28
507078	FNG2X6	2" x 6"	1	28	28
507079	FNG2X7	2" x 7"	1	18	18
507080	FNG2X8	2" x 8"	1	18	18
507081	FNG2X9	2" x 9"	1	14	14
507068	FNG2X10	2" x 10"	1	14	14
507069	FNG2X11	2" x 11"	1	14	14
507070	FNG2X12	2" x 12"	1	14	14

Galvanized 2-1/2" Rated maximum 230 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
502540	351212XCL	2-1/2" x Close	1	1	30
502535	351212X3	2-1/2" x 3"	1	1	20
502536	351212X4	2-1/2" x 4"	1	1	15
502537	351212X5	2-1/2" x 5"	1	1	10
502538	351212X6	2-1/2" x 6"	1	1	10
502539	351212X8	2-1/2" x 8"	1	1	5
502533	351212X10	2-1/2" x 10"	1	1	5

Galvanized 3" Rated maximum 214 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
502543	3513X3	3" x 3"	1	1	15
502544	3513X312	3" x 3-1/2"	1	1	10
502545	3513X4	3" x 4"	1	1	10
502547	3513X5	3" x 5"	1	1	5
502541	3513X10	3" x 10"	1	1	5
502542	3513X12	3" x 12"	1	1	4

Galvanized 4" Rated maximum 175 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
502557	3514XCL	4" x Close	1	1	10
502553	3514X4	4" x 4"	1	1	5
502554	3514X5	4" x 5"	1	1	5
502555	3514X6	4" x 6"	1	1	3
502556	3514X8	4" x 8"	1	1	3
502551	3514X10	4" x 10"	1	1	2
502552	3514X12	4" x 12"	1	1	2

Galvanized Right Left Steel Nipple - Schedule 40

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
120338	FNGL12X4	1/2" x 4"	1	25	200
120339	FNGL134X4	3/4" x 4"	1	25	150

BLACK & GALVANIZED CUT STEEL PIPE - SCHEDULE 40

BLACK CUT STEEL PIPE - SCHEDULE 40

Black cut pipe is composed of durable, schedule 40 black steel and is hydrostatically tested and available in sizes to fit residential and light commercial gas and air applications. The pipe has protective durable plastic end caps that help ensure the pipe threads remain undamaged in transport.

*Not for use with drinking water

*Always check your local plumbing and gas codes before starting any piping projects

- Hydrostatically tested
- Steel construction
- Made to ASTM A53 specifications



Black 1/2" Rated maximum 214 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	BUNDLE QTY
501169	30612X14	1/2" x 14"	1	5	5
501171	30612X16	1/2" x 16"	1	5	5
501172	30612X18	1/2" x 18"	1	5	5
501173	30612X24	1/2" x 24"	1	5	5
501174	30612X30	1/2" x 30"	1	5	5
501175	30612X36	1/2" x 36"	1	5	5
501177	30612X48	1/2" x 48"	1	5	5
501178	30612X60	1/2" x 60"	1	5	5
501179	30612X72	1/2" x 72"	1	5	5
501180	30612X96	1/2" x 96"	1	5	5

Black 3/4" Rated maximum 217 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	BUNDLE QTY
501194	30634X18	3/4" x 18"	1	5	5
501195	30634X24	3/4" x 24"	1	5	5
501196	30634X30	3/4" x 30"	1	5	5
501197	30634X36	3/4" x 36"	1	5	5
501198	30634X48	3/4" x 48"	1	5	5
501199	30634X60	3/4" x 60"	1	5	5
501200	30634X72	3/4" x 72"	1	5	5

Black 1" Rated maximum 226 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	BUNDLE QTY
501181	3061X18	1" x 18"	1	3	3
501182	3061X24	1" x 24"	1	3	3
501183	3061X30	1" x 30"	1	3	3
501184	3061X36	1" x 36"	1	3	3
501185	3061X48	1" x 48"	1	3	3
501186	3061X60	1" x 60"	1	3	3
501187	3061X72	1" x 72"	1	3	3

Black 1-1/4" Rated maximum 229 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	BUNDLE QTY
501162	306114X18	1-1/4" x 18"	1	3	3
501163	306114X24	1-1/4" x 24"	1	3	3
501165	306114X36	1-1/4" x 36"	1	3	3
501166	306114X48	1-1/4" x 48"	1	3	3
501167	306114X60	1-1/4" x 60"	1	3	3

GALVANIZED CUT STEEL PIPE - SCHEDULE 40

Galvanized cut pipe is the way to go when selecting water pipe for your residence. Our durable, schedule 40 galvanized steel is hydrostatically tested and available in sizes to fit residential and light commercial water applications. The pipe has protective durable plastic end caps that help ensure the pipe threads remain undamaged in transport.

*For use with drinking water

*Always check your local plumbing and gas codes before starting any piping projects

- Hydrostatically tested
- Steel construction
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ASTM A53 specifications



NSF61-4
NSF372

Galvanized 1/2" Rated maximum 214 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	BUNDLE QTY
501234	30712X18	1/2" x 18"	1	5	5
501235	30712X24	1/2" x 24"	1	5	5
501236	30712X30	1/2" x 30"	1	5	5
501237	30712X36	1/2" x 36"	1	5	5
501239	30712X48	1/2" x 48"	1	5	5
501240	30712X60	1/2" x 60"	1	5	5
501241	30712X72	1/2" x 72"	1	5	5

Galvanized 3/4" Rated maximum 217 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	BUNDLE QTY
501255	30734X18	3/4" x 18"	1	5	5
501256	30734X24	3/4" x 24"	1	5	5
501257	30734X30	3/4" x 30"	1	5	5
501258	30734X36	3/4" x 36"	1	5	5
501259	30734X48	3/4" x 48"	1	5	5
501260	30734X60	3/4" x 60"	1	5	5
501261	30734X72	3/4" x 72"	1	5	5

Galvanized 1" Rated maximum 226 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	BUNDLE QTY
501242	3071X18	1" x 18"	1	3	3
501243	3071X24	1" x 24"	1	3	3
501244	3071X30	1" x 30"	1	3	3
501245	3071X36	1" x 36"	1	3	3
501246	3071X48	1" x 48"	1	3	3
501247	3071X60	1" x 60"	1	3	3
501248	3071X72	1" x 72"	1	3	3

Galvanized 1-1/4" Rated maximum 229 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	BUNDLE QTY
501227	307114X18	1-1/4" x 18"	1	3	3
501228	307114X24	1-1/4" x 24"	1	3	3
501229	307114X30	1-1/4" x 30"	1	3	3
501230	307114X36	1-1/4" x 36"	1	3	3
501231	307114X48	1-1/4" x 48"	1	3	3
501232	307114X60	1-1/4" x 60"	1	3	3
501233	307114X72	1-1/4" x 72"	1	3	3

BLACK CUT STEEL PIPE - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Made to ASTM A53 specifications



Plastic End-Caps

1-1/2" Rated maximum 231 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	BUNDLE QTY
501155	306112X18	1-1/2" x 18"	1	3	3
501156	306112X24	1-1/2" x 24"	1	3	3
501157	306112X30	1-1/2" x 30"	1	3	3
501158	306112X36	1-1/2" x 36"	1	3	3
501160	306112X60	1-1/2" x 60"	1	3	3

2" Rated maximum 230 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	BUNDLE QTY
501188	3062X18	2" x 18"	1	2	2
501189	3062X24	2" x 24"	1	2	2
501190	3062X30	2" x 30"	1	2	2
501191	3062X36	2" x 36"	1	2	2
501193	3062X60	2" x 60"	1	2	2

PIPE DISPLAYS

STZ Pipe can be displayed in its own custom POP display.

ITEM# 507616
SKU# POP306R121
For 1/2" - 1" Pipe
UOM: 1
ORDER MULTIPLE: 1
MASTER QTY: 1



BLACK MERCHANT COUPLINGS

- Steel construction
- ASTM A865

STZ merchant couplings are composed of durable black steel and are 100% pressure tested and protected right in the factory. They are available in an array of sizes for residential gas, air, and low pressure applications.

*Not for use with drinking water

*Always check your local plumbing and gas codes before starting any piping projects

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
502135	316MCO-18	1/8"	1	10	10
502134	316MCO-14	1/4"	1	10	10
502140	316MCO-38	3/8"	1	10	10
502133	316MCO-12	1/2"	1	25	25
502139	316MCO-34	3/4"	1	25	25
502130	316MCO-1	1"	1	10	10
502132	316MCO-114	1-1/4"	1	5	5
502131	316MCO-112	1-1/2"	1	5	5
502136	316MCO-2	2"	1	5	5
502137	316MCO-212	2-1/2"	1	1	30
502138	316MCO-3	3"	1	1	16
502141	316MCO-4	4"	1	1	8

BULK OPTIONS

116770	FMBMCO-112	1-1/2"	1	25	50
116772	FMBMCO-2	2"	1	25	50

GALVANIZED STEEL NIPPLES - SCHEDULE 40

- Hydrostatically tested
- Steel construction
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ASTM A53 specifications



Plastic End-Caps

NSF61-4
NSF372

1-1/2" Rated maximum 231 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	BUNDLE QTY
501220	307112X18	1-1/2" x 18"	1	3	3
501221	307112X24	1-1/2" x 24"	1	3	3
501222	307112X30	1-1/2" x 30"	1	3	3
501223	307112X36	1-1/2" x 36"	1	3	3
501224	307112X48	1-1/2" x 48"	1	3	3
501225	307112X60	1-1/2" x 60"	1	3	3

2" Rated maximum 230 psi at 400°F

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	BUNDLE QTY
501249	3072X18	2" x 18"	1	2	2
501250	3072X24	2" x 24"	1	2	2
501252	3072X36	2" x 36"	1	2	2
501254	3072X60	2" x 60"	1	2	2

GALVANIZED MERCHANT COUPLINGS

- Steel construction
- Galvanized done by hot dip process, according to ASTM A153
- ASTM A865



STZ merchant couplings are composed of durable steel and are 100% pressure tested and protected right in the factory. They are available in an array of sizes for residential gas, air, and low pressure applications.

*For use with drinking water

*Always check your local plumbing and gas codes before starting any piping projects

ITEM#	SKU#	NPS	UOM	ORDER MULTIPLE	MASTER QTY
502147	317MCO-18	1/8"	1	10	10
502146	317MCO-14	1/4"	1	10	10
502152	317MCO-38	3/8"	1	10	10
502145	317MCO-12	1/2"	1	25	25
502151	317MCO-34	3/4"	1	25	25
502142	317MCO-1	1"	1	10	10
502144	317MCO-114	1-1/4"	1	5	5
502143	317MCO-112	1-1/2"	1	5	5
502148	317MCO-2	2"	1	5	5
502149	317MCO-212	2-1/2"	1	1	30
502150	317MCO-3	3"	1	1	16
502153	317MCO-4	4"	1	1	8


BULK OPTIONS

117441	FMGMCO-38	3/8"	1	50	600
--------	-----------	------	---	----	-----

GAS CONNECTORS

Cambridge Gas Connectors transport natural gas to appliances such as stoves, dryers, and water heaters. They can be ordered in any combination of O.D. size, fitting sizes and styles, lengths, and with or without coating/valves. If you do not see your specific one listed in the catalog please contact your sales person to request it. Lead times may apply.

REFERENCE NUMBER KEY



Coating

Y: Yellow
B: Black
G: Gray

O.D.

10: 1" (3/4" ID)
58: 5/8" (1/2" ID)
12: 1/2" (3/8" ID)
38: 3/8" (1/4" ID)

FITTING SIZE

10: 1"
34: 3/4"
12: 1/2"
38: 3/8"

FITTING TYPE

M: MIP
F: FIP

LENGTH

12"
18"
24"
30"
36"
48"
60"
72"

GAS CONNECTOR SIZE REFERENCE CHART

GAS BTU RATING	Straight Length Capacity-Btu Per Hr using: 0.64Sp Gr, 1000 BTU Per Cu Ft (37.5MJ Per Cu Meter) Gas at 0.5 inch Water Column (124 Pa) Pressure Drop. The capacity at 50 Pa (0.2 inch water column) pressure drop can be determined by multiplying the BTU per hr. listed in the table below by 0.632.							
	12"	18"	24"	30"	36"	48"	60"	72"
1" OD (3/4" ID)			290,900	270,500	255,900	215,000	197,400	173,900
5/8" OD (1/2" ID)	180,000	164,200	150,000	136,000	125,000	106,000	93,200	86,000
1/2" OD (3/8" ID)	102,000	93,100	85,000	77,100	71,100	60,500	53,200	49,100
3/8" OD (1/4" ID)	48,000	43,800	40,000	36,400	33,400	28,300	24,900	23,100


Indoor	Outdoor	Manufactured Home
Gas Ranges, Water Heaters, Tankless Water Heaters, Wall Heaters, Dryers, Gas Fireplaces, Furnaces, Garage Heaters	Stationary Outdoor Grills, Gas Fire Pits, Outdoor Dryers, Rooftop Units	Mobile Home Gas Meters, Cross-over Gas Connection Kits
CSA Design Certified to ANSI Z21.24/CSA 6.10, Cambridge Gas Connectors are durable and reliable. Their flexibility makes them easy to install, especially in tight spaces. Cambridge Gas Connectors are designed to put safety first, so you can feel confident in using them for all residential gas appliances.	CSA Design Certified to ANSI Z21.75/CSA 6.27, Cambridge Gas Connectors are perfect for outdoor installation of fixed appliances.	CSA Design Certified to ANSI Z21.75/CSA 6.27, Cambridge Gas Connectors are ideal for use in park trailers and manufactured (mobile) homes. High BTU capacity enables proper gas flow.

FEATURES	BENEFITS
304 stainless steel markings stamped on nut Annealed steel construction MIP fittings tapped female for next smaller size CSA design certified for indoor/outdoor use with natural, manufactured, mixed, liquified, petroleum (LP), and LP-gas air mixtures	Durable, reliable, corrosion-resistant design Eliminates unnecessary vibration Provides added strength and flexibility; reduces stress corrosion cracking risks Creates a metal-to-metal seal assuring critical application integrity and consistency Quality, safety, assurance

STANDARD GAS CONNECTORS - 3/8" OD / 1/2" OD

Standard gas connectors are composed of corrosion-resistant 304 stainless steel which provides extra strength while maintaining flexibility. Their flared-end fitting provides a secure metal-to-metal seal, making them ideal for both indoor and outdoor applications. Cambridge Gas Connectors are CSA certified for use with natural gas and are suitable for kitchen appliances, gas ranges, and hot water heaters.

- Corrosion-resistant 304 stainless steel
- Flared-end fitting
- Indoor and outdoor use
- CSA certified for use with natural gas
- ANSI Z21.24, Z21.75/CSA 6.10, 6.27



If you do not see a size you need listed please contact our sales team. We can customize any part. Lead times may apply.

3/8" OD (1/4" ID) - Standard

3/8" MIP x 3/8" MIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
114357	C-GC-383838MM-24*	Gas Connector - 24" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" MIP	24"	1	25	25
114358	C-GC-383838MM-36*	Gas Connector - 36" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" MIP	36"	1	25	25

3/8" MIP x 3/8" FIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
200092	C-GC-383838MF-12	Gas Connector - 12" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	12"	1	25	25
200093	C-GC-383838MF-18	Gas Connector - 18" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	18"	1	25	25
112898	C-GC-383838MF-24	Gas Connector - 24" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	24"	1	25	25
112899	C-GC-383838MF-30	Gas Connector - 30" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	30"	1	25	25
112900	C-GC-383838MF-36	Gas Connector - 36" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	36"	1	25	25
112901	C-GC-383838MF-48	Gas Connector - 48" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	48"	1	25	25
112902	C-GC-383838MF-60	Gas Connector - 60" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	60"	1	25	25
112903	C-GC-383838MF-72	Gas Connector - 72" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	72"	1	25	25

3/8" MIP x 1/2" FIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
112318	C-GC-383812MF-12*	Gas Connector - 12" long, 3/8" OD x 1/4" ID, 3/8" MIP x 1/2" FIP	12"	1	25	25
112319	C-GC-383812MF-18*	Gas Connector - 18" long, 3/8" OD x 1/4" ID, 3/8" MIP x 1/2" FIP	18"	1	25	25
112320	C-GC-383812MF-24	Gas Connector - 24" long, 3/8" OD x 1/4" ID, 3/8" MIP x 1/2" FIP	24"	1	25	25
112321	C-GC-383812MF-36	Gas Connector - 36" long, 3/8" OD x 1/4" ID, 3/8" MIP x 1/2" FIP	36"	1	25	25

1/2" MIP x 1/2" MIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
120143	C-GC-381212MM-18*	Gas Connector - 18" long, 3/8" OD x 1/4" ID, 1/2" MIP x 1/2" MIP	24"	1	25	25
200094	C-GC-381212MM-24	Gas Connector - 24" long, 3/8" OD x 1/4" ID, 1/2" MIP x 1/2" MIP	24"	1	25	25
120144	C-GC-381212MM-36*	Gas Connector - 36" long, 3/8" OD x 1/4" ID, 1/2" MIP x 1/2" MIP	24"	1	25	25

1/2" OD (3/8" ID) - Standard

3/8" MIP x 3/8" FIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
111915	C-GC-123838MF-36	Gas Connector - 36" long, 1/2" OD x 3/8" ID, 3/8" MIP x 3/8" FIP	36"	1	25	25

1/2" MIP x 1/2" MIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
120367	C-GC-121212MM-12*	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	12"	1	25	25
114461	C-GC-121212MM-18*	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	18"	1	25	25
109841	C-GC-121212MM-24	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	24"	1	25	25
114382	C-GC-121212MM-30*	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	30"	1	25	25
114350	C-GC-121212MM-36*	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	36"	1	25	25
111725	C-GC-121212MM-48*	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	48"	1	25	25

*May require extended lead times

1/2" OD (3/8" ID) - Standard (CONTINUED)

1/2" FIP x 1/2" FIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
110134	C-GC-121212FF-36	Gas Connector - 36" long, 1/2" OD x 3/8" ID, 1/2" FIP x 1/2" FIP	36"	1	25	25

1/2" MIP x 1/2" FIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
112316	C-GC-121212MF-12*	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	12"	1	25	25
111641	C-GC-121212MF-18*	Gas Connector - 18" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	18"	1	25	25
111642	C-GC-121212MF-24*	Gas Connector - 24" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	24"	1	25	25
112897	C-GC-121212MF-30*	Gas Connector - 30" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	30"	1	25	25
111643	C-GC-121212MF-36*	Gas Connector - 36" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	36"	1	25	25
111644	C-GC-121212MF-48*	Gas Connector - 48" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	48"	1	25	25
112317	C-GC-121212MF-60	Gas Connector - 60" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	60"	1	25	25

*May require extended lead times

1/2" OD (3/8" ID) - Standard with Gas Shut Off Valve

1/2" FIP x 1/2" FIP Connectors With Gas Shut Off Valve

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
114432	C-GC-121212FF-18V	Gas Connector - 18" long, 1/2" OD x 3/8" ID, 1/2" FIP x 1/2" FIP	18"	1	25	25
200377	C-GC-121212FF-48V	Gas Connector - 48" long, 1/2" OD x 3/8" ID, 1/2" FIP x 1/2" FIP	48"	1	25	25

1/2" MIP x 1/2" FIP Connectors With Gas Shut Off Valve

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
109724	C-GC-121212MF-12V	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	12"	1	25	25
109725	C-GC-121212MF-18V*	Gas Connector - 18" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	18"	1	25	25
109839	C-GC-121212MF-24V*	Gas Connector - 24" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	24"	1	25	25
109726	C-GC-121212MF-30V	Gas Connector - 30" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	30"	1	25	25
109840	C-GC-121212MF-36V*	Gas Connector - 36" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	36"	1	25	25
109727	C-GC-121212MF-48V	Gas Connector - 48" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	48"	1	25	25

*May require extended lead times

5/8" OD (1/2" ID) - Standard

1/2" MIP x 1/2" MIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
110025	C-GC-581212MM-12*	Gas Connector - 12" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	12"	1	25	25
109596	C-GC-581212MM-18	Gas Connector - 18" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	18"	1	25	25
109015	C-GC-581212MM-24	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	24"	1	25	25
109016	C-GC-581212MM-36	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	36"	1	25	25
109017	C-GC-581212MM-48	Gas Connector - 48" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	48"	1	25	25
109597	C-GC-581212MM-60	Gas Connector - 60" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	60"	1	25	25
114231	C-GC-581212MM-72*	Gas Connector - 72" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	72"	1	25	25

*May require extended lead times

1/2" FIP x 1/2" FIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
114224	C-GC-581212FF-12*	Gas Connector - 12" long, 5/8" OD x 1/2" ID, 1/2" FIP x 1/2" FIP	12"	1	25	25
112481	C-GC-581212FF-18*	Gas Connector - 18" long, 5/8" OD x 1/2" ID, 1/2" FIP x 1/2" FIP	18"	1	25	25
109073	C-GC-581212FF-24	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 1/2" FIP x 1/2" FIP	24"	1	25	25
109074	C-GC-581212FF-36	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 1/2" FIP x 1/2" FIP	36"	1	25	25
109075	C-GC-581212FF-48	Gas Connector - 48" long, 5/8" OD x 1/2" ID, 1/2" FIP x 1/2" FIP	48"	1	25	25

*May require extended lead times

5/8" OD (1/2" ID) - Standard (CONTINUED)

1/2" MIP x 1/2" FIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
109829	C-GC-581212MF-12	Gas Connector - 12" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	12"	1	25	25
109674	C-GC-581212MF-18	Gas Connector - 18" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	18"	1	25	25
109675	C-GC-581212MF-24	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	24"	1	25	25
112904	C-GC-581212MF-30	Gas Connector - 30" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	30"	1	25	25
109676	C-GC-581212MF-36	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	36"	1	25	25
109677	C-GC-581212MF-48	Gas Connector - 48" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	48"	1	25	25
109678	C-GC-581212MF-60	Gas Connector - 60" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	60"	1	25	25

1/2" MIP x 3/4" MIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
109842	C-GC-581234MM-24	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 1/2" MIP x 3/4" MIP	24"	1	25	25
109843	C-GC-581234MM-36	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 1/2" MIP x 3/4" MIP	36"	1	25	25

3/4" MIP x 3/4" MIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
120145	C-GC-583434MM-18*	Gas Connector - 18" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" MIP	18"	1	25	25

*May require extended lead times

3/4" MIP x 3/4" FIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
112324	C-GC-583434MF-12*	Gas Connector - 12" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" FIP	12"	1	25	25
112325	C-GC-583434MF-18	Gas Connector - 18" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" FIP	18"	1	25	25
112326	C-GC-583434MF-24	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" FIP	24"	1	25	25
112327	C-GC-583434MF-36	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" FIP	36"	1	25	25
112328	C-GC-583434MF-48	Gas Connector - 48" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" FIP	48"	1	25	25
112329	C-GC-583434MF-60	Gas Connector - 60" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" FIP	60"	1	25	25
112905	C-GC-583434MF-72*	Gas Connector - 72" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" FIP	72"	1	25	25

*May require extended lead times

5/8" OD (1/2" ID) - Standard with Gas Shut Off Valve

1/2" MIP x 1/2" FIP Connectors With Gas Shut Off Valve

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
111076	C-GC-581212MF-12V*	Gas Connector - 12" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	12"	1	25	25
109013	C-GC-581212MF-18V	Gas Connector - 18" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	18"	1	25	25
109014	C-GC-581212MF-24V	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	24"	1	25	25
109022	C-GC-581212MF-36V	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	36"	1	25	25
109728	C-GC-581212MF-48V	Gas Connector - 48" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	48"	1	25	25
200138	C-GC-581212MF-60V*	Gas Connector - 60" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	60"	1	25	25

*May require extended lead times

1/2" MIP x 3/4" FIP Connectors With Gas Shut Off Valve

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
109018	C-GC-581234MF-30V	Gas Connector - 30" long, 5/8" OD x 1/2" ID, 1/2" MIP x 3/4" FIP	30"	1	25	25
109019	C-GC-581234MF-36V	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 1/2" MIP x 3/4" FIP	36"	1	25	25

3/4" FIP x 3/4" FIP Connectors With Gas Shut Off Valve

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
203199	C-GC-583434FF-48V*	Gas Connector - 48" long, 5/8" OD x 1/2" ID, 3/4" FIP x 3/4" FIP	48"	1	25	25

*May require extended lead times

3/4" MIP x 3/4" FIP Connectors With Gas Shut Off Valve

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
109729	C-GC-583434MF-18V*	Gas Connector - 18" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" FIP	18"	1	25	25
109730	C-GC-583434MF-24V	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" FIP	24"	1	25	25
109731	C-GC-583434MF-36V*	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" FIP	36"	1	25	25

*May require extended lead times

1" OD (3/4" ID) - Standard**3/4" MIP x 3/4" MIP Connectors**

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
109828	C-GC-103434MM-18	Gas Connector - 18" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" MIP	18"	1	10	10

3/4" MIP x 3/4" FIP Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
200032	C-GC-103434MF-24*	Gas Connector - 24" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" FIP	24"	1	10	10
200033	C-GC-103434MF-30*	Gas Connector - 30" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" FIP	30"	1	10	10
200034	C-GC-103434MF-36*	Gas Connector - 36" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" FIP	36"	1	10	10
200035	C-GC-103434MF-48*	Gas Connector - 48" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" FIP	48"	1	10	10

*May require extended lead times

YELLOW-COATED GAS CONNECTORS

Yellow-Coated Gas Connectors are composed of the same material as our uncoated gas connectors (corrosion-resistant 304 stainless steel) but include an industry-standard yellow coating for added corrosion protection and easy gas line identification. The coating is consistent along the entire length of the connector hose, providing complete coverage and protection from chemical and/or weather-based corrosion. They are CSA certified and share the same features, benefits and applications as Cambridge Standard Gas Connectors.

- Corrosion-resistant 304 stainless steel
- Flared-end fitting
- Added corrosion protection and easy gas line identification
- Indoor and outdoor use
- CSA certified for use with natural gas
- ANSI Z21.24, Z21.75/CSA 6.10, 6.27



If you do not see a size you need listed please contact our sales team. We can customize any part. Lead times may apply.

3/8" OD (1/4" ID) - Yellow Coated**3/8" MIP x 3/8" FIP Yellow Coated Connectors**

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
120146	C-GCY-383838MF-24	Gas Connector - 24" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	24"	1	25	25
200095	C-GCY-383838MF-36	Gas Connector - 36" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	36"	1	25	25

3/8" OD (1/4" ID) - Yellow Coated with Gas Shut Off Valve**3/8" MIP x 1/2" FIP Yellow Coated Connectors With Gas Shut Off Valve**

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
200096	C-GCY-383812MF-24V	Gas Connector - 24" long, 3/8" OD x 1/4" ID, 3/8" MIP x 1/2" FIP	24"	1	25	25
120150	C-GCY-383812MF-36V*	Gas Connector - 36" long, 3/8" OD x 1/4" ID, 3/8" MIP x 1/2" FIP	36"	1	25	25

*May require extended lead times

1/2" MIP x 1/2" FIP Yellow Coated Connectors With Gas Shut Off Valve

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
120149	C-GCY-381212MF-60V*	Gas Connector - 60" long, 3/8" OD x 1/4" ID, 1/2" MIP x 1/2" FIP	24"	1	25	25

*May require extended lead times

1/2" OD (3/8" ID) - Yellow Coated**1/2" MIP x 1/2" MIP Yellow Coated Connectors**

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
118602	C-GCY-121212MM-12	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	12"	1	25	25
114389	C-GCY-121212MM-18*	Gas Connector - 18" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	18"	1	25	25
114390	C-GCY-121212MM-24	Gas Connector - 24" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	24"	1	25	25
114383	C-GCY-121212MM-36*	Gas Connector - 36" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	36"	1	25	25
114384	C-GCY-121212MM-48*	Gas Connector - 48" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	48"	1	25	25

*May require extended lead times

1/2" OD (3/8" ID) - Yellow Coated (CONTINUED)

1/2" MIP x 1/2" FIP Yellow Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
112330	C-GCY-121212MF-12	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	12"	1	25	25
109033	C-GCY-121212MF-18	Gas Connector - 18" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	18"	1	25	25
109034	C-GCY-121212MF-20	Gas Connector - 20" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	20"	1	25	25
109035	C-GCY-121212MF-24	Gas Connector - 24" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	24"	1	25	25
109036	C-GCY-121212MF-36	Gas Connector - 36" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	36"	1	25	25
112331	C-GCY-121212MF-48	Gas Connector - 48" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	48"	1	25	25
112332	C-GCY-121212MF-60	Gas Connector - 60" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	60"	1	25	25

1/2" OD (3/8" ID) - Yellow Coated with Gas Shut Off Valve

1/2" MIP x 1/2" FIP Yellow Coated Connectors With Gas Shut Off Valve

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
112933	C-GCY-121212MF-18V	Gas Connector - 18" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	18"	1	25	25
111635	C-GCY-121212MF-24V	Gas Connector - 24" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	24"	1	25	25
111636	C-GCY-121212MF-36V	Gas Connector - 36" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	36"	1	25	25

5/8" OD (1/2" ID) - Yellow Coated

1/2" MIP x 1/2" MIP Yellow Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
109599	C-GCY-581212MM-12	Gas Connector - 12" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	12"	1	25	25
109037	C-GCY-581212MM-18	Gas Connector - 18" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	18"	1	25	25
109038	C-GCY-581212MM-24	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	24"	1	25	25
109039	C-GCY-581212MM-30*	Gas Connector - 30" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	30"	1	25	25
109023	C-GCY-581212MM-36	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	36"	1	25	25
109024	C-GCY-581212MM-48	Gas Connector - 48" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	48"	1	25	25
109040	C-GCY-581212MM-60	Gas Connector - 60" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" MIP	60"	1	25	25

*May require extended lead times

1/2" FIP x 1/2" FIP Yellow Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
112482	C-GCY-581212FF-60	Gas Connector - 60" long, 5/8" OD x 1/2" ID, 1/2" FIP x 1/2" FIP	60"	1	25	25

1/2" MIP x 1/2" FIP Yellow Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
111645	C-GCY-581212MF-12*	Gas Connector - 12" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	12"	1	25	25
111639	C-GCY-581212MF-18*	Gas Connector - 18" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	18"	1	25	25
110038	C-GCY-581212MF-24*	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	24"	1	25	25
110039	C-GCY-581212MF-36	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	36"	1	25	25
110040	C-GCY-581212MF-48*	Gas Connector - 48" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	48"	1	25	25
118421	C-GCY-581212MF-60*	Gas Connector - 60" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	60"	1	25	25

*May require extended lead times

1/2" MIP x 3/4" MIP Yellow Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
112483	C-GCY-581234MM-36	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 1/2" MIP x 3/4" MIP	36"	1	25	25

3/4" MIP x 3/4" MIP Yellow Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
112487	C-GCY-583434MM-24	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" MIP	24"	1	25	25
120151	C-GCY-583434MM-36	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" MIP	36"	1	25	25
112488	C-GCY-583434MM-48	Gas Connector - 48" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" MIP	48"	1	25	25
120157	C-GCY-583434MM-60	Gas Connector - 60" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" MIP	60"	1	25	25

YELLOW COATED GAS CONNECTORS - 5/8" OD / 1" OD

5/8" OD (1/2" ID) - Yellow Coated (CONTINUED)

3/4" FIP x 3/4" FIP Yellow Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
112484	C-GCY-583434FF-24	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 3/4" FIP x 3/4" FIP	24"	1	25	25
112485	C-GCY-583434FF-36	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 3/4" FIP x 3/4" FIP	36"	1	25	25
112486	C-GCY-583434FF-48	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 3/4" FIP x 3/4" FIP	48"	1	25	25

5/8" OD (1/2" ID) - Yellow Coated with Gas Shut Off Valve

1/2" MIP x 1/2" FIP Yellow Coated Connectors With Gas Shut Off Valve

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
110178	C-GCY-581212MF-12V	Gas Connector - 12" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	12"	1	25	25
110179	C-GCY-581212MF-18V	Gas Connector - 18" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	18"	1	25	25
109742	C-GCY-581212MF-24V	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	24"	1	25	25
110180	C-GCY-581212MF-30V	Gas Connector - 30" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	30"	1	25	25
109743	C-GCY-581212MF-36V	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	36"	1	25	25
110181	C-GCY-581212MF-48V	Gas Connector - 48" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	48"	1	25	25

1/2" MIP x 3/4" FIP Yellow Coated Connectors With Gas Shut Off Valve

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
110235	C-GCY-581234MF-24V*	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 1/2" MIP x 3/4" FIP	24"	1	25	25
110236	C-GCY-581234MF-30V*	Gas Connector - 30" long, 5/8" OD x 1/2" ID, 1/2" MIP x 3/4" FIP	30"	1	25	25
110237	C-GCY-581234MF-36V*	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 1/2" MIP x 3/4" FIP	36"	1	25	25

*May require extended lead times

3/4" MIP x 3/4" FIP Yellow Coated Connectors With Gas Shut Off Valve

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
109744	C-GCY-583434MF-24V	Gas Connector - 24" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" FIP	24"	1	25	25
110182	C-GCY-583434MF-36V	Gas Connector - 36" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" FIP	36"	1	25	25
113053	C-GCY-583434MF-48V	Gas Connector - 48" long, 5/8" OD x 1/2" ID, 3/4" MIP x 3/4" FIP	48"	1	25	25

1" OD (3/4" ID) - Yellow Coated

3/4" MIP x 3/4" MIP Yellow Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
114360	C-GCY-103434MM-12*	Gas Connector - 12" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" MIP	12"	1	10	10
111952	C-GCY-103434MM-18*	Gas Connector - 18" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" MIP	18"	1	10	10
113820	C-GCY-103434MM-36	Gas Connector - 36" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" MIP	36"	1	10	10

*May require extended lead times

3/4" FIP x 3/4" FIP Yellow Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
120147	C-GCY-103434FF-36*	Gas Connector - 36" long, 1" OD x 3/4" ID, 3/4" FIP x 3/4" FIP	36"	1	10	10

*May require extended lead times

3/4" MIP x 3/4" FIP Yellow Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
120148	C-GCY-103434MF-18	Gas Connector - 18" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" FIP	18"	1	10	10
109737	C-GCY-103434MF-24	Gas Connector - 24" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" FIP	24"	1	10	10
109738	C-GCY-103434MF-36	Gas Connector - 36" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" FIP	36"	1	10	10
112379	C-GCY-103434MF-48	Gas Connector - 48" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" FIP	48"	1	10	10
112380	C-GCY-103434MF-60	Gas Connector - 60" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" FIP	60"	1	10	10

BLACK COATED GAS CONNECTORS - 3/8" OD / 1/2" OD

Black coated gas connectors are composed of the same material as our uncoated gas connectors but include an industry-standard black coating for added corrosion protection and low visibility. This gas connector is commonly used for installation of home appliances including space heaters, fireplaces, and gas log sets. They are CSA certified.

- Corrosion-resistant 304 stainless steel
- Flared-end fitting
- Added corrosion protection and low visibility
- Indoor and outdoor use
- CSA certified for use with natural gas
- ANSI Z21.24, Z21.75/CSA 6.10, 6.27



If you do not see a size you need listed please contact our sales team. We can customize any part. Lead times may apply.

3/8" OD (1/4" ID) - Black Coated

3/8" MIP x 3/8" FIP Black Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
112906	C-GCB-383838MF-12	Gas Connector - 12" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	12"	1	25	25
112907	C-GCB-383838MF-18	Gas Connector - 18" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	18"	1	25	25
112908	C-GCB-383838MF-24	Gas Connector - 24" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	24"	1	25	25
112909	C-GCB-383838MF-36	Gas Connector - 36" long, 3/8" OD x 1/4" ID, 3/8" MIP x 3/8" FIP	36"	1	25	25

3/8" MIP x 1/2" FIP Black Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
112403	C-GCB-383812MF-12	Gas Connector - 12" long, 3/8" OD x 1/4" ID, 3/8" MIP x 1/2" FIP	12"	1	25	25
112404	C-GCB-383812MF-18	Gas Connector - 18" long, 3/8" OD x 1/4" ID, 3/8" MIP x 1/2" FIP	18"	1	25	25
112405	C-GCB-383812MF-24	Gas Connector - 24" long, 3/8" OD x 1/4" ID, 3/8" MIP x 1/2" FIP	24"	1	25	25
112406	C-GCB-383812MF-36	Gas Connector - 36" long, 3/8" OD x 1/4" ID, 3/8" MIP x 1/2" FIP	36"	1	25	25
112407	C-GCB-383812MF-48	Gas Connector - 48" long, 3/8" OD x 1/4" ID, 3/8" MIP x 1/2" FIP	48"	1	25	25

1/2" OD (3/8" ID) - Black Coated

3/8" MIP x 3/8" FIP Black Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
111622	C-GCB-123838MF-12*	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 3/8" MIP x 3/8" FIP	12"	1	25	25
111623	C-GCB-123838MF-24*	Gas Connector - 24" long, 1/2" OD x 3/8" ID, 3/8" MIP x 3/8" FIP	24"	1	25	25
111624	C-GCB-123838MF-36*	Gas Connector - 36" long, 1/2" OD x 3/8" ID, 3/8" MIP x 3/8" FIP	36"	1	25	25

*May require extended lead times

3/8" MIP x 1/2" FIP Black Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
114418	C-GCB-123812MF-12*	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 3/8" MIP x 1/2" FIP	12"	1	25	25
114419	C-GCB-123812MF-24*	Gas Connector - 24" long, 1/2" OD x 3/8" ID, 3/8" MIP x 1/2" FIP	24"	1	25	25
114420	C-GCB-123812MF-36*	Gas Connector - 36" long, 1/2" OD x 3/8" ID, 3/8" MIP x 1/2" FIP	36"	1	25	25

*May require extended lead times

1/2" MIP x 1/2" MIP Black Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
114385	C-GCB-121212MM-12*	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	12"	1	25	25
114386	C-GCB-121212MM-18	Gas Connector - 18" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	18"	1	25	25
114391	C-GCB-121212MM-24	Gas Connector - 24" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	24"	1	25	25
114392	C-GCB-121212MM-30	Gas Connector - 30" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	30"	1	25	25
114393	C-GCB-121212MM-36*	Gas Connector - 36" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" MIP	36"	1	25	25

*May require extended lead times

1/2" MIP x 1/2" FIP Black Coated Connectors

ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
111619	C-GCB-121212MF-12*	Gas Connector - 12" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	12"	1	25	25
111620	C-GCB-121212MF-24	Gas Connector - 24" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	24"	1	25	25
111621	C-GCB-121212MF-36	Gas Connector - 36" long, 1/2" OD x 3/8" ID, 1/2" MIP x 1/2" FIP	36"	1	25	25

*May require extended lead times

PVC (GRAY) COATED GAS CONNECTORS



Gray PVC coated gas connectors are provided with a hot-dipped heavy duty coating. This gas connector is issued for indoor and outdoor high BTU applications such as rooftop units and tankless water heaters.

- Corrosion-resistant 304 stainless steel
- Suitable for use with radiant tube heater
- Flared-end fitting
- PVC coated
- Indoor and outdoor use
- CSA certified for use with natural gas
- ANSI Z21.24, Z21.75/CSA 6.10, 6.27



ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
120152	C-GCG-103434MF-24	24" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" FIP	24"	1	25	25
120153	C-GCG-103434MF-36	36" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" FIP	36"	1	25	25

INFRARED GAS CONNECTORS



Infrared Gas Connectors are suitable for use with a radiant tube heater, provided it is at least the length and diameter specified by the radiant tube heater instruction. They must be installed in strict accordance with those instructions.

- Corrosion-resistant 304 stainless steel
- Suitable for use with radiant tube heater
- Flared-end fitting
- Indoor and outdoor use
- CSA certified for use with natural gas
- ANSI Z21.24, Z21.75/CSA 6.10, 6.27



ITEM#	SKU#	DESCRIPTION	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
109676	C-GC-581212MF-36	36" long, 5/8" OD x 1/2" ID, 1/2" MIP x 1/2" FIP	36"	1	25	25
200034	C-GC-103434MF-36*	36" long, 1" OD x 3/4" ID, 3/4" MIP x 3/4" FIP	36"	1	10	10

*May require extended lead times

GAS CONNECTOR KITS

- Corrosion-resistant 304 stainless steel
- Flared-end fitting
- Indoor and outdoor use
- CSA certified for use with natural gas
- ANSI Z21.24, Z21.75/CSA 6.10, 6.27

ITEM# 200047* UOM: 1 ORDER MULTIPLE: 10 MASTER QTY: 10
 (1) 5/8" OD x 1/2" MIP x 1/2" MIP x 12" Gas Connector
 (1) 1/2" FIP x 1/2" FIP Gas Shut-Off Valve

ITEM# 200046* UOM: 1 ORDER MULTIPLE: 10 MASTER QTY: 10
 (1) 5/8" OD x 1/2" MIP x 1/2" MIP x 18" Gas Connector
 (1) 1/2" FIP x 1/2" FIP Gas Shut-Off Valve

ITEM# 200045* UOM: 1 ORDER MULTIPLE: 10 MASTER QTY: 10
 (1) 5/8" OD x 1/2" MIP x 1/2" MIP x 24" Gas Connector
 (1) 1/2" FIP x 1/2" FIP Gas Shut-Off Valve



ITEM# 200044* UOM: 1 ORDER MULTIPLE: 10 MASTER QTY: 10
 (1) 5/8" OD x 1/2" MIP x 1/2" MIP x 36" Gas Connector
 (1) 1/2" FIP x 1/2" FIP Gas Shut-Off Valve

ITEM# 200043* UOM: 1 ORDER MULTIPLE: 10 MASTER QTY: 10
 (1) 5/8" OD x 1/2" MIP x 3/4" MIP x 36" Gas Connector
 (1) 3/4" FIP x 3/4" FIP Gas Shut-Off Valve

*Minimum run requirements and lead times may apply.

GAS CONNECTOR DISPLAY (GAS CONNECTORS NOT INCLUDED)

Cambridge offers a heavy duty display for your gas connector merchandising purposes. Organize your gas connectors by size, color or style easily with this user-friendly accommodation.

Convenient hooks for releasing the gas connector from the display come in four different sizes to accommodate various O.D. lengths. The hooks accommodate the display, slatwall, and pegboard.

ITEM# 200279 UOM: 1
 ORDER MULTIPLE: 1
 MASTER QTY: 1

Gas connector display.
 Display includes 5 hooks of each size.
 Additional hooks may be ordered separately.



GAS CONNECTOR DISPLAY HOOKS

ITEM# 200087 UOM: 1
 Fits 3/8" OD (1/4" ID)
 ORDER MULTIPLE: 5
 MASTER QTY: 250

ITEM# 200088 UOM: 1
 Fits 1/2" OD (3/8" ID)
 ORDER MULTIPLE: 5
 MASTER QTY: 250

ITEM# 200089 UOM: 1
 Fits 5/8" OD (1/2" ID)
 ORDER MULTIPLE: 5
 MASTER QTY: 250

ITEM# 200090 UOM: 1
 Fits 1" OD (3/4" ID)
 ORDER MULTIPLE: 5
 MASTER QTY: 250

SLATWALL/PEG BOARD GAS CONNECTOR DISPLAY

ITEM# 201053 UOM: 1
 ORDER MULTIPLE: 1
 MASTER QTY: 250

Hook fits 5/8 OD x 1/2 ID Gas connectors




GAS VALVES

Cambridge Gas Connector Valves are constructed for durable, long-lasting usage and performance and are tested to be 100% leak resistant. Cambridge Gas Connector Valves are CSA design certified, ergonomically designed for ease-of-use, and easy to install.

FLARED/THREADED



- CSA certified
- UL 842
- ANSI Z21.15/CSA 9.1



ITEM#	SKU#	DESCRIPTION	UOM	ORDER MULTIPLE	MASTER QTY
109011	C-GC-1212FF-V	1/2" FIP x 1/2" FIP	1	10	100
109012	C-GC-3434FF-V	3/4" FIP x 3/4" FIP	1	10	100
109844	FIBV02	3/8" OD Flare x 1/2" FIP	1	10	100
109845	FIBV03	1/2" OD Flare x 1/2" FIP	1	10	100
110293*	FIBV05*	5/8" OD Flare x 1/2" FIP	1	10	100
110294*	FIBV08*	5/8" OD Flare x 3/4" FIP	1	10	100

*Minimum run requirements and lead times may apply.

BALL - ONE PIECE CONSTRUCTION



- 1-piece body
- Use in above-ground piping systems up to 5 PSI
- CSA certified
- UL 842
- ANSI Z21.15 b/ CSA 9.1



Flare x Flare

Cambridge gas ball valves are built from forged brass as a one-piece body. This creates leak resistance, increases valve life and adds to the quality flow control.

ITEM#	DESCRIPTION	UOM	ORDER MULTIPLE	MASTER QTY
200366	1/2" FIP x 1/2" FIP	1	40	40
200421	3/4" FIP x 3/4" FIP	1	40	40
200439	3/8" Flare x 3/8" Flare	1	6	6

THREADED BALL

Threaded ball valves are ideal for connecting pipes with a threaded connection. Easy to install, they create air-tight, leak-proof seals to control the flow of fluids through small pipes.

ITEM#	SKU#	DESCRIPTION	UOM	ORDER MULTIPLE	MASTER QTY
113941	0222262-R	3/8" FIP Ball Valve	1	10	100
113299	0222263-R	1/2" FIP Ball Valve	1	10	100
113300	0222264-R	3/4" FIP Ball Valve	1	10	80
113301	0222265-R	1" FIP Ball Valve	1	48	48
113302	0222266-R	1-1/4" FIP Ball Valve	1	36	36
113303	0222267-R	1-1/2" FIP Ball Valve	1	24	24
113304	0222268-R	2" FIP Ball Valve	1	12	12



- Full port
- Lead-free
- 600 WOG
- CSA certified for natural gas .5g, 5g, 125g
- UL 842

DIELECTRIC GAS UNION

Cambridge dielectric unions are made from forged carbon steel. They create a non-conductive barrier between different metals, which prevents electrolysis corrosion from occurring.

ITEM#	COLOR	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200357	Black	3/4" FNPT x 3/4" FNPT	1	10	100



- Carbon steel

STEEL FLARE FITTINGS

FLARE X MIP UNION



- SAE J513
- Steel

ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
114592*	GCF-3838M*	3/8" ID Flare x 3/8" MIP	1	10	10
110289*	GCF-1212M*	1/2" OD Flare x 1/2" MIP	1	10	10
109952	GCF-5812M	5/8" OD Flare x 1/2" MIP	1	10	100
109953	GCF-5834M	5/8" OD Flare x 3/4" MIP	1	10	100
113819	GCF-3434M	3/4" OD Flare x 3/4" MIP	1	10	10
118717*	GCF-1034M*	1" OD Flare x 3/4" MIP	1	10	10

*Minimum run requirements and lead times may apply.

FLARE X FIP UNION



- SAE J513
- Steel

ITEM#	ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
116115*	GCF-3838F*	3/8" ID Flare x 3/8" FIP	1	10	10
110288*	GCF-1212F*	1/2" OD Flare x 1/2" FIP	1	10	10
109764	GCF-5812F	5/8" OD Flare x 1/2" FIP	1	10	100
203112	GCF-5834F	5/8" OD Flare x 3/4" FIP	1	10	10
118718*	GCF-1034F*	1" OD Flare x 3/4" FIP	1	10	10

*Minimum run requirements and lead times may apply.

BRASS FLARE FITTINGS

Cambridge brass flare fittings come in different sizes in order to provide the correct gas tight fit.

SHORT FORGED FLARE NUT

- SAE J513
- Forged
- Short type
- Brass



ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200347	1/4"	1	10	500
200348	3/8"	1	10	500
200349	1/2"	1	10	500
200350	5/8"	1	10	500

SHORT FLARED ROD NUT

- SAE J513
- Short type
- Brass



ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200626	3/8"	1	500	500

FORGED SWIVEL FLARE CONNECTOR

- SAE J513
- Forged
- Brass



ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200625	1/4"	1	250	250

FLARE UNION

- SAE J513
- Brass



ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200547	1/2" O.D. x 1/2" O.D.	1	10	300

FLARE ELBOW

- SAE J513
- Brass



O.D. X MIP

O.D. X O.D.

ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200548	1/2" O.D. x 1/2" MIP	1	10	300
200549	1/2" O.D. x 1/2" O.D.	1	10	250
200550	3/8" O.D. x 1/2" MIP	1	10	300

GAS TEST GAUGE

BELL

- 2" Dial Size



ITEM#	NPT SIZE	PSI	UOM	ORDER MULTIPLE	MASTER QTY
200369	1/2"	0-15	1	20	20
200371*	3/4"	0-15	1	20	20
200372*	1/2"	0-30	1	20	20
200373	3/4"	0-30	1	20	20

*Minimum run requirements and lead times may apply.

HORIZONTAL

- 2" Dial Size



ITEM#	NPT SIZE	PSI	UOM	ORDER MULTIPLE	MASTER QTY
200368*	1/2"	0-15	1	20	20
200370	3/4"	0-15	1	20	20
200396	3/4"	0-30	1	20	20

TRIDICATOR BOILER GAUGE

- 2.75" Dial Size
- Temperature: 60°F - 320°F



ITEM#	NPT SIZE	PSI	UOM	ORDER MULTIPLE	MASTER QTY
200420	1/4"	0-70	1	20	20

BALL VALVES

SWEAT BALL



Sweat ball valves are soldered to the pipe ends, providing a bubble tight shut off for both hot and cold systems. As a low friction, air tight valve, sweat ball valves require little maintenance.



	ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
• Full port	113297	0222280-R	1/2"	1	100	100
• Lead-free brass	112846	0222281-R	3/4"	1	60	60
• 600 WOG	113298	0222282-R	1"	1	48	48
• CSA certified	113940	0222283-R	1-1/4"	1	36	36

PRESS BALL



Press ball valves are easily installed using a crimper tool to secure the connection. No soldering needed. Liquid use only and not suitable for gas.



	ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
• Made from forged brass	200392	1/2"	1	50	50
• Lead-free	200393	3/4"	1	40	40
• 250 CWP	200394	1"	1	20	20
	200395	1/2"	1	20	20

GARDEN HOSE FITTING

HOSE END CAP



Use Cambridge hose end caps to cap off male garden hose threads.

ITEM#	SIZE	STYLE	MATERIAL	UOM	ORDER MULTIPLE	MASTER QTY
200085	3/4"	Female GHT	Brass	1	500	500

PIPE REPAIR CLAMPS / FLEXIBLE COUPLINGS / PIPE SUPPORT - STUD GUARD / BOCA PLATE / J HOOK / SUSPENSION CLAMP

PIPE REPAIR CLAMPS Cambridge pipe repair clamps are a quick fix to pinholes, punctures and cracks in low pressure systems.

1 BOLT



SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
117446	3/8" x 3"	1	6	72
117447	1/2" x 3"	1	6	72
117449	3/4" x 3"	1	6	72
117451	1" x 3"	1	6	72
117453	1-1/4" x 3"	1	6	36
117454	1-1/2" x 3"	1	3	36
117455	2" x 3"	1	6	36

2 BOLT



SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
117448	1/2" x 6"	1	3	36
117450	3/4" x 6"	1	3	36
117452	1" x 6"	1	3	36

FLEXIBLE COUPLINGS

Cambridge flexible couplings are designed for above ground and underground applications. Because of their positive seal and leak proof attributes, they are used with drain, waste and vent piping. These couplings are resistant to chemicals and sewer gases and are unaffected by soil conditions. Gaskets are made with an elastomeric PVC material. Their design conforms to ASTM C1173.

- Gaskets are made with an elastomeric PVC material
- ASTM C1173



SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200376	2" x 2"	1	100	100
200358	3/4" x 3/4"	1	100	100
200359	3" x 3"	1	50	50

PIPE SUPPORT

Cambridge pipe supports are designed to support drain, waste, and vent piping from rafters and joists. They allow for secure contraction and expansion of the piping system.

STUD GUARD

- Made from 100% steel

ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
108584	PH-SG1503C	1-1/2" x 3"	1	400	400
108771	PH-SG1505C	1-1/2" x 5"	1	200	200
108585*	PH-SG1509C*	1-1/2" x 9"	1	200	200

*Minimum run requirements and lead times may apply.

BOCA PLATE

- Meets BOCA code 309.2 requirements
- Reinforces stud joists




ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
108560	PH-BPX	5" x 8"	1	50	50

J HOOK



- Two ring-shank nails for secure installation
- Made of high impact, corrosion-proof ABS resin
- Use on all Schedule 30 and 40 piping
- Use with copper, PEX, CPVC, and other CTS/DWV sized piping
- IAPMO Listed

A	B	C	D
1/2"	5.3"	6"	0.6"
3/4"	5.7"	6.5"	0.6"
1"	6.4"	7.3"	0.8"
1-1/4"	6.5"	7.7"	0.8"
1-1/2"	8.6"	10"	1"
2"	8.6"	10.5"	1"
3"	10"	12.5"	1"
4"	10"	13"	1"




ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
108575	PH-J50T	1/2"	10	1	5
108576	PH-J75T	3/4"	10	1	5
108569	PH-J100T	1"	10	1	5
108570*	PH-J125T*	1-1/4"	10	5	5
108571*	PH-J150T*	1-1/2"	10	5	5
108572	PH-J200T	2"	10	1	5
108573	PH-J300T	3"	10	1	5
108574*	PH-J400T*	4"	10	5	5

*Minimum run requirements and lead times may apply.

SUSPENSION CLAMP



- Used to secure CTS piping in residential and commercial applications support
- Compatible with CTS copper, PEX or CPVC tube
- Split design allows for use after piping has been installed
- Ribs allow pipe to glide easily and silently when expanding and contracting
- IAPMO Listed
- Made from PVC



ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
108588*	PH-SUSC50K*	1/2"	1	50	300
108589*	PH-SUSC75K*	3/4"	1	50	300


*Minimum run requirements and lead times may apply.

PIPE SUPPORT - STANDARD CLAMP / HALF CLAMP / PIPE HANGER / BELL HANGER / HOOK HANGER / 2-HOLE PIPE STRAP

STANDARD CLAMP



- Used to secure CTS piping in residential and commercial applications support
- Split design allows for use after piping has been installed
- Ribs allow pipe to glide easily and silently when expanding and contracting
- IAPMO Listed




ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
108586*	PH-STDC50K*	1/2"	1	50	900
108587*	PH-STDC75K*	3/4"	1	50	300

*Minimum run requirements and lead times may apply.

HALF CLAMP



- Equipped with pre-loaded nail
- Can be used on all types of CTS piping
- IAPMO Listed



ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
108567	PH-HC50K	1/2"	Box of 50	1	18
108568	PH-HC75K	3/4"	Box of 50	1	18

PIPE HANGER

Cambridge pipe hangers are made of galvanized steel and have a keyhole design which allows for faster installations.

- Galvanized steel



ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
108577	PH-PH150C	1-1/2"	1	100	100
108578	PH-PH200K	2"	1	50	50
108579	PH-PH300X	3"	1	25	25
108580	PH-PH400X	4"	1	25	25

- Vinyl covered galvanized steel



ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200005	2" x 12"	1	50	50
200006	3" x 12"	1	25	25

BELL HANGER



- Copper-plated steel
- Equipped with two clamp screws and one mounting screw
- 13/16" support standoff

ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
108562	PH-CBH50X	1/2"	1	25	225
108563	PH-CBH75X	3/4"	1	25	225
108561	PH-CBH100X	1"	1	25	225

HOOK HANGER



- Copper-plated steel
- Secures copper PVC, CPVC, or PEX piping
- Self-nailing allows for easy and secure installation
- 6" hang

ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
108565	PH-CPH506K	1/2"	1	50	450
108566	PH-CPH756K	3/4"	1	50	450

2-HOLE PIPE STRAP



- Galvanized steel
- Used to secure Schedule 40, steel and PVC pipe
- Offers strong support

SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200495	1/2"	Bag of 10	20	120
200496	3/4"	Bag of 10	20	120
200499	1"	Bag of 5	20	160
200500	1-1/4"	Bag of 5	20	80
200497	1-1/2"	Bag of 5	20	80
200498	2"	Bag of 5	20	60
200501	3"	Bag of 5	10	40
200502	4"	Bag of 5	10	40



- Copper-plated steel
- Used to secure rigid copper pipe
- Offers strong support

ITEM#	SKU#	NOM. SIZE	UOM	ORDER MULTIPLE	MASTER QTY
108582	PH-PS50C	1/2"	1	100	900
108583	PH-PS75C	3/4"	1	100	900
108581	PH-PS100K	1"	1	50	450

PIPE SUPPORT - PEX SUPPORT / TOP BEAM CLAMP UTILITY SINKS - BASIC / WALL MOUNTED / NARROW

PEX SUPPORT

- Used to support PEX tubing for 90° bends
- Black plastic



ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200486	1/2"	1	10	450
200489	1/2"	Bag of 10	10	60
200487	3/4"	1	10	180
200490	3/4"	Bag of 10	5	20
200488	1"	1	10	80

TOP BEAM CLAMP

Cambridge's Steel Top Beam Clamp is designed for use with a 3/8" threaded rod to suspend a pipe from an overhead beam. It is also compatible with multiple pipe materials.



- Includes locknut

ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200389	3/8"	1	100	100

UTILITY SINKS

Cambridge™ utility sinks are designed to meet the needs of your customers. Our collection stands out for its quality, durability and versatility, making it the perfect addition to your inventory. Utility sinks come in standard and narrow sizes, and can be bought with or without faucets.

BASIC 21 GALLON UTILITY SINKS



ITEM# 202486
SKU# 040US4004WT
DESCRIPTION:
White 21 gallon tub with gray steel legs

UOM: 1
ORDER MULTIPLE: 4
MASTER QTY: 4

ITEM# 202962
SKU# 040US4004GRBK
DESCRIPTION:
Gray 21 gallon tub with black steel legs

UOM: 1
ORDER MULTIPLE: 4
MASTER QTY: 4

ITEM# 202549
SKU# 040US4004BKBK
DESCRIPTION:
Black 21 gallon tub with black steel legs

UOM: 1
ORDER MULTIPLE: 4
MASTER QTY: 4

ITEM# 122576
SKU# 040JS4505GYBK
DESCRIPTION:
Gray 21 gallon tub with black steel legs and a two handle black faucet
Drainage kit included

UOM: 1
ORDER MULTIPLE: 4
MASTER QTY: 4

ITEM# 122581
SKU# 040JS4505BKBK
DESCRIPTION:
Black 21 gallon tub with black steel legs and a two handle black faucet
Drainage kit included

UOM: 1
ORDER MULTIPLE: 4
MASTER QTY: 4

ITEM# 122582
SKU# 040JS4505WTCP
DESCRIPTION:
White 21 gallon tub with black steel legs and a two handle chrome faucet
Drainage kit included

UOM: 1
ORDER MULTIPLE: 4
MASTER QTY: 4

WALL MOUNTED (FLOATING) 19 GALLON UTILITY SINKS

Wall mounted utility sinks include everything needed for a seamless installation. They come with a 19 gallon tub, wall mounting hardware, a drainage kit and assembly instructions.

ITEM# 122136

DESCRIPTION:
19 gallon white tub with white wall mounting hardware
White Drainage kit included

UOM: Box of 1
ORDER MULTIPLE: 1



ITEM# 122137

DESCRIPTION:
19 gallon gray tub with gray wall mounting hardware
Black Drainage kit included

UOM: Box of 1
ORDER MULTIPLE: 1



ITEM# 122138

DESCRIPTION:
19 gallon black tub with black wall mounting hardware
Black Drainage kit included

UOM: Box of 1
ORDER MULTIPLE: 1



NARROW 16 GALLON UTILITY SINKS

Narrow utility sinks are perfect for tight spaces without compromising on the quality and amount the tub can hold. They come with a 16 gallon tub, drainage kit and assembly instructions for a seamless installation.

ITEM# 116099

DESCRIPTION:
16 gallon white tub with black legs
White Drainage kit included

UOM: Box of 1
ORDER MULTIPLE: 1



ITEM# 116098

DESCRIPTION:
16 gallon gray tub with black legs
Black Drainage kit included

UOM: Box of 1
ORDER MULTIPLE: 1



ITEM# 116097

DESCRIPTION:
16 gallon black tub with black legs
Black Drainage kit included

UOM: Box of 1
ORDER MULTIPLE: 1




*More Utility Sink Kits available upon request

PLASTIC STRAPS / GALVANIZED STRAPS / WEBBING / CONDENSATE CONTROL - DRAIN LINE CLEANING CO₂ CARTRIDGES / MINI SPLIT DRAIN LINE / PVC TUBING / P-TRAP / R-TRAP / J-TRAP / HYDRO SWITCH

HANGING STRAPS

PLASTIC STRAP




- Made of polypropylene
- Flexible
- Non-conductive

ITEM# 112427 SKU# WE11889

UOM: 1 Roll
ORDER MULTIPLE: 30
MASTER QTY: 30

WIDTH: 3/4" (19mm)
ROLL LENGTH: 100 feet
COLOR: Gray

GALVANIZED STRAP



- Galvanized
- Corrosion-resistant

Galvanized duct straps resist corrosion in extreme conditions, and comes in a convenient dispensing box.

ITEM#	SIZE	GAUGE	UOM	ORDER MULTIPLE	MASTER QTY
200595	1" x 100'	26	1 Roll	1	1
200596	1" x 100'	30	1 Roll	1	1

WEBBING

- UL2043

- Cambridge Duct Support Webbing makes hanging HVAC flexible duct quick and easy
- Durable, simple, and economical

ITEM#	SKU#	WIDTH Inches (mm)	ROLL LENGTH Feet	COLOR	UOM	ORDER MULTIPLE	MASTER QTY
105136	PS134S	1-3/4 (44.5)	300	Silver	1 Roll	24	24
201054	201054	1-3/4 (44.5)	50	Black	1 Roll	8	128
201055	201055	1-3/4 (44.5)	300	Black	1 Roll	4	32
108838	PS134B-RS	1-3/4 (44.5)	300	Black with Red Stripe	1 Roll	24	24
105138	PS3S	3 (76)	300	Silver	1 Roll	8	8
105137	PS3B	3 (76)	300	Black	1 Roll	8	8



CONDENSATE CONTROL

CONDENSATE DRAIN LINE CLEANING

The Cambridge drain cleaning tool unclogs drain lines fast with a hard blast of oil-free air for a quick, no-mess operation. Its flexible hose assembly makes it easy to get into the awkward spots. The entire drain cleaning tool is lightweight, portable, and eco-friendly.

- Fits 3/8" - 3/4" opening
- Threaded and non-threaded 16g CO₂ cartridges



ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200558	3/8" - 3/4"	1	20	20

CO₂ CARTRIDGES

Cambridge CO₂ cartridges empty out condensate lines easily with their 16g capacity pushing out 800 PSI of oil-free air. Our CO₂ cartridges are also 100% recyclable.

- 16 g capacity
- Non-threaded
- Oil free CO₂



ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200562	16g	Box of 12	6	6

MINI-SPLIT DRAIN LINE

The Cambridge mini split drain line is a non-kinking non-insulated condensate drain hose. They are used for mini-split installations (ductless applications), as drainage of air conditioning condensation water (without pressure).



ITEM#	O.D.	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
202146	5/8"	20'	1	9	9
202167	5/8"	160'	1	1	1

PVC TUBING

Cambridge clear vinyl tubing can be used for A/C and refrigeration condensate drains and condensate safe pump discharge lines.



ITEM#	SIZE	LENGTH	UOM	ORDER MULTIPLE	MASTER QTY
200042	3/8"	100'	1	1	1

P-TRAP / R-TRAP / J-TRAP

Cambridge Traps are constructed from Schedule 40 PVC, making them resistant to corrosion. They are an excellent option for most residential, agricultural, and industrial applications.



ITEM#	STYLE	SIZE	MATERIAL	UOM	ORDER MULTIPLE	MASTER QTY
200243	P-Trap	3/4" Slip x Slip	PVC	1	50	50
203189	R-Trap	3/4" Slip x Slip	PVC	1	50	50
203190	J-Trap	3/4" Slip x Slip	PVC	1	50	50

HYDRO SWITCH

Cambridge hydro switches prevent flooding by detecting even a drop of moisture and shutting down the AC system. A reset button is included.



ITEM#	MATERIAL	UOM	ORDER MULTIPLE	MASTER QTY
201024	Plastic	1	6	48

CONDENSATE PUMPS

Cambridge Condensate Pumps come in a low profile design and a standard size. They are ideal when gravity drainage is not practical due to limited space. Perfect for removal of condensate from air conditioning, refrigeration, and dehumidification equipment. They are also suitable for high-efficiency oil and gas-fired condensing furnace and condensing boiler equipment.

LOW PROFILE

- 1/30 hp high performance motor
- Float switch for automatic start/stop operation
- Safety switch
- 1/2-gallon tank capacity
- Motor thermal overload protection
- Stainless steel motor shaft
- 22' lift



ITEM#	DESCRIPTION	VOLTAGE	UOM	ORDER MULTIPLE	MASTER QTY
201015	Low profile	115V	1	6	6
201016	Low profile	230V	1	6	6

STANDARD

- 1/30 hp high performance motor
- Float switch for automatic start/stop operation
- Safety switch
- 1/2-gallon tank capacity
- Motor thermal overload protection
- Stainless steel motor shaft
- 22' lift



ITEM#	DESCRIPTION	VOLTAGE	UOM	ORDER MULTIPLE	MASTER QTY
201017	Standard	115V	1	6	6
201018	Standard	230V	1	6	6

ANTI VIBRATION PADS

Cambridge anti-vibration pads are ideal for air conditioners, compressors, cooling towers, presses, machines, or anywhere vibration control is needed. They are designed to withstand 50lb psi and are made with elastomeric oil resistant padding.



CORK / RUBBER

ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200482	2" x 2" x 7/8"	1	48	48
200527	3" x 3" x 7/8"	1	36	36
200452	4" x 4" x 7/8"	1	24	24
200545	6" x 6" x 7/8"	1	24	24
200571	18" x 18" x 7/8"	1	6	6

E.V.A. / RUBBER


ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200532	2" x 2" x 7/8"	1	48	48
200529	3" x 3" x 7/8"	1	36	36
200454	4" x 4" x 7/8"	1	24	24
200575	6" x 6" x 7/8"	1	24	24
200573	18" x 18" x 7/8"	1	6	6

RUBBER

ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200481	2" x 2" x 3/8"	1	48	48
200528	3" x 3" x 3/8"	1	36	36
200453	4" x 4" x 3/8"	1	24	24
200572	18" x 18" x 3/8"	1	6	6

ISOLATION PADS

Cambridge natural rubber isolation pads are designed to reduce vibration and noise from refrigeration and air conditioning equipment. Each pad offers a suction cup effect eliminating the need to fasten the pad down. These pads come in 18" squares but can be made into smaller segments by cutting or tearing the eighty-one 2x2 segments into the size that is required. They withstand a load of 180 psi with great resilience.



ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200561	18" x 18" x 3/4"	1	6	6

CONDENSER PADS

Cambridge's line of stackable, durable condenser pads, in both Onyx™ (black) and Graphite™ (gray) have chemical resistance, which protects them from cracking, weathering and are UV rated. Available in a range of sizes, each pad disperses the weight of the A/C unit to keep it from shifting or sinking.

GRAPHITE™

ITEM#	SIZE	UOM	ORDER MULTIPLE	PALLET QTY
202593	18" x 38" x 3"	1	16	16
200580	30" x 30" x 3"	1	16	16
200581	32" x 32" x 3"	1	16	16
200582	36" x 36" x 3"	1	16	16
202591	40" x 40" x 3"	1	16	16



ONYX™

ITEM#	SIZE	UOM	ORDER MULTIPLE	PALLET QTY
202592	18" x 38" x 3"	1	16	16
200577	30" x 30" x 3"	1	16	16
200578	32" x 32" x 3"	1	16	16
200579	36" x 36" x 3"	1	16	16
202590	40" x 40" x 3"	1	16	16




HEAT PUMP RISERS / FURNACE MOUNTING BLOCK / AIR HANDLER BLOCK / AC BRACKETS / ACR COPPER FITTINGS - COUPLINGS WITH STOP / REDUCING COUPLINGS / COUPLINGS NO STOP / FITTING REDUCERS

MOUNTING SYSTEMS

HEAT PUMP RISERS

Cambridge heat pump risers provides the desired elevation for condensers, heat pumps, and air handlers. Butyl mastic on the top and bottom guarantees no slipping and reduced vibration and noise. They can withstand a uniformly distributed load of up to 2000 pounds.

- Gray
- Made from heavy-duty injection molded polypropylene with butyl mastic on the top and bottom
- 3" and 6" options
- 1 piece and 2 piece options



ITEM#	SIZE	STYLE	UOM	ORDER MULTIPLE	MASTER QTY
200442	3"	1 Piece	1	48	48
200552	6"	1 Piece	1	36	36
203184	12"	1 Piece	1	12	12
200553	3"	2 Piece	1	32	32
200554	6"	2 Piece	1	16	16

FURNACE MOUNTING BLOCK

ITEM# 200564
UOM: 1
ORDER MULTIPLE: 72
MASTER QTY: 72

Cambridge furnace mounting blocks lift furnaces off the floor and can support up to 500 pounds. No tools are necessary. Each block attaches easily with a peel and stick installation. The triangular base provides better support than the competition.




AIR HANDLER BLOCK

ITEM# 200533
UOM: 1
ORDER MULTIPLE: 162
MASTER QTY: 162

SIZE: 8" x 8" x 4"
MATERIAL: EPS Foam
DENSITY: 1.5 PCF

The Cambridge air handler blocks support A/C air handler units in attics. They are made of dense, lightweight EPS foam that maintains its strength even in damp conditions, keeping the air handler unit off the ground.



A/C BRACKETS



Cambridge A/C wall brackets are heavy duty steel brackets used to hang A/C condensers and heat pumps to the side of a home or building.

ITEM#	DESCRIPTION	FINISH	UOM	ORDER MULTIPLE	MASTER QTY
201003	30" AC Mounting Bracket	Powder-coated Gray	Box of 2	1	1
201004	36" AC Mounting Bracket	Powder-coated Gray	Box of 2	1	1
202099	42" AC Mounting Bracket	Powder-coated Gray	Box of 2	1	1
202106	48" AC Mounting Bracket	Powder-coated Gray	Box of 2	1	1

ACR COPPER FITTINGS

Cambridge ACR copper fittings are rugged and highly resistant to corrosion. They are used on refrigerant lines in HVAC systems and for hot and cold water piping. Their smooth interior helps keep water flowing without resistance while preventing particles from building up and clogging.

COUPLINGS WITH STOP

· C x C



ITEM#	O.D.	I.D.	UOM	ORDER MULTIPLE	MASTER QTY
200235	1/4"	1/8"	1	25	2500
200140	3/8"	1/4"	1	25	2500
200236	1/2"	3/8"	1	25	1250
200244	5/8"	1/2"	1	25	1000
200141	3/4"	5/8"	1	25	500
200230	7/8"	3/4"	1	25	250
200245	1-1/8"	1"	1	10	200
200314	1-3/8"	1-1/4"	1	10	100
201005	2-1/8"	2"	1	5	40

COUPLINGS NO STOP

· C x C



ITEM#	O.D.	I.D.	UOM	ORDER MULTIPLE	MASTER QTY
200254	7/8"	3/4"	1	10	300

REDUCING COUPLINGS

· C x C



ITEM#	O.D.	I.D.	UOM	ORDER MULTIPLE	MASTER QTY
200624	1/2" x 3/8"	3/8" x 1/4"	1	25	1500
200330	5/8" x 1/2"	1/2" x 3/8"	1	25	1250
200255	3/4" x 5/8"	5/8" x 1/2"	1	25	500
200249	7/8" x 3/4"	3/4" x 5/8"	1	25	250
200387	1-3/8" x 1-1/8"	1-1/4" x 1"	1	10	200

FITTING REDUCERS

· FTG x C



ITEM#	O.D.	I.D.	UOM	ORDER MULTIPLE	MASTER QTY
200616	1/2" x 3/8"	3/8" x 1/4"	1	25	1500
201006	5/8" x 1/2"	1/2" x 3/8"	1	25	1250
201007	3/4" x 5/8"	5/8" x 1/2"	1	25	500
200617	7/8" x 5/8"	3/4" x 1/2"	1	25	450
201008	7/8" x 3/4"	3/4" x 5/8"	1	25	300
200618	1-1/8" x 7/8"	1" x 3/4"	1	10	200

45° ELBOWS



· C x C

ITEM#	O.D.	I.D.	UOM	ORDER MULTIPLE	MASTER QTY
200606	3/8"	1/4"	1	25	1800
200607	1/2"	3/8"	1	25	1200
200608	5/8"	1/2"	1	25	750
200142	3/4"	5/8"	1	25	250
200143	7/8"	3/4"	1	25	250
200312	1-1/8"	1"	1	10	100
200313	1-3/8"	1-1/4"	1	10	50

90° ELBOWS



· C x C

ITEM#	O.D.	I.D.	UOM	ORDER MULTIPLE	MASTER QTY
200231	5/8"	1/2"	1	25	750
200317	3/4"	5/8"	1	25	500
200145	1-1/8"	1"	1	10	100
200256	1-3/8"	1-1/4"	1	10	50

90° LONG TURN ELBOWS



· C x C

ITEM#	O.D.	I.D.	UOM	ORDER MULTIPLE	MASTER QTY
200610	1/4"	1/8"	1	25	2000
200611	3/8"	1/4"	1	25	1500
200251	1/2"	3/8"	1	25	1000
200247	5/8"	1/2"	1	25	500
200248	3/4"	5/8"	1	25	250
200144	7/8"	3/4"	1	10	100
200232	1-1/8"	1"	1	10	50
200238	1-3/8"	1-1/4"	1	10	50
200609	1-5/8"	1-1/2"	1	30	30
200612	2-1/8"	2"	1	12	12

TEE



· C x C x C

ITEM#	O.D.	I.D.	UOM	ORDER MULTIPLE	MASTER QTY
201009	3/8"	1/4"	1	25	1500
201010	1/2"	3/8"	1	25	750
201011	5/8"	1/2"	1	25	400
201012	3/4"	5/8"	1	25	250
201013	7/8"	3/4"	1	10	160
201014	1-1/8"	1"	1	10	80

P-TRAPS



ITEM#	O.D.	I.D.	UOM	ORDER MULTIPLE	MASTER QTY
200622	5/8"	1/2"	1	30	30
200623	1-1/8"	1"	1	10	10

45° STREET ELBOWS



· FTG x C

ITEM#	O.D.	I.D.	UOM	ORDER MULTIPLE	MASTER QTY
200250	3/4"	5/8"	1	25	250
200237	7/8"	3/4"	1	25	250

90° STREET ELBOWS



· FTG x C

ITEM#	O.D.	I.D.	UOM	ORDER MULTIPLE	MASTER QTY
200345	7/8"	3/4"	1	10	300
200346	1-1/8"	1"	1	10	100

90° LONG TURN STREET ELBOWS



· FTG x C

ITEM#	O.D.	I.D.	UOM	ORDER MULTIPLE	MASTER QTY
200252	3/8"	1/4"	1	25	1500
200614	1/2"	3/8"	1	25	700
200233	5/8"	1/2"	1	25	500
200253	3/4"	5/8"	1	25	250
200234	7/8"	3/4"	1	10	100
200613	1-1/8"	1"	1	90	90
200615	1-3/8"	1-1/4"	1	40	40

MALE ADAPTER



· C x NPT

ITEM#	O.D.	I.D.	NPT	UOM	ORDER MULTIPLE	MASTER QTY
200619	5/8"	1/2"	1/2" Male	1	25	500
200620	7/8"	3/4"	3/4" Male	1	25	300
200621	1-1/8"	1"	1" Male	1	10	150

QUICK CONNECT REFRIGERANT FITTINGS - COUPLINGS / REDUCER COUPLINGS / 45° ELBOWS / 90° ELBOWS / REDUCER ELBOWS

QUICK CONNECT REFRIGERANT FITTINGS

Cambridge quick connect refrigerant fittings are approved for hard and soft copper, and don't require any special tools to provide a tight grip. Instead, a simple push installation gets the job done safely and quickly.

COUPLINGS



- Maximum Rated Pressure: 870 PSI / 60 BAR
- Burst Pressure Rating (Minimum): 3600 PSI / 250 BAR
- Vacuum Capacity Rating: 30 microns
- Continuous Operating Temperature: 250°F / 121°C
- UL 207

ITEM#	SKU#	SIZE	CONNECTION DIAMETER	LENGTH	OUTER DIAMETER	UOM	ORDER MULTIPLE	MASTER QTY
120184	SBC14	1/4"	0.250"	1.890"	0.787"	Box of 1	100	100
120185	SBC38	3/8"	0.375"	1.969"	0.945"	Box of 1	100	100
120186	SBC12	1/2"	0.500"	2.126"	1.063"	Box of 1	48	48
120187	SBC58	5/8"	0.625"	2.244"	1.181"	Box of 1	48	48
120188	SBC34	3/4"	0.750"	2.579"	1.457"	Box of 1	24	24
120189	SBC78	7/8"	0.875"	2.618"	1.575"	Box of 1	24	24

REDUCER COUPLINGS



- Maximum Rated Pressure: 870 PSI / 60 BAR
- Burst Pressure Rating (Minimum): 3600 PSI / 250 BAR
- Vacuum Capacity Rating: 30 microns
- Continuous Operating Temperature: 250°F / 121°C
- UL 207

ITEM#	SKU#	SIZE	CONNECTION DIAMETER	LENGTH	OUTER DIAMETER	UOM	ORDER MULTIPLE	MASTER QTY
120196	SBCR3814	1/4" x 3/8"	0.250"	0.375"	1.969"	Box of 1	100	100
120197	SBCR1238	3/8" x 1/2"	0.375"	0.500"	2.165"	Box of 1	48	48
120198	SBCR5812	1/2" x 5/8"	0.500"	0.625"	2.362"	Box of 1	48	48

45° ELBOWS



- Maximum Rated Pressure: 870 PSI / 60 BAR
- Burst Pressure Rating (Minimum): 3600 PSI / 250 BAR
- Vacuum Capacity Rating: 30 microns
- Continuous Operating Temperature: 250°F / 121°C
- UL 207

ITEM#	SKU#	SIZE	CONNECTION DIAMETER	LENGTH	OUTER DIAMETER	UOM	ORDER MULTIPLE	MASTER QTY
120199	SBE4514	1/4"	0.250"	1.024"	7/16-20 UNF	Box of 1	100	100
120200	SBE4538	3/8"	0.375"	1.181"	5/8-18 UNF	Box of 1	100	48
120201	SBE4512	1/2"	0.500"	1.339"	3/4-16 UNF	Box of 1	48	48
120202	SBE4558	5/8"	0.625"	1.398"	7/8-14 UNF	Box of 1	48	24

90° ELBOWS



- Maximum Rated Pressure: 870 PSI / 60 BAR
- Burst Pressure Rating (Minimum): 3600 PSI / 250 BAR
- Vacuum Capacity Rating: 30 microns
- Continuous Operating Temperature: 250°F / 121°C
- UL 207

ITEM#	SKU#	SIZE	CONNECTION DIAMETER	LENGTH	OUTER DIAMETER	UOM	ORDER MULTIPLE	MASTER QTY
120190	SBE14	1/4"	0.250"	1.161"	0.787"	Box of 1	100	100
120191	SBE38	3/8"	0.375"	1.260"	0.945"	Box of 1	100	100
120192	SBE12	1/2"	0.500"	1.417"	1.063"	Box of 1	48	48
120193	SBE58	5/8"	0.625"	1.535"	1.181"	Box of 1	48	48
120194	SBE34	3/4"	0.750"	1.732"	1.457"	Box of 1	24	24
120195	SBE78	7/8"	0.875"	1.772"	1.575"	Box of 1	24	24

REDUCER ELBOWS



- Maximum Rated Pressure: 870 PSI / 60 BAR
- Burst Pressure Rating (Minimum): 3600 PSI / 250 BAR
- Vacuum Capacity Rating: 30 microns
- Continuous Operating Temperature: 250°F / 121°C
- UL 207

ITEM#	SKU#	SIZE	CONN. DIA.	LENGTH	OUTER DIAMETER	CONN. THREAD	UOM	ORDER MULTIPLE	MASTER QTY
120207	SBER3814	1/4" x 3/8"	0.250"	0.375"	1.024"	1.181"	Box of 1	100	100
120208	SBER1238	3/8" x 1/2"	0.375"	0.500"	1.181"	1.339"	Box of 1	48	48
120209	SBER5812	1/2" x 5/8"	0.500"	0.625"	1.339"	1.398"	Box of 1	48	48

QUICK CONNECT REFRIGERANT FITTINGS - FLARES / LINE MARKERS / DISCONNECT CLIPS / ICE MAKER KIT / REFRIGERANT LOCKING CAPS / ACCESS FITTINGS - ACCESS VALVES / CAP / VALVE CORE

FLARES



- Maximum Rated Pressure: 870 PSI / 60 BAR
- Burst Pressure Rating (Minimum): 3600 PSI / 250 BAR
- Vacuum Capacity Rating: 30 microns
- Continuous Operating Temperature: 250°F / 121°C
- UL 207

ITEM#	SKU#	SIZE	CONN. DIA.	LENGTH	OUTER DIA.	CONN. THREAD	UOM	ORDER MULTIPLE	MASTER QTY
120203	SBF14	1/4"	0.250"	1.516"	0.669"	7/16-20	Box of 1	100	100
120204	SBF38	3/8"	0.375"	1.634"	0.866"	5/8-18 UNF	Box of 1	100	100
120205	SBF12	1/2"	0.500"	1.831"	0.945"	3/4-16 UNF	Box of 1	48	48
120206	SBF58	5/8"	0.625"	2.087"	1.063"	7/8-14 UNF	Box of 1	48	48

LINE MARKERS

ITEM# 120210
SKU# SBLM1458
SIZE: 1/4" - 5/8"
UOM: Bag of 1
ORDER MULTIPLE: 60
MASTER QTY: 60



DISCONNECT CLIPS

ITEM# 120211
SKU# SBDC1458
SIZE: 1/4" - 5/8"
UOM: Bag of 1
ORDER MULTIPLE: 100
MASTER QTY: 100



LINE MARKER & DISCONNECT CLIPS

ITEM# 120212
SKU# SBLMDC3478
SIZE: 3/4" - 7/8"
UOM: Bag of 1
ORDER MULTIPLE: 600
MASTER QTY: 60



ICE MAKER KIT

Cambridge's ice maker kit supplies water to most refrigerators with automatic ice makers, humidifiers, and evaporative coolers.

- 1/4" x 25' copper polyethylene tubing
- Self-piercing saddle valve

ITEM# 116647

UOM: 1 | ORDER MULTIPLE: 25 | MASTER QTY: 25

Includes 3 brass sleeves, 2 plastic sleeves, 3 brass nuts, 2 plastic inserts, and 1 compression fitting



REFRIGERANT LOCKING CAPS

ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200559	1/4"	Blister of 2	20	20
200560	1/4"	Jar of 100	6	6



- Brass cap, aluminum shroud
- Silver color
- Meets IRC m1411.6 (tamper resistance)
- Meets IMC 1101.10 (tamper resistance)

Locking cap uses included Allen key for convenience

ACCESS FITTINGS

Cambridge access valve fittings are a convenient low-cost port for refrigeration servicing. They can be installed in any position on either high or low side for charging, purging, quick testing or pressure checking.

ACCESS VALVES



ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112307*	C-AVX2*	1/8" O.D.	Bag of 5	10	100
200353	200353	1/8" O.D.	Bag of 6	10	100
112308	C-AVX3	3/16" O.D.	Bag of 5	10	100
200354	200354	3/16" O.D.	Bag of 6	10	100
112309	C-AVX4	1/4" O.D.	Bag of 5	10	100
112915	T14723	1/4" O.D.	Bag of 6	10	100
112310	C-AVX6	3/8" O.D.	Bag of 5	10	100
112916	T14724	3/8" O.D.	Bag of 3	20	200

*Minimum run requirements and lead times may apply.

CAP WITH CORE REMOVER

ITEM#	SKU#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
112311*	C-QC4*	1/4" O.D.	Bag of 5	200	200
201060	201060	1/4" O.D.	Box of 100	1	5



QUICK SEAL CAP

ITEM#	SIZE	UOM	ORDER MULTIPLE	MASTER QTY
200030	1/4" O.D.	12	120	120



VALVE CORE REPLACEMENT

ITEM#	SKU#	UOM	ORDER MULTIPLE	MASTER QTY
112306	C-AVC1	Bag of 5	20	200
200147	200147	Bag of 6	20	200



CHIP BRUSHES

Cambridge all purpose chip brushes are ideal for applying adhesives, touch-up work, and cleaning. Their affordability is great for any budget and their versatility covers the needs of both the professional and DIYer.

- All-natural bristle
- Durable hardwood handle
- Sturdy construction



ITEM#	SKU#	SIZE	STYLE	UOM	ORDER MULTIPLE	MASTER QTY
110109*	CB-112*	1-1/2"	Standard	1	288	288
110110	CB-2	2"	Standard	1	288	288
110111	CB-212	2-1/2"	Standard	1	288	288
110112	CB-3	3"	Standard	1	288	288
111814	ACB2	2"	Angled	1	144	144

CLOTH TOWELS

Cambridge reusable cloth towels are excellent for cleaning up debris, and are highly absorbent for soaking up liquids.



ITEM#	SKU#	DESCRIPTION	UOM	ORDER MULTIPLE	MASTER QTY
200594	200594	Towel Roll White	Bag of 20	10	10
106546	T-BST	Blue - surgical	5 lb Box	1	1

BANDING

Cambridge Stainless steel banding is ideal for usage with exposure to harsh elements and extreme weather. They are available in a variety of widths and tensile strengths and are corrosion resistant. Manufactured with rounded edges for safe handling and are packaged in easy-to carry self-dispensing boxes or totes.



TOTED BANDING

- Type 201 stainless steel
- Rounded edges for safety

ITEM#	SKU#	MATERIAL	LENGTH Feet	WIDTH Inches	THICKNESS Inches	TOTE COLOR	UOM	ORDER MULTIPLE	MASTER QTY
107436*	TOTE-58*	201 SS	100	5/8	0.30	Green	1	5	5
107435	TOTE-34	201 SS	100	3/4	0.30	Red	1	5	5

*Minimum run requirements and lead times may apply.



BOXED BANDING

- Type 201 stainless steel
- Rounded edges for safety



ITEM#	SKU#	LENGTH Feet	WIDTH Inches	THICKNESS Inches	UOM	ORDER MULTIPLE	MASTER QTY
106293*	SS12-100*	100	1/2	0.30	1	5	5
106161	SS34-100	100	3/4	0.30	1	5	5
106310	SS34-500	500	3/4	0.30	1	1	1

*Minimum run requirements and lead times may apply.

BUCKLES

- Stainless steel
- Accommodates single or double wrap bands



ITEM#	SKU#	WIDTH Inches	UOM	ORDER MULTIPLE	MASTER QTY
107523*	BU12*	1/2	Box of 100	30	30
107418	BU58	5/8	Box of 100	5	5
107774	BU34	3/4	Box of 100	20	20

*Minimum run requirements and lead times may apply.

WING SEAL



ITEM#	SKU#	WIDTH Inches	UOM	ORDER MULTIPLE	MASTER QTY
107421	WS34	3/4	Box of 100	20	20

ITEM # REFERENCE GUIDE

ITEM#	PAGE #	ITEM#	PAGE #	ITEM#	PAGE #	ITEM#	PAGE #	ITEM#	PAGE #	ITEM#	PAGE #	ITEM#	PAGE #	ITEM#	PAGE #	ITEM#	PAGE #	ITEM#	PAGE #
501795	44	501887	43	502475	53	502578	45	506152	46	506257	38	506375	38	506712	37	506814	48	506977	52
501796	44	501889	43	502476	53	502579	45	506153	46	506258	38	506376	38	506713	37	506815	48	506978	52
501797	38	501890	43	502477	53	502580	45	506154	46	506259	38	506377	38	506714	37	506816	48	506979	52
501798	38	501892	43	502478	53	502581	40	506155	46	506260	38	506380	38	506715	37	506817	48	506980	52
501799	38	501893	43	502479	53	502582	40	506156	46	506261	38	506381	38	506716	37	506818	48	506981	52
501800	38	501894	43	502480	53	502583	40	506157	46	506262	37	506382	38	506719	37	506819	48	506982	51
501801	38	501895	38	502481	53	502584	40	506158	45	506263	37	506383	36	506720	37	506820	48	506983	51
501802	38	501896	38	502482	53	502585	40	506159	45	506264	37	506384	36	506722	39	506821	48	506984	51
501803	38	501897	38	502483	53	502586	40	506160	45	506265	37	506385	36	506723	39	506822	48	506985	51
501804	38	501898	38	502485	53	502587	40	506161	45	506266	37	506386	36	506725	42	506823	48	506986	51
501805	38	501899	38	502486	53	502588	37	506162	45	506267	37	506387	36	506726	42	506824	48	506987	51
501806	36	501900	38	502488	53	502589	37	506163	45	506268	37	506388	36	506727	42	506825	48	506988	52
501807	36	501901	38	502489	53	502590	37	506164	45	506271	37	506389	36	506728	42	506826	51	506989	52
501808	36	501902	38	502490	53	502591	42	506167	45	506272	37	506392	36	506729	42	506827	51	506990	52
501809	36	501903	38	502491	53	502592	42	506168	45	506274	42	506393	36	506730	42	506828	51	506991	52
501810	36	501904	37	502492	41	502593	42	506170	40	506275	42	506394	36	506731	42	506829	51	506992	52
501811	36	501905	37	502493	41	502594	44	506171	40	506276	42	506606	46	506732	42	506830	51	506993	52
501812	36	501906	37	502494	41	502595	44	506172	40	506277	42	506607	46	506735	42	506831	51	506994	51
501813	44	501907	37	502495	41	502596	44	506173	40	506278	42	506608	46	506736	42	506832	51	506995	50
501814	44	501908	37	502496	41	505526	42	506174	40	506279	42	506609	46	506737	42	506833	51	506996	50
501815	46	501909	37	502497	41	505714	41	506175	40	506280	42	506610	46	506738	44	506834	51	506997	49
501816	46	501910	37	502498	41	505715	41	506176	40	506283	42	506611	46	506739	44	506835	51	506998	50
501817	46	501911	37	502499	41	505716	41	506177	40	506284	42	506612	46	506740	44	506836	51	506999	50
501818	46	501912	37	502500	41	505717	41	506178	40	506285	42	506613	46	506741	44	506837	51	507000	50
501819	46	501913	39	502501	45	505718	41	506179	40	506286	44	506623	45	506742	44	506838	51	507001	50
501820	46	501914	39	502502	45	505719	41	506180	40	506287	44	506624	45	506743	44	506839	51	507002	50
501821	46	501915	42	502503	45	505720	41	506181	40	506288	44	506625	45	506744	44	506840	51	507003	50
501822	46	501916	42	502504	39	505721	41	506182	40	506289	44	506626	45	506747	44	506841	51	507004	50
501823	46	501917	42	502505	39	505722	41	506183	40	506290	44	506627	45	506748	44	506851	53	507005	50
501824	46	501918	42	502506	39	505723	41	506184	40	506291	44	506629	45	506754	52	506852	53	507006	50
501825	46	501919	42	502507	38	505724	41	506185	40	506294	44	506632	45	506755	52	506853	53	507007	50
501826	46	501920	42	502508	38	505725	41	506186	40	506295	44	506633	45	506756	52	506854	53	507008	50
501827	46	501921	42	502509	38	505726	41	506187	40	506296	41	506635	40	506757	52	506855	53	507009	50
501828	46	501922	42	502510	36	505727	41	506190	40	506297	41	506636	40	506758	52	506856	53	507010	50
501829	46	501923	42	502511	36	505728	41	506193	40	506298	41	506637	40	506759	52	506857	53	507011	50
501830	46	501924	44	502512	36	505729	42	506194	40	506299	41	506638	40	506760	52	506858	53	507012	49
501831	46	501925	44	502513	45	505730	42	506196	40	506300	41	506639	40	506761	52	506859	53	507013	48
501832	45	501926	44	502514	45	505731	42	506197	40	506301	41	506640	40	506762	52	506860	53	507014	48
501833	45	501927	44	502515	45	505732	42	506198	40	506302	41	506641	40	506763	52	506861	53	507015	48
501834	45	501928	44	502517	40	505738	42	506199	40	506303	41	506642	40	506764	52	506862	53	507017	48
501835	45	501929	44	502518	40	505742	41	506200	37	506304	41	506643	40	506765	52	506863	53	507018	48
501836	45	501930	44	502519	40	505743	41	506201	37	506305	41	506644	40	506766	52	506864	53	507019	48
501837	45	501931	44	502520	40	505744	41	506202	37	506306	41	506645	40	506767	52	506865	53	507020	48
501838	45	501932	44	502521	43	505745	41	506203	37	506307	41	506646	40	506768	52	506866	50	507021	48
501839	45	502052	39	502523	37	505746	41	506204	37	506308	41	506648	40	506769	52	506867	50	507022	48
501840	45	502053	39	502524	37	505747	41	506205	37	506309	41	506649	40	506770	51	506868	50	507023	48
501841	40	502054	39	502525	42	505783	45	506206	37	506310	41	506650	40	506771	51	506869	50	507024	48
501842	40	502055	39	502527	42	505784	45	506207	37	506311	41	506651	40	506772	51	506870	50	507025	48
501843	40	502056	36	502528	44	505785	45	506208	37	506312	42	506652	40	506773	51	506871	50	507026	48
501844	40	502057	36	502529	44	505786	45	506209	37	506313	42	506655	40	506774	51	506872	50	507027	48
501845	40	502058	36	502533	53	505787	45	506210	37	506314	42	506658	40	506775	51	506873	50	507028	48
501846	40	502059	36	502535	53	505788	45	506211	37	506315	42	506659	40	506776	52	506874	50	507030	48
501847	40	502060	42	502536	53	505789	45	506214	43	506318	42	506660	40	506777	52	506875	50	507031	48
501848	40	502061	42	502537	53	505792	45	506215	43	506322	41	506661	40	506778	52	506876	50	507032	48
501849	40	502062	42	502538	53	505793	45	506216	43	506323	41	506662	40	506779	52	506877	50	507034	48
501850	40	502081	39	502539	53	505794	45	506218	43	506324	41	506663	40	506780	52	506878	50	507035	48
501851	40	502082	39	502540	53	505795	39	506219	43	506325	41	506664	40	506781	52	506879	50	507037	48
501852	40	502083	36	502541	53	505796	39	506221	43	506326	41	506665	40	506782	51	506880	50	507040	48
501853	40	502084	36	502542	53	505797	39	506222	43	506327	41	506666	37	506783	50	506881	50	507041	48
501854	40	502085	42	502543	53	505798	39	506223	43	506332	45	506667	37	506784	50	506882	50	507043	48
501855	40	502086	42	502544	53	505799	39	506224	43	506335	45	506668	37	506785	49	506883	49	507044	51
501856	40	502130	55	502545	53	505800	39	506225	43	506334	45	506671	37	506786	50	506884	49	507045	51
501857	40	502131	55	502547	53	505801	39	506226	43	506335	45	506672	37	506787	50	506885	49	507046	51
501858	40	502132	55	502551	53	505804	39	506227	43	506336	45	506673	37	506788	50	506886	49	507047	51
501859	40	502133	55	502552	53	505805	39	506228	43	506338	45	506675	37	506789	50	506887	49	507048	51
501860	40	502134	55	502553	53	505806	39	506230	43	506341	45	506677	37	506790	5				



CAMBRIDGE RESOURCES
PHONE. 773.265.3000
990 E NORTH AVE. GLENDALE HEIGHTS, IL 60148
WWW.CAMBRIDGERESOURCES.COM
INFO@CAMBRIDGERESOURCES.COM

D72024V1