

Installation & Aftermarket Catalog

GENERAC®



Reduce installation costs,
enhance performance and
increase efficiency.

Product shown with optional fascia kit



Save Time on Installation

AFTERMARKET ACCESSORIES

Generator GENPADs



Composite Generator GENPAD

- Strong and lightweight - Easy for one person to maneuver. This composite pad is 82% lighter than the 3 in (76 mm) concrete pad weighing only 33 lbs (15 kg), but has a 20% greater load capacity
- Easy to Transport - Nesting design for easy stacking and stability during transit. Also resistant to cracking, chipping or breakage reducing waste and returns
- Durable Design - Industrial high strength, fiberglass reinforced, thermoset sheet molding compound that is UV resistant and flammability rated
- Installation Made Easy - Mounting bolt score marks for quick unit alignment, and less installation time compared to pea gravel, poured in place concrete and concrete pads

Part Number

A0003322319- 54" x 31" x 3"

Fits all Air-Cooled Generac 10-26kW automatic standby generators, and the warranty is active for the full length of the Generator warranty coverage period.



Concrete Generator GENPAD

- Structurally reinforced with rebar and fiberglass fibers
- Qualifies as a Green product, 50% of pad volume is recycled materials
- Contains zinc mounting inserts that resists rust, and necessary mounting hardware
- Takes less time to install than pea gravel and pouring concrete pads
- Warranty is active for the full length of the Generator warranty coverage period

Air-Cooled Part Numbers

10000007852 - 54" x 31" x 3"

10000007848 - 54" x 31" x 4"

Liquid-Cooled Part Numbers

A0000516140 - 90" x 41" x 4"

10000005771 - 83" x 41" x 4"

10000044173 - 70" x 37" x 4"

Air-Cooled GENPADs fit all Air-Cooled Generac 10-26kW automatic standby generators, plus Honeywell.

Liquid-Cooled GENPADs fit all Liquid-Cooled Generac 22-48kW standby generators.

Only 4" pads are hurricane rated.



Air-Cooled 3" Concrete GENPAD and Exide Battery

Generac Battery Program



AGM Technology (Absorbent Glass Mat)

- PowerFrame Grids: Both positive and negative grids minimize corrosion for longer battery life and provide optimized electrical conductivity
- Excellent Starting Power: Engine will start even at low temperatures and low state of battery charge, many times eliminating the need and cost of a battery warmer
- Maintenance Free: No need to add water or electrolyte to maintain performance
- Non-Spillable: Electrolyte held permanently in glass mat separator

Part Number: OK0014: Battery, 12V, Group 35, 665CCA, AGM



Wet Cell Battery Options

- Full line of batteries available to all dealers
- Stock delivery and rotational program available
- Incredible value

Part Numbers:

OH3421S: Battery, 12V, Group 26R, 550CCA, Wet Cell
 077483S: Battery, 12V, Group, 550CCA, Wet Cell
 058208S: Battery, 12V, Group 24F, 550CCA, Wet Cell
 058665S: Battery, 12V, Group 27F, 750CCA, Wet Cell
 061119S: Battery, 12V, Group 31, 950CCA, Wet Cell
 061915S: Battery, 12V, Group 4DLT, 820CCA, Wet Cell
 061104S: Battery, 12V, Group 8D, 1155CCA, Wet Cell

Accounts with access to GenService, visit service.generac.com. Those without access, email AfterSales@Generac.com to place your order.

Save Time on Installation

AFTERMARKET ACCESSORIES

Flex Lines



- Lines can easily bend 45 to 90 degrees that assist in reduction of installation time, improving savings for your customers
- Reduces long runs of black pipe and need for multiple elbows to reach the generator

Part Numbers:

10000000498	1" I.D. x 24" LG
10000000499	1" I.D. x 48" LG
10000000500	1" I.D. x 72" LG
10000009776	¾" I.D. x 48" LG
10000009777	¾" I.D. x 72" LG
10000009793	¾" I.D. x 24" LG



Vent Limiting

Norgas Fuel Regulators

Full line of gas line regulators, designed to handle most non-corrosive Natural Gas and Liquid Propane applications.

- Spring loaded with internal relief providing constant and controlled pressure
- Helps minimize over pressurization due to possible debris/dirt entering the regulator, inhibiting proper lockup
- Compact size, corrosion resistant exterior
- Field interchangeable orifice and springs
- NEW Vent Limiting capability

Part Numbers:

NGR02	½" NPT – ¾" NPT – 1" NPT – 1 ¼" NPT
NGR04	1 ¼" NPT – 1 ½" NPT – 2" NPT
NGR06	1 ¼" NPT – 1 ½" NPT – 2" NPT
NGR08	1 ½" NPT – 2" NPT

Gas regulator, various pipe size, orifice and spring.

More information available on GenService.

For a detailed catalog, visit www.norgas.com/products/gas-regulators/

To order contact Norgas Buy Direct Representative, Jordan Knaus at **513-942-3600** or email jordank@norgas.com



NGR02



NGR04



NGR06




NGR08

Accounts with access to GenService, visit service.generac.com. Those without access, email AfterSales@Generac.com to place your order.



Flex Lines & TCER Conductor Cable



TCER Conductor Cable

- Includes all conductor and color-coded control wires to match the generator and transfer switch
- Quick, easy identification of wires
- Can be installed in damp areas and direct burial
- Available in 100-, 250- and 500-foot coil rolls
- Available for gens up to 26kW in varying sizes
- Joist Pull Rated
- 2023 NEC compliant coming exclusively to Generac

To order contact Cable Master at
414-292-2175 or email
generacorders@cablemaster.net
www.cablemasterpowercords.com



Shut-Off Valves with
Manometer Port

Save Time on Installation

AFTERMARKET ACCESSORIES



Pylex Generator Stands

- Quickly put together a stand for generators that need to be elevated
- Can be installed at varying depths to accommodate installations on pitched surfaces
- Great solution for uneven ground

To order contact Pylex at **1-800-246-1881** or email Pylex Representative Christian Boisclair at **ChristianBoisclair@pylex.com**



Gorilla Manufacturing

Gorilla Manufacturing and Generac have partnered to energize your installation efficiency.

- Built for residential or commercial Generac generators up to 48kW
- One-piece construction for quick installation
- Fully MIG welded for durable structure
- Available upgrades to powder coat or hot dip galvanized finish for the ultimate protection against corrosion
- Choose between slab mounted stands or non-slab, concrete footer stands
- Stands available in sizes 12" – 84" for air-cooled products and 12" – 48" for liquid-cooled products

For more information visit **gorillacages.com/generator-stands**

And to order Gorilla Generator Stands, call **281-705-9701** or email **sales@gorillacages.com**

Accounts with access to GenService, visit **service.generac.com**. Those without access, email **AfterSales@Generac.com** to place your order.

Shut-Off Valves with Manometer Port



Installing a fuel shutoff ball valve allows the gas pressure to be tested outside of the generator instead of at the fuel regulator.

- Reduces diagnostic times and labor needed during installation as well as future diagnostic visits
- Designed with manometer port

Part Numbers:

½" Ball Valve OK8752

¾" Ball Valve OK8754

1" Ball Valve OK8184

1¼" Ball Valve OL2844

1½" Ball Valve OL2845

2" Ball Valve OL2846

Accounts with access to GenService, visit service.generac.com

Those without access, email AfterSales@Generac.com to place your order



Gen Cart

- Allows for 1 person to transport and place generator

Part Number:

G0006852

To order call Generac at **1-888-Generac** or visit **Dealer 360** dealer.generac.com



Dormont Flow Pro

- A great tool for testing fuel related issues. Displays and logs the gas flow rate, capacity and pressure
- Compatible with natural gas and propane applications
- Measure gas pressure and flow in real-time
- Provide proof of proper install and operation to customers via data logging and export capabilities
- For Air-Cooled only, ¾ and 1" capability

Part Number:

A0000032418

Accounts with access to GenService, visit service.generac.com

Those without access, email AfterSales@Generac.com to place your order



Manometer



- Used to test gas pressure directly at the generator or at the fuel shut-off valve

Part Number:

OC8013A


Accounts with access to GenService, visit service.generac.com

Those without access, email AfterSales@Generac.com to place your order



Install Smart

TOOLS & ACCESSORIES



Sure-Start

SureStart is an effective solution for customers in rural applications that experience issues with utility power. SureStart technology provides generator application flexibility, reducing stress on the generator when providing power, eliminating light dimming or power interruption to sensitive electronics.

- Prevents scroll compressor reverse rotation
- Displays unit delays and potential fault codes for easy service
- Assists in making HVAC systems compliant with regulations
- Protects against the rapid stop and restart of a compressor during a power outage
- Provides protection against voltage sags on start-up and run operation

Part Numbers:

A0002423399
Single Ph Soft Starter 8-16RLA
A0002423401
Single Ph Soft Starter 16-32RLA



Mosebach X100LT Ultra Light Resistive Load Bank 100kW

Mosebach's X100LT-B load bank offers a continuous load in a compact, ultra lightweight, indoor enclosure. The digital meter allows you to measure power, voltage, current and frequency while also allowing you to record the data as you do your testing.

- Weighs approximately 64 lbs. – one of the lightest dual voltage, 100 kW load banks on the market!
- Has 5 kW resolution Includes an industrial strength, injection molded, 100% waterproof case with wheels
- Power cables and single-phase adapter also available if needed

Part Number:

X100LT-B
To order, email
orders@mosebachresistors.com

Accounts with access to GenService, visit service.generac.com. Those without access, email AfterSales@Generac.com to place your order.



LP Tank Monitor & Digital Propane Tanks

Generac offers propane tanks that come pre-installed with an LTE fuel level monitor for complete visibility into LP Generator fuel levels.

- Available in both aboveground and underground versions
- Variety of sizes and orientations
- Increase generator uptime
- Integrate with Fleet and Mobile Link to provide customers with visibility into their tank level
- Earn a larger share of wallet by offering an all-in-one solution to customers



Purchase Digital Tanks on **Dealer-360** and view more information including spec sheets on **Generac.com**

FOR QUESTIONS ABOUT TANKS:
Contact Steven Novak
Email, steven.novak@arcosa.com
or call **214-202-9258**

FOR QUESTIONS ABOUT TANK MONITORS:
Contact Customer Support at
support@mobilelinkgen.com
or call **855-436-8439**

LP Tank Monitor & Digital Propane Tanks





Oil System Drain Pump Kit

The Oil System Drain Pump is a drill operated pump. Using this pump will help speed up the draining process of the oil and will keep the area around the generator clean. Please refer to the service document section on GenService for the instruction sheet and the proper usage of this kit.

Part Number:
OK9321

Each kit includes:

- ¼ in. rubber hose
- ½ in. spring clamp
- ¾ in. spring clamp
- ½ in. rubber hose
- Drill Pump
- ¼ in. barb hose fitting w/ ¾ in. hose thread
- ½ in. barb hose fitting w/ ¾ in. hose thread



Test Kits

Offer complete in-field analysis on potential oil, coolant and fuel issues to prevent breakdowns and maximize uptime of the generator. Each kit includes a sample container, return mailer and integrated testing label. Available on GenService.

Part Number:

OL4701 - Basic Oil Analysis
OL4701A - Advanced Oil Analysis
OL4701B - Basic Coolant Analysis
OL4701C - Advanced Coolant Analysis
OL4701D - Basic Diesel Fuel Analysis
OL4701E - Advanced Diesel Fuel Analysis



Test Lead Kits

- To test wiring where access to pins or connection points are not accessible
- Includes:
 - 1 set alligator adapters OJ0946B
 - 1 set of .5mm tipped test lead adapters OJ0946A
- These adapters are connected to the Digital Volt Ohm Meter leads to aid in testing pin connectors

Part Number:

OJ09460SRV



Spark Tester

- Quick, easy and proper way to check the spark of the magneto ignition coil

Part Number:
0C5969



Molex Pin Extractor

- Used to remove pins from a molex wire connector, essential in verifying the pin/plug is not distorted, bent, or not making electrical contact

Part Number:
0K4445

Accounts with access to GenService, visit service.generac.com. Those without access, email AfterSales@Generac.com to place your order.

Have The Right Tools For The Job

We know the right tools can help make the job easier. That's why we recommend purchasing these accessories from your local electrical wholesaler or distributor.



Fuel Sweeps/Risers/Fittings

- Used in conjunction with polypipe
- Half the cost of rigid risers and other alternatives
- Fuel risers available
- Reduces the need for welding and underground splicing



Car Flex

- Light-weight, non-metallic alternative used to run wire from the house to generator



Poly Cutter

- Easily cuts through poly, rubber, and plastic pipe



Ratchet Cutter

- Quick, easy cutting of copper and aluminum wire



Polypipe, Tracer Wire & Holders

- Light-weight, cost-effective solution when fuel delivery needs to be buried underground



CE/SER Cable

- Aluminum cost-effective alternative to copper

Accounts with access to GenService, visit service.generac.com. Those without access, email AfterSales@Generac.com to place your order.



Generac Fuel Treatments

Generac 2-in-1 Gasoline Quality Test

- 100 count swabs
- Test for phase separation and fuel decay
- Two-part test for fuel or water
- Keeps bad fuel out of equipment
- Identify fuel-related issues to reduce warranty claims

Part Number:
A0000019002

Corrosion Inhibitor and Protectant

- Renew and protect all outdoor items
- Formulated with corrosion inhibitors, carnauba wax, UV protection, anti-rust, release agents and pleasant scent/odor controlling agents

Part Number:
A0000019001

Fuel-Life™ Fuel Stabilization Device

- Stabilizes fuel by removing water and contaminants that cause corrosion, phase separation and fuel decay
- Works in all fuels and blends
- Reduces fuel related problems due to fuel contaminants, including water
- No measuring, no mess – insert device for year-round protection

Part Number:
A0000018966

Ultrasonic Cleaner Solution

- Metal or plastic surfaces
- Engineered to clean the toughest contaminants
- Biodegradable, non-toxic, water-based formula
- Ultra-concentrated, anti-corrosive, anti-evaporation formula

Part Number:
A0000018981



Generac Fuel Treatments



Gas Fuel System Fix

- Revitalize stale fuel due to increased water content at the pump
- Replaces lost octane with added octane booster
- Cleans equipment's fuel system, allowing for improved efficiency

Part Number:
A0000018964

Gasoline Stabilizer

- Year-round engine protection
- Keeps fuel fresh and slows aging
- Antioxidant package

Part Number:
A0000018958

All-in-One Protection Diesel Fuel Additive

- Improves fuel efficiency
- Reduces smoking and emissions
- Cetane improvement
- Water protection

Part Number:
A0000018975

Diesel Fuel Tank Water Absorbers

- Neodymium magnets remove insoluble rust
- Easy installation and removal by high strength tether line
- A0000018988 – Diesel Fuel Tank Water Absorber
 - 36in long x 2in diameter
 - Removes water and salt water
 - Reusable
- A0000019000 – Diesel Fuel Tank Water Absorber with Fuel Life Technology
 - 36in long x 2.5in diameter
 - Fuel Life technology
 - Removes water, DEF, most antifreeze, and ethanol
 - Disposable

Generac Hand Tools

TOOLS AND ACCESSORIES



Generac branded Snap-On tools are designed with strength and durability and provide a sense of pride when providing exceptional service to your customers. The tools are engineered, manufactured, and priced to provide the very best value, and Generac offers a lifetime replacement warranty*.

Here's a snapshot:

GENERAC BRANDED SNAP-ON TOOLS

DESCRIPTION	PART NUMBER
Technician Kit	A0000081442
Small Bit Set (24 piece)	GN10042
1/4" Drive Socket Set (40 piece)	GN10040
Pliers Set (4 piece)	GN90404
Pry Bar Set 6" and 18"	GN16002
Screwdriver Set (8 piece)	GN80008
Extension Bar Set	GN23005M
Hex Key Set	GN12001
Wrench	GN60501
3/8 Drive Sockets (72 piece set)	GN28072
Tote Bag with Zipper	GN50001
Utility Tool Kit (52 piece set)	GN99952
Torque Wrench (1/2" Drive, 250 Lb. Ft.)	GN39250
Tote Bag with Metal Handle	GN50002
General Service Tool Kit (80 piece set)	GN99980



**Unless otherwise specified.*

Visit service.generac.com to view the full catalog and place your order. **GenService > Documentation > Service Documents > Generac Branded Tools**



Maintenance Kits

TOOLS AND ACCESSORIES

A scheduled maintenance program will ensure that your customers' units are always in top operating condition and that your warranty requirements are met. Generac's high performance proprietary 5W-20 Geo full synthetic oil blend is specifically designed and tested for home standby applications. Generac offers a comprehensive line of scheduled maintenance kits to ensure long life and top performance of standby generator systems.



SERVICE MAINTENANCE KITS (INCLUDES OIL)

Pre Evolution Controller Series Kits

DESCRIPTION	PART NUMBER
KIT-SM 6kW 530cc ECOGEN HSB 5W20 GEO SYN	A0002074750
KIT-SM 7kW 432cc CORE POWER HSB 5W20 GEO SYN	A0002074753
KIT-SM 7-7.5kW 420cc POWERPACT HSB 5W20 GEO SYN	A0002081076
KIT-SM 7-8kW 410cc HSB 5W20 GEO SYN	A0002075313
KIT-SM 10kW 530cc HSB 5W20 GEO SYN	A0002075473
KIT-SM 12-17kW 760cc/990cc HSB 5W20 GEO SYN	A0002075499
KIT-SM 15kW/20kW 999cc HSB 5W20 GEO SYN	A0002075524

Post Evolution Controller Series Kits

DESCRIPTION	PART NUMBER
KIT-SM 8kW 410cc EVO HSB 5W20 GEO SYN	A0002074675
KIT-SM 9kW/10kW 426cc/460CC EVO 5W20 GEO SYN	A0001484794
KIT-SM 11kW 530cc EVO HSB 5W20 GEO SYN	A0002074698
KIT-SM 13/16kW 816CC EVO HSB 5W20 GEO SYN	A0000308621
KIT-SM 13/14-17kW 990/999cc EVO HSB 5W20 GEO SYN	A0002074708
KIT-SM 14-18kW 816cc EVO HSB 5W20 GEO SYN	A0001484977
KIT-SM 15kW 999cc ECOGEN EVO 5W20 GEO SYN	A0002080751
KIT-SM 16/20-26kW 999cc EVO HSB 5W20 GEO SYN	A0002074712

Accounts with access to GenService, visit service.generac.com. Those without access, email AfterSales@Generac.com to place your order.

Tote Bag with Metal Handle

Distributor/Dealer Engine Oil Program

Generac is excited to announce a new partnership with Lube-Tech that gives all partners the opportunity to purchase API Certified Generac Engine Oil.

PROGRAM DETAILS:

- All orders must be placed through Generac - see details below on how to order
- Available in order quantities of one (1) pallet or one (1) case minimum. Please refer to the chart below for details.
- Features new blend 5W-20 GEO Full Synthetic, 5W-30 Full Synthetic and 15W-40 - see below for bottle size availability
- Products will ship from either Generac or direct from Lube-Tech - see chart below for details by part number
- All part numbers listed below count toward total Generac part purchases



PLACE YOUR OIL ORDER TODAY

Accounts with access to GenService, place all orders through the portal

Accounts without access to GenService, contact AfterSales@generac.com for price inquiries and placing orders

GENERAC BRANDED OIL

Ships From Vendor Lube-Tech - 1 Pallet Minimum

DESCRIPTION	PART NUMBER	ORDER QUANTITY (PER PALLET)
5W-20 GEO Full Synthetic — 1 quart / 0.95L bottle, case of 12	A0001412868	70
5W-20 GEO Full Synthetic – 55 gallon / 208L drum	A0001412873	4
5W-30 Full Synthetic – 1 quart / 0.95L jug, case of 12	0J5324A	70
5W-30 Full Synthetic – 5 quart / 4.7L jug, 3-pack	0J5323A	54
5W-30 Full Synthetic – 55 gallon / 208L drum	0J5322A	4
15W-40 CK-4 Heavy Duty Synthetic Blend, 1 gallon / 3.8L jugs, 3-pack	0J5160A	54
15W-40 CK-4 Heavy Duty Synthetic Blend – 12 pack quarts	A0001540960	70
15W-40 CK-4 Heavy Duty Synthetic Blend – 55 gallon / 208L drum	0J5159A	4

See individual spec sheets on GenService or email AfterSales@Generac.com for more information.



GENERAC BRANDED OIL

Ships From Generac Distribution Center - 1 Case Minimum

DESCRIPTION	CASE NUMBER	ORDER QUANTITY (PER CASE)
5W-20 GEO Full Synthetic – 1 quart / 0.95L bottle	A0001412864	12
5W-20 GEO Full Synthetic – 5 quart / 4.7L jug	A0001412871	3
5W-30 Full Synthetic – 1 quart / 0.95L bottle	0J5141	12
15W-40 CK-4 Heavy Duty Synthetic Blend – 1 gallon / 3.8L jug	0J5146	3

See individual spec sheets on GenService or email AfterSales@Generac.com for more information.

Antifreeze/Coolant Program

Generac is excited to announce a new partnership with Lube-Tech to bring all partners the opportunity to purchase Generac antifreeze/coolant.

PROGRAM DETAILS:

- Orders must be placed through GenService/
Billed through Generac. See details to the right on how to order.
- One (1) pallet minimum for all orders
- Available in Ethylene Glycol
- Ships to Generac dealers directly from supplier
- Freight included in the price of the coolant
- Available in one-gallon bottles, 55-gallon drums, and select five-gallon pails
- Part numbers listed below count toward total Generac part purchases



PLACE YOUR COOLANT ORDER TODAY

Accounts with access to GenService, place all orders through the portal

Accounts without access to GenService, contact **AfterSales@generac.com** for price inquiries and placing orders

DESCRIPTION	PART NUMBER	ORDER QUANTITY
Extended Life Coolant 50/50 Ethylene Glycol 1 gal / 3.8L bottle (6/case) – 27 per pallet	0J7992	1 Case
Heavy Duty Coolant 50/50 Ethylene Glycol 1 gal / 2.8L bottle (6/case) – 27 per pallet	0J5166A	1 Case
Heavy Duty Coolant 50/50 Ethylene Glycol 55 gal / 208L drum – 4 per pallet	0J5167A	1 Drum
Heavy Duty Coolant Ethylene Glycol 5 gal / 19L pail – 36 per pallet	0J7958	1 Pail

See individual spec sheets on GenService or email AfterSales@Generac.com for more information.

Partnership Programs



Generac's partnership with Toro provides a smoother installation process by connecting you with the essential tools to keep business moving.

- Generac Dealers receive premium access to Toro Dingo Narrow Trax Series
- Dingo's 34-inch track allows for access through standard yard gates
- Attachments allow for one-person generator unloading and placement
 - Bore Tool - Burrow for wire and fuel pipes
 - Blades - Grading
 - Forks - Transport pallets
 - Trencher - For burying cable/pipe in open earth



DEALER EXCLUSIVE BENEFITS

- 17% off
- Financing available
- Free shipping & no additional tax costs (based on local tax ID rules)
- Extended warranties available (participating Toro Dealers only)

For more information about the Toro Siteworks Equipment Dealer Exclusive, contact a Toro dealer near you. Visit **Toro.com** to find your nearest dealer.

Accounts with access to GenService, visit service.generac.com. Those without access, email AfterSales@Generac.com to place your order.



GENERAC®

Generac Power Systems, Inc.
S45 W29290 Hwy. 59, Waukesha, WI 53189
1-888-GENERAC (1-888-436-3722)

201903042 REV 04/23

©2021 Generac Power Systems. All rights reserved.
Specifications are subject to change without notice.