## CHARLOTTE PIPE AND FOUNDRY COMPANY

## DIMENSIONAL CATALOG

ConnecTite® Push-Fit DWV Fittings

**ABS-DWV Pipe and Fittings** 

**PVC-DWV Pipe and Fittings** 

**PVC Sewer Pipe** 

PVC Schedule 30 DWV Thin Wall 3.25 in. 0.D. Pipe and Fittings

(Updated April 6, 2020)

You can't beat the system.®

© 1977-2020 Charlotte Pipe and Foundry Company



## Plastic DWV Pipe and Fitting Dimensions

This catalog accurately reflects dimensional information to the best of our knowledge. If the dimensions on your job are critical, please verify dimensional information with our factory.

This dimensional catalog accurately reflects our product line at the time the catalog was printed. However, we add and delete items on an ongoing basis to better serve our customers. Please refer to our current list price sheets for an accurate listing of items offered.

Charlotte Pipe® products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.



All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

## **Table of Contents**

	Page
ABS "Foam Core" Schedule 40 DWV Pipe Data	4
ABS Plus® "Foam Core" Schedule 40 DWV Pipe Data	5
PVC "Foam Core" Schedule 40 DWV Pipe Data	6
PVC Schedule 40 DWV Pipe Data	7
D 3034 PVC Sewer Pipe Data	8
PVC D 2729 Sewer and Drain Pipe Data	9
ConnecTite® Push-Fit DWV Fittings	10-11
PVC and ABS DWV Fittings Dimensions	L2-66
PVC Thin Wall Sch. 30 Pipe Data	67
PVC Thin Wall Sch. 30 Fittings Dimensions6	58-74
Certification7	75-76
Marranty	77



Download our Tech Tools App for dimensional info, tech calculators and more on your mobile device.



## **ABS Foam Core Pipe**

## ABS Schedule 40 DWV Pipe (For Non-Pressure Applications)



ABS SCHEDULE 40 FOAM CORE (BLACK) PLAIN END ASTM F 62							
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)	
ABS 3112	1½" x 10'	03132	2590	1.900	0.145	27.1	
ABS 3112	1½" x 20'	03133	5180	1.900	0.145	27.1	
ABS 3200	2" x 10'	03134	1670	2.375	0.154	37.7	
ABS 3200	2" x 20'	03135	3340	2.375	0.154	37.7	
ABS 3300	3" x 10'	03136	750	3.500	0.216	74.5	
ABS 3300	3" x 20'	03137	1500	3.500	0.216	74.5	
ABS 3400	4" x 10'	03138	480	4.500	0.237	107.1	
ABS 3400	4" x 20'	03139	960	4.500	0.237	107.1	
ABS 3600	6" x 10'	03140	200	6.625	0.280	187.8	
ABS 3600	6" x 20'	03141	400	6.625	0.280	187.8	

NSF Listed. Meets All Requirements of ASTM F 628.



## NOTICE

#### NOT FOR PRESSURE

Do not use PVC / ABS / ABS Plus® cellular core (foam core) pipe for pressure applications. The use of cellular core pipe in pressure applications may result in system failure and property damage.

## A WARNING

Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and cause severe injury or death.

AIR/GAS

Compre
pipe or
NEVER
fittings
over wa
ONLY

 NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC pipe or fittings.
 NEVER test PVC / ABS / CPVC pipe or

fittings with compressed air or gas, or air over water boosters.

ONLY use PVC / ABS / CPVC pipe or fittings for water or approved chemicals.

Refer to warnings on PPFA's website and ASTM D 1785.



## ABS Plus<sup>®</sup> Foam Core DWV Pipe

ABS Plus is a registered trademark of Charlotte Pipe and Foundry Company.

## ABS Plus Schedule 40 DWV Pipe (For Non-Pressure Applications)



ABS PLUS SC	HEDULE 40 FO	PLAIN ENG	) AS	TM F 1488		
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)
APA 17112	1½" x 10'	12495	2590	1.900	0.145	31.4
APA 17112	1½" x 20'	12494	5180	1.900	0.145	31.4
APA 17200	2" x 10'	12497	1670	2.375	0.154	41.9
APA 17200	2" x 20'	12496	3340	2.375	0.154	41.9
APA 17300	3" x 10'	12499	750	3.500	0.216	84.0
APA 17300	3" x 20'	12498	1500	3.500	0.216	84.0
APA 17400	4" x 10'	12501	480	4.500	0.237	118.80
APA 17400	4" x 20'	12500	960	4.500	0.237	118.80

NSF Listed. Meets All Requirements of ASTM F 1488.



## NOTICE

#### NOT FOR PRESSURE

Do not use PVC / ABS / ABS Plus® cellular core (foam core) pipe for pressure applications. The use of cellular core pipe in pressure applications may result in system failure and property damage.

## A WARNING

Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and cause severe injury or death.

NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC pipe or fittings.

NEVER test PVC / ABS / CPVC pipe or fittings with compressed air or gas, or air

over water boosters.

ONLY use PVC / ABS / CPVC pipe or fittings for water or approved chemicals.

Refer to warnings on PPFA's website and ASTM D 1785.





## **PVC Foam Core Pipe**

## PVC Schedule 40 DWV Pipe (For Non-Pressure Applications)



PVC SCHEDU	PVC SCHEDULE 40 FOAM CORE (WHITE) PLAIN END					
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)
PVC 4112	1½" x 10'	04178	1650	1.900	0.145	32.3
PVC 4112	11/2" x 20'	04177	3300	1.900	0.145	32.3
PVC 4200	2" x 10'	04174	1110	2.375	0.154	43.9
PVC 4200	2" x 20'	04173	2220	2.375	0.154	43.9
PVC 4300	3" x 10'	03934	1130	3.500	0.216	89.7
PVC 4300	3" x 20'	03935	1000	3.500	0.216	89.7
PVC 4400	4" x 10'	03936	670	4.500	0.237	123.8
PVC 4400	4" x 20'	03937	1340	4.500	0.237	123.8
PVC 4600	6" x 10'	03938	330	6.625	0.280	235.0
PVC 4600	6" x 20'	03939	660	6.625	0.280	235.0
PVC 4800	8" x 20'	03941	360	8.625	0.322	371.0
PVC 4910	10" x 20'	03942	220	10.750	0.365	566.3
PVC 4912	12" x 20'	03943	120	12.750	0.406	700.0

PVC SCHED	PVC SCHEDULE 40 FOAM CORE (WHITE) BELL-END						
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)	
PVC 4300B	3" x 20'	04782	920	3.500	0.216	89.7	
PVC 4400B	4" x 10'	04783	670	4.500	0.237	123.8	
PVC 4400B	4" x 20'	04784	1340	4.500	0.237	123.8	
PVC 4600B	6" x 10"	09904	330	6.625	0.280	235.0	
PVC 4600B	6" x 20"	04786	660	6.625	0.280	235.0	

NOTE: When ordering, please specify plain end or bell end.

NSF Listed. Meets All Requirements of ASTM F 891.

## NOTICE

#### NOT FOR PRESSURE

Do not use PVC / ABS / ABS Plus® cellular core (foam core) pipe for pressure applications. The use of cellular core pipe in pressure applications may result in system failure and property damage.

## A WARNING

Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and



- cause severe injury or death.

  NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC
  - pipe or fittings.

    NEVER test PVC / ABS / CPVC pipe or fittings with compressed air or gas, or air
  - over water boosters.

    ONLY use PVC / ABS / CPVC pipe or fittings for water or approved chemicals. Refer to warnings on PPFA's website and ASTM D 1785.



## PVC Schedule 40 DWV Pipe

## **PVC Schedule 40 DWV Pipe**



PVC SCHEDU	LE 40 (WHITE)	PLA	IN END	PVC 11	20 A	STM D 2665
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)
PVC 7100*	11/4"x10'	03945	2120′	1.660	.140	42.4
PVC 7100*	11/4"x20'	03946	4240′	1.660	.140	42.4
PVC 7112*	1½"x10'	03947	1650′	1.900	.145	51.8
PVC 7112*	1½"x20'	03948	3300′	1.900	.145	51.8
PVC 7200*	2"x10"	03949	1110′	2.375	.154	69.5
PVC 7200*	2"x20"	03950	2220′	2.375	.154	69.5
PVC 7300*	3"x10"	03951	1130′	3.500	.216	144.2
PVC 7300*	3"x20"	03952	1000′	3.500	.216	144.2
PVC 7400†	4"x10"	03953	670′	4.500	.237	205.5
PVC 7400†	4"x20"	03954	1340′	4.500	.237	205.5
PVC 7500†	5"x20"	04837	760′	5.563	.258	272.5
PVC 7600†	6"x10"	03955	330′	6.625	.280	361.2
PVC 7600†	6"x20"	03956	660′	6.625	.280	361.2
PVC 7800†	8"x10"	13087	180′	8.625	.322	543.6
PVC 7800†	8"x20"	03958	360′	8.625	.322	543.6
PVC 7910†	10"x20"	03959	220′	10.750	.365	770.7
PVC 7912†	12"x20'	03961	120′	12.750	.406	1019.0
PVC 7914†	14"x20'	04862	60′	14.000	.437	1205.0
PVC 7916†	16"x20"	04918	60′	16.000	.500	1575.7

<sup>\*</sup> Dual Marked ASTM D 1785 & ASTM D 2665.

† Triple Marked ASTM D 1785 & ASTM D 2665 & ASTM F 480.

NSF Listed. Meets All Requirements of ASTM D 1784, ASTM D 1785, and ASTM D 2665.



Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and cause severe injury or death.

· NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC pipe or fittings.

NEVER test PVC / ABS / CPVC pipe or fittings with compressed air or gas, or air over water boosters.
ONLY use PVC / ABS / CPVC pipe or fittings for water or approved chemicals.

Refer to warnings on PPFA's website and ASTM D 1785



## **PVC Sewer Pipe**

### **PVC SDR 35 PSM Pipe**

#### ASTM D 3034 & ASTM F 477

SDR-35		G	ASKETEI	) - PS 46			
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	LAYING LENGTH	WT. PER 100 FT. (LBS.)	AVG. OD (IN.)	MIN. WALL (IN.)
S/M 6004G	4"x14"	11920	840	14′-0″	110.4	4.215	.120
S/M 6004G	4"x20"	04012	1200	20′-0″	109.7	4.215	.120
S/M 6006G	6"x14"	11921	462	14'-0"	249.6	6.275	.180
S/M 6006G	6"x20"	04016	660	20′-0″	247.0	6.275	.180
S/M 6008G	8"x14"	11922	140	14′-0″	451.0	8.400	.240

Weight is approximate and is for shipping purposes only.

SDR-35	SOLVENT WELD - PS 46						
PART NO.	NOM. SIZE	NOM. SIZE   UPC #   QTY. PER   LAYING   WT. PER   AVG. OD   MIN. WALL (IN.) (IN.)					
S/M 6004	4"x10'	04008	600	10′-0″	108.3	4.215	.120
S/M 6004	4"x20' 04009 1200 20'-0" 108.3 4.215 .120						.120
S/M 6006	6"x10"	04013	330	10'-0"	241.7	6.275	.180
S/M 6006	6"x20"	04014	660	20′-0″	241.7	6.275	.180

Weight is approximate and is for shipping purposes only.

Meets All Requirements of ASTM D 3034.

SDR 35 Gaskets meet or exceed ASTM F 477. Gasketed joints meet ASTM D 3212.



## NOTICE

#### NOT FOR PRESSURE

Do not use PVC Sewer pipe for pressure applications. The use of sewer pipe in pressure applications may result in system failure and property damage.

## **↑** WARNING

Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and cause severe injury or death.

NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC pipe or fittings.

pipe or fittings.

NEVER test PVC / ABS / CPVC pipe or fittings with compressed air or gas, or air

over water boosters.

ONLY use PVC / ABS / CPVC pipe or fittings for water or approved chemicals. Refer to warnings on PPFA's website and ASTM D 1785.



## **PVC Sewer and Drain Pipe**

## PVC ASTM D 2729 Pipe

SOLVENT WELD BELLED END ASTM D 2729					2729		
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER Skid	AVG. OD (IN.)	MIN. WALL (IN.)	BELL DEPTH (IN.)	WT. PER 100 FT. (LBS.)
PVC 30030	3" x 10'	10903	810′	3.250	0.070	3.00	52.8
PVC 30040	4" x 10'	10905	500′	4.215	0.075	3.50	70.4
PVC 30060	6" x 10'	15149	330′	6.275	0.100	4.00	129.0

## Perforated PVC ASTM D 2729 Pipe

SOLVENT WELD BELLED END ASTM D 2729					2729		
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER Skid	AVG. OD (IN.)	MIN. WALL (IN.)	BELL DEPTH (IN.)	WT. PER 100 FT. (LBS.)
PVC 30030P	3" x 10'	11814	1040′	3.250	0.070	3.00	52.8
PVC 30040P	4" x 10'	11815	500′	4.215	0.075	3.50	70.4

Perforated pipe is supplied with two rows of 1/2'' diameter holes every five inches. Rows are parallel to the pipe axis and are  $120^{\circ}$  apart.

Weight is approximate and is for shipping purposes only.

Pipe listed in this section meets or exceeds the requirements of ASTMD 2729.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.



## NOTIC

#### NOT EOD DDESSIIDE

Do not use PVC Sewer pipe for pressure applications. The use of sewer pipe in pressure applications may result in system failure and property damage.

## **A WARNING**

Failure to follow safety precautions may result in misapplication or improper installation and testing which can cause severe personal injury and / or property damage. Primers and cements are extremely flammable and may be explosive. Do not store or use near heat or open

- be explosive. Do not store or use near heat or open flame, or death or serious injury may occur. Solvent fumes created during the joining process are heavier than air and may be trapped in newly installed
- piping systems.


  Ignition of the solvent vapors caused by spark or flame
- may result in injury or death from explosion or fire.
- Read and obey all manufacturers' warnings and any instructions pertaining to primers and cements.
- Provide adequate ventilation to reduce fire hazard and to minimize inhalation of solvent vapors when working with cements, primers and new piping systems.



### PART NO. CTT 100

## ConnecTite Coupling


	HUB X HUB					
SIZE	A	В				
11/2	1/8	215/32				
2	1/8	219/32				
3	6/32	3 <sup>21</sup> / <sub>32</sub>				



### PART NO. CTT 300

## ConnecTite 1/4 Bend

	HUB X HUB	
SIZE	A	
11/2	13/4	
2	2 <sup>5</sup> / <sub>16</sub>	
3	3	



## PART NO. CTT 321

### ConnecTite 1/8 Bend

HUB X HUB		
SIZE	A	
11/2	13/32	
2	115/32	
3	111/16	•




ConnecTite is a registered trademark of Charlotte Pipe and Foundry Company.

<sup>\*</sup> ConnecTite fittings may be used in PVC-DWV and ABS-DWV systems.



# PART NO. CTT 400 ConnecTite Sanitary Tee


#### 



## PART NO. CTT 800S

## ConnecTite Closet Flange

HUB				
SIZE	Α	В	С	D
4 x 3	7	215/32	<sup>7</sup> / <sub>16</sub>	123/32




<sup>\*</sup> ConnecTite fittings may be used in PVC-DWV and ABS-DWV systems.



## **PVC and ABS DWV Fittings**

### **HUB DIMENSIONS**



SIZE	A	В	С	D
11/2	1.910	1.895	.687	.156
2	2.385	2.370	.750	.156
3	3.515	3.495	1.500	.218
4	4.515	4.495	1.750	.250
6	6.647	6.614	3.000	.281

D	v	r	
Г	٧	u	

SIZE	A	В	С	D
11/4	1.675	1.650	.687	.156
11/2	1.915	1.895	.687	.156
2	2.390	2.370	.750	.156
3	3.520	3.495	1.500	.218
4	4.520	4.495	1.750	.250
6	6.647	6.614	3.000	.281
8	8.655	8.610	4.000	.322
10	10.776	10.737	5.000	.365
12	12.778	12.736	6.000	.406
14	14.035	13.985	7.000	.437
16	16.045	15.980	8.000	.500



Coupling HUB X HUB			
SIZE	Α	В	
11/4	1/8	15/8	
1½ (PVC)	1/8	19⁄16	
11/2 (ABS)	1/8	15/8	
2 (PVC)	15/64	13/4	
2 (ABS)	1/8	113/16	
3	<sup>3</sup> / <sub>16</sub>	33/16	
4	1/4	33/4	
6	1/4	61/4	
8 (PVC)	1/4	81/4	
10 (PVC)	5/16	10%	
12 (PVC)	3/8	137/16	
14 <sup>(F)</sup> (PVC)	3	17	
16 <sup>(F)</sup> (PVC)	3 %	19 %	



#### (F) Fabricated



SIZE

11/2 (PVC)

2 (PVC)

2 (ABS)

#### Female Adapter FPT X HUB A 1/4 11/2 (ABS) 3/16 1/4



3 (PVC)	5/16	
3 (ABS)	7/32	
4	11/32	
6 (PVC)	1/4	
6 (ABS)	3/32	
8 (PVC)	9/16	
10 <sup>(F)</sup> (PVC)	2 1/8	
12 <sup>(F)</sup> (PVC)	3 3/16	

5/32

### PART NO. PVC 101X

## Female Adapter with Cleanout Plug

	FPT X HUB		
SIZE			
8 (PVC)	See Part No. 101 and 106		
10 <sup>(F)</sup> (PVC)			
12 <sup>(F)</sup> (PVC)			

<sup>(</sup>F) Fabricated



# PART NO. 102 Pipe Increaser–Reducer

HUB X HUB			
SIZE	A	N	
1½ x 2 (PVC)	25/32	17/32	
1½ x 2 (ABS)	<b>2</b> <sup>3</sup> / <sub>32</sub>	5/8	
1½ x3	311/32	13/32	
2 x 3 (PVC)	35/32	7/8	
2 x 3 (ABS)	317/32	11/8	
2 x 4 (PVC)	4	13//8	
2 x 4 (ABS)	41/16	13//8	
3 x 4	43/16	<sup>15</sup> / <sub>16</sub>	
3 x 6 (PVC)	61/2	2	
4 x 6 (PVC)	69/32	13/4	
4 x 8 (PVC)	71/2	123/32	
6 x 8 (PVC)	813/32	113/32	
4 x 10** (PVC)	11 <sup>25</sup> / <sub>64</sub>	415/32	
4 x 12** (PVC)	133/8	5 <sup>19</sup> / <sub>32</sub>	
4 x 14 <sup>(F)</sup> (PVC)	19	93/4	
4 x 16 <sup>(F)</sup> (PVC)	205/8	101/4	
6 x 10 (PVC)	927/32	17/8	
6 x 12** (PVC)	133/8	43/8	
6 x 14 <sup>(F)</sup> (PVC)	203/4	1015/32	
6 x 16 <sup>(F)</sup> (PVC)	221/8	1023/32	
8 x 10 (PVC)	103/4	11/16	
8 x 12 (PVC)	123/4	21/16	
8 x 14 <sup>(F)</sup> (PVC)	221/2	113/8	
8 x 16 <sup>(F)</sup> (PVC)	241/4	121/8	
10 x 12 (PVC)	123/4	111/16	
10 x 14 <sup>(F)</sup> (PVC)	17¾	53/4	
10 x 16 <sup>(F)</sup> (PVC)	25	12	
12 x 14 <sup>(F)</sup> (PVC)	1611/16	33/16	<u> </u>
12 x 16 <sup>(F)</sup> (PVC)	203/4	67/16	
14 x 16 <sup>(F)</sup> (PVC)	191/8	47/16	



<sup>(</sup>F) Fabricated

<sup>\*\*</sup> Assembled from two molded components



## Trap Adapter—Male, Less Washer & Metal Nut


DWV SPIGOT X TUBULAR SLIP		
SIZE	Α	
11/2 x 11/4 (PVC)	13/64	
11/2	13/64	
2	3/16	



#### **PART NO. 103P**

## Trap Adapter—Male, with Washer & Polyethylene Nut


DWV SPIGOT X TUBULAR SLIP		
SIZE	A	
1½ x 1¼	13/64	
11/2	13/64	
2 (PVC)	3/16	



#### PART NO. 103R

## Trap Adapter—Male, with 1½" PVC Nut & Washer & 1½" x 1½" Washer


		_ ,	
DWV SPIG	OT X TUBULAR	SLIP WITH PVC NUT	
SIZE	Α		
11/	3/		



#### **PART NO. 103W**

## Trap Adapter-Male, with Washer & PVC Nut

II ap Adaptei	maic, with	i masiici a i ve mat
DWV SPIG	OT X TUBULAR S	LIP WITH PVC NUT
SIZE	Α	
1½ x 1¼	13/64	
11/2	13/64	
2	3/16	






#### **PART NO. 103X**

## Trap Adapter—Male, with Washer & Chrome Nut

DWV SPIGOT X TUBULAR SLIP		
SIZE	Α	
1½ x 1¼	13/64	
11/2	13/64	
2 (PVC)	3/16	_



#### **PART NO. 104**

## Trap Adapter—Female

NOTE: NOT A MALE ADAPTER.

	IT HOD A TOD	JERIT JEII
SIZE	Α	
1½ x 1¼	5/16	
11/2	3/16	



#### **PART NO. 104P**


## Trap Adapter—Female, with Washer & Polyethylene Nut

DWV HUB X TÜBULAR SLIP

SIZE

1½ X 1¼ 5/16

1½ 3/16



#### PART NO. 104R

## Trap Adapter–Female, with $1^1/2''$ PVC Nut & Washer & $1^1/2''$ x $1^1/4''$ Washer


DWV HUB X TUBULAR SLIP WITH PVC NUT

SIZE

A

1½

3/16






#### **PART NO. 104W**

## Trap Adapter—Female, with Washer & PVC Nut

DWV HUB X TUBULAR SLIP WITH PVC NUT

DWY HOD X TODOLAR OLD WITH THE ROT		
Α		
3/16		
5/16		
3/16		
9/64		
	3/16 5/16 3/16	




#### **PART NO. 104X**

## Trap Adapter—Female, with Washer & Chrome Nut

DWV HUB X TUBULAR SLIP

DMA HOR X LOROTAK 2FIL			
SIZE	Α		
11/4 (PVC)	3/16		
11/2 x 11/4 (PVC)	5/16		
11/2	3/16		
2	9/64		



#### **PART NO. 105**

## **Fitting Cleanout Adapter**

SPIGOT X FPT			
SIZE	Α	В	
11/4 (PVC)	3/16	3/4	
11/2 (PVC)	5/32	5/8	
11/2 (ABS)	3/16	23/32	
2 (PVC)	5/32	5/8	
2 (ABS)	1/16	27/32	
3 (PVC)	7/32	3/4	
3 (ABS)	7/32	15/32	
4 (PVC)	1/4	7/8	
4 (ABS)	7/32	19/32	
6 (PVC)	5/16	17/16	
8 (PVC)	3/8	11/2	
10 <sup>(F)</sup> (PVC)	<sup>15</sup> / <sub>16</sub>	21/4	
12 <sup>(F)</sup> (PVC)	11//8	27/16	



#### (F) Fabricated




#### **PART NO. 105X**

## Fitting Cleanout Adapter with Cleanout Plug

SPIGOT X FPT
SIZE A

For dimensions see part numbers 105 and 106.



#### **PART NO. 106**

## **Cleanout Plug**

	MP	Т	
SIZE	Α	В	
11/2	13/8	5/8	
2	13/8	5/8	
21/2 (ABS)	11/2	3/4	
3	13/4	3/4	
4	11//8	7/8	
6 (PVC)	2	1	
6 (ABS)	11//8	31/32	
8 (PVC)	23/8	13/8	
10 (PVC)	27/16	17/16	
12 (PVC)	217/32	117/32	
			_





## Flush Bushing

	SPIGOT X HUB	•
SIZE	С	
1½ x 1¼	3/16	
2 x 11/4	5/16	
2 x 1½ (PVC)	5/16	
2 x 1½ (ABS)	1/8	
3 x 1½ (PVC)	1	
3 x 11/2 (ABS)	<sup>25</sup> / <sub>32</sub>	
3 x 2 (PVC)	7/8	
3 x 2 (ABS)	23/32	
4 x 2 (PVC)	11/8	
4 x 2 (ABS)	13/16	
4 x 3 (PVC)	1/2	
4 x 3 (ABS)	1/4	
6 x 4 (PVC)	13/4	
6 x 4 (ABS)	121/32	
8 x 4 (PVC)	27/8	
8 x 6 (PVC)	15/8	
10 x 4** (PVC)	47/16	
10 x 6** (PVC)	35/32	
10 x 8 (PVC)	11/2	
12 x 4** (PVC)	55/32	
12 x 6** (PVC)	45/32	
12 x 8 (PVC)	21/2	
12 x 10 (PVC)	11/2	•



<sup>\*\*</sup> Assembled from two molded components



## PART NO. PVC 107

## **Concentric Reducer Bushing**

	SPIGOT X HUB
SIZE	С
14 x 4 <sup>(F)</sup> (PVC	3) 8
14 x 6 <sup>(F)</sup> (PVC	863/64
14 x 8 <sup>(F)</sup> (PVC	97/16
14 x 10 <sup>(F)</sup> (PV	C) 95/8
14 x 12 <sup>(F)</sup> (PV	(C) 73/8
16 x 4 <sup>(F)</sup> (PVC	83/4
16 x 6 <sup>(F)</sup> (PVC	91/4
16 x 8 <sup>(F)</sup> (PVC	101/4
16 x 10 <sup>(F)</sup> (PV	°C) 107/8
16 x 12 <sup>(F)</sup> (PV	C) 105/8
16 x 14 <sup>(F)</sup> (PV	C) 91/4



#### **PART NO. 108**

## Flush Bushing (Cleanout Adapter)

	SPIGOT X FPT		
SIZE	С		
2 x 1½	5/16		
8 x 6 <sup>(CP)</sup> (PVC)	15//8		



#### PART NO. PVC 108X

## Flush Bushing (Cleanout Adapter) with Plug

	SPIG0	т _		
SIZE	A	В	С	
10 x 8 (PVC)	For dimensions	see	part numbers	106 & 108
12 x 8 (PVC)				



<sup>(</sup>F) Fabricated

<sup>(</sup>CP) PVC 108, 8"x6" is available only as a component part of PVC 444X.

Note: If PVC or ABS is not listed for a specific size, that size fitting is available in PVC and ABS materials, and the dimensions listed are the same for both materials.



### Male Adapter

MPT X HUB

NOTE: NOT A TRAP ADAPTER. WILL NOT ACCEPT A TAIL PIECE.

SEE PART NUMBER 104			
SIZE	Α		
11/4 (PVC)	3/16		
11/4 x 11/2 (PVC)	3/16		
11/2	3/16		
2	3/16		
3	3/8		
4	3/8		



## **PART NO. 110**

Flush Cleanout Plug

#### & PVC 110B

## Flush Cleanout Plug with Threaded Brass Insert

	MPT	
SIZE	A	
2 (PVC)	5/8	
2 (ABS)	11/16	
3 (PVC)	3/4	
3 (ABS)	<sup>27</sup> / <sub>32</sub>	
4 (PVC)	3/4	
4 (ABS)	7/8	



#### **PART NO. 111**

## Male Fitting Adapter

MPT X SPIGOT			
SIZE	Α	В	
11/2	113/16	3/4	
11/2 x 11/4 (PVC)	111/16	11/16	
2 (PVC)	115/16	7/8	
2 (ABS)	11//8	7/8	
3 (PVC)	31/16	11/2	





### PART NO. PVC 113

## Tray Plug Adapter

HUB			
SIZE	A	В	
1½ (PVC)	29/16	17/32	



### PART NO. ABS 113S

Tray Plug Adapter

SPIGUT			
SIZE	Α	В	
11/2 (ABS)	35/16	1/4	



### PART NO. ABS 114

**Threaded Cap** 

FPI		
SIZE	A	
1½ (ABS)	7/8	



#### PART NO. PVC 115

SIZE 8(F) (PVC)

10(F) (PVC)

12(F) (PVC)

## Adapter Coupling SDR 35 HUB X DWV HUB


13/4 31/2 10 x 8(F) (PVC) 31/2




#### (F) Fabricated



<b>Cap</b> SOCKET				
SIZE				
11/2 (PVC)	115/16	15/16		
11/2 (ABS)	11/4	11/16		
2 (PVC)	25/32	13/8		
2 (ABS)	13/16	31/32		
3 (PVC)	215/16	1 29/32		
3 (ABS)	23/32	127/32		
4 (PVC)	31/8	21/32		
4 (ABS)	211/32	13/4		
6 (PVC)	43/4	35/8		
6 (ABS)	315/32	31/32		
8 (PVC)	613/32	4		
10 (PVC)	73/4	5		
12 (PVC)	97/16	6		
14 <sup>(F)</sup> (PVC)	51/2	51/16		
16 <sup>(F)</sup> (PVC)	53/4	51/4		





### **PART NO. 117**

Adapter Coupling
(Adapts Sewer and Drain Spigot to DWV Spigot)

HUB X HUB			
SIZE	A		
3 x 3 (PVC)	1/8		
4 x 3	3/4		
4 x 4 (PVC)	1/2		
4 x 4 (ABS)	3/8		



#### (F) Fabricated



#### PART NO. PVC 117X

## **Adapter Coupling**

(Adapts Sewer and Drain Spigot to DWV Hub)

	HUB X SP	<u> </u>
SIZE	A	
4 x 3 (PVC)	1/4	



#### **PART NO. 118**

### **Adapter Bushing**

(Adapts DWV Hub to Sewer and Drain Spigot)

DMA 25IPOL X HOR			
SIZE	A	В	
3 (PVC)	1/4	13/4	
4	1/4	2	



#### **PART NO. 119**

## No-Hub Adapter

(Adapts Cast Iron No-Hub Spigot to DWV Spigot)

SPIGOT X HUB		
A		
127/32		
1 <sup>23</sup> / <sub>32</sub>		
15%		
111/16		
113/16		
1 <sup>27</sup> / <sub>32</sub>		
25/32		





#### PART NO. PVC 120

## **Adapter Bushing**

DWV SPIGOT X SDR 35 HUB		
SIZE	Α	
8 <sup>(F)</sup> (PVC)	5/8	
10 <sup>(F)</sup> (PVC)	5/8	
12 <sup>(F)</sup> (PVC)	5/8	



#### **PART NO. 122**

## Spigot Adapter, Cast Iron

(Adapts Cast Iron Spigot to DWV Spigot)

_	HUB X HUB		JB
	SIZE	Α	
	2 x 2	3/8	
Ī	3 x 3 (PVC)	7/16	
	4 x 4 (PVC)	1/2	
	4 x 4 (ABS)	7/16	



## **PART NO. 123**

## Hub Adapter, Cast Iron

(Adapts DWV Spigot to Cast Iron Hub)

_		HOR X 2	SPIGUI	
	SIZE	Α		
	2 x 2 <sup>(P)</sup>	323/32		
	3 x 3 <sup>(P)</sup> (PVC)	45/64		
_	4 x 4 <sup>(P)</sup>	4 <sup>25</sup> / <sub>64</sub>		



<sup>(</sup>P) Plain End: Joint can be made with compression gasket only.


Note: If PVC or ABS is not listed for a specific size, that size fitting is available in PVC and ABS materials, and the dimensions listed are the same for both materials.



## PART NO. PVC 123R

### Hub Adapter, Cast Iron, Increaser (Adapts DWV Spigot to Cast Iron Hub)

HUB X SPIGOT		
SIZE	Α	
1½ x 2 <sup>(P)</sup> (PVC)	31/2	
3 x 4 <sup>(P)</sup> (PVC)	4	



#### **PART NO. 130**

## **Repair Coupling**

	HUB X HUB	
SIZE	A	
1½ (PVC)	1%	
1½ (ABS)	11/2	
2 (PVC)	111/8	
2 (ABS)	1 <sup>13</sup> / <sub>16</sub>	
3	33/16	
4 (PVC)	33/4	
4 (ABS)	317/32	
6 (PVC)	61/4	
8 <sup>(F)</sup> (PVC)	83/16	
10 <sup>(F)</sup> (PVC)	103/16	
12 <sup>(F)</sup> (PVC)	123/16	<u> </u>




<sup>(</sup>P) Plain End: Joint can be made with compression gasket only.

<sup>(</sup>F) Fabricated



#### PART NO. PVC 131


Test Cap <sup>(C1)</sup>			
SIZE	Α		
1½ (PVC)	9/32		
2 (PVC)	9/32		
3 (PVC)	5/16		
4 (PVC)	3/6		



#### PART NO. PVC 132

Outside Diameter Test Cap<sup>(C2)</sup>

SIZE	A	•
11/2 (PVC)	9/16	
2 (PVC)	9/16	
3 (PVC)	9/16	
4 (PVC)	9/16	



#### **PART NO. 300**

1/4 Bend

(Sanitary 90° EII) ALL HUB SIZE Δ 11/4 (PVC) 19/16 11/2 13/4 2 (PVC) 25/16 2 (ABS) 21/4 3 31/16 4 37/8 6 5 8 (PVC) 6 10 (PVC) 99/32 12 (PVC) 11 14(F) (PVC) 163/4 16(F) (PVC) 209/16



<sup>(</sup>C1) Inserts into pipe

<sup>(</sup>C2) Inserts over pipe

<sup>(</sup>F) Fabricated



#### PART NO. PVC 300A

### Short 1/4 Bend<sup>(N)</sup>

(90° EII J All Hub		
SIZE	В	
8 <sup>(N)</sup> (PVC)	41/2	
10 <sup>(N)</sup> (PVC)	61/4	
12 <sup>(N)</sup> (PVC)	75/16	



### PART NO. 300R

1/4 Bend, Reducing


ALL HUB			
SIZE	A	В	
2 x 1½	27/16	25/16	



#### PART NO. 300S

1/4 Bend with Side Inlet

HUB X HUB				
SIZE	Α	В	С	
3 x 3 x 1½ (PVC)	35/64	11//8	<sup>15</sup> / <sub>16</sub>	
3 x 3 x 2	35/64	11//8	<sup>15</sup> / <sub>16</sub>	




<sup>(</sup>N) Not a sanitary pattern



## PART NO. PVC 301

Vent 1/4 Bend, Street

HUB X SPIGOT			
SIZE	Α	В	
8 <sup>(F)</sup> (PVC)	41/2	131/2	
10 <sup>(F)</sup> (PVC)	61/4	183/4	
12 <sup>(F)</sup> (PVC)	75/16	18 <sup>13</sup> / <sub>16</sub>	



#### **PART NO. 302**

1/4 Bend, Street (Sanitary 90° Street EII)

3FIBULA HUD			
SIZE	A	В	
11/4 (PVC)	15/8	25/16	
11/2	13/4	21/2	
2	25/16	33/16	
3	31/16	49/16	
4	37/8	55/8	
6 (PVC)	53/16	81/8	
8 (PVC)	61/8	10	
10 <sup>(F)</sup> (PVC)	14 <sup>7</sup> / <sub>16</sub>	193/4	
12 <sup>(F)</sup> (PVC)	163/8	19	
14 <sup>(F)</sup> (PVC)	16½	23%16	·
16 <sup>(F)</sup> (PVC)	19 <sup>7</sup> / <sub>8</sub>	237/16	



<sup>(</sup>F) Fabricated



## 1/4 Bend, with Low Heel Inlet

ALL HUB			
SIZE	Α	В	
3 x 3 x 1½ (PVC)	31/16	43/16	
3 x 3 x 1½ (ABS)	31/16	41/8	
3 x 3 x 2	31/16	47/16	
4 x 4 x 2	37/8	57/16	



## **PART NO. 304**

## Long Sweep 1/4 Bend


	HUB X HUB			
SIZE	A			
11/2	23/4			
2	31/4			
3 (PVC)	41/16			
3 (ABS)	4			
4	4 <sup>15</sup> / <sub>16</sub>			
6 (PVC)	9			



### PART NO. PVC 305

## Long Sweep 1/4 Bend with High Heel Inlet

ALL HUB					
	SIZE	Α	В	С	
	3 x 3 x 2 (PVC)	41/16	55/8	21/4	





## Long Sweep 1/4 Bend with Low Heel Inlet

ALL HUB			
SIZE	Α	В	
3 x 3 x 1½ (ABS)	4	419/32	
3 x 3 x 2 (PVC)	41/16	415/16	
3 x 3 x 2 (ABS)	315/16	413/16	



#### **PART NO. 309**

Long Sweep 1/4 Bend, Street

HUB X SPIGOT				
SIZE	Α	В		
11/2 (PVC)	23/4	319/32		
11/2 (ABS)	225/32	315/32		
2	31/4	41/8		
3	45/32	59/16		
4 (PVC)	415/16	611/16		
	1½ (PVC) 1½ (ABS) 2 3	SIZE         A           1½ (PVC)         2¾           1½ (ABS)         2²5⅓2           2         3¼           3         4⁵⅓2	SIZE         A         B           1½ (PVC)         2¾         3¹%2           1½ (ABS)         2²5/32         3¹5/32           2         3¼         4½           3         45/32         5%16	



#### **PART NO. 310**

1/4 Bend, Street with Low Heel Inlet

HUB X SPIGOT X HUB					
SIZE	SIZE A B C				
3 x 3 x 2	31/16	515/16	49/16		





#### PART NO. PVC 311

## Long Sweep 1/4 Bend, with Side Inlet

ALL HUB				
SIZE	Α	В	С	
3 x 3 x 2 (PVC)	41/16	13/8	13/4	





## **PART NO. 319**

1/6 Bend

	(60° EII) Hub X Hub			
SIZE	A			
11/2	1			
2 (PVC)	15⁄16			
2 (ABS)	11/4			
3	111/16			
4 (PVC)	21/16			
4 (ABS)	2			



#### **PART NO. 320**

1/6 Bend, Street

(60° Street EII) HUB X SPIGOT				
SIZE	A	В		
11/2	1	13/4		
2	15/16	23/16		
3	111/16	33/16		
4 (PVC)	21/16	313/16		





	1/8 Bend (45° EII) HUB X HUB	
SIZE	A	
11/4 (PVC)	1	
11/2	11/8	
2	11/2	
3	13/4	
4	23/16	
6	21/16	
8 (PVC)	21/16	
10 (PVC)	31/8	
12 (PVC)	331/64	
14 <sup>(F)</sup> (PVC)	81/4	
16 <sup>(F)</sup> (PVC)	105/16	



## **PART NO. 323**

## 1/8 Bend, Street

(45° Street EII) SPIGOT X HUB				
SIZE	Α	В		
11/4 (PVC)	1	13/4		
11/2 (PVC)	11/8	11//8		
11/2 (ABS)	11/16	11//8		
2 (PVC)	11/2	23/8		
2 (ABS)	115/32	21/8		
3	13/4	31/4		
4	23/16	315/16		
6 (PVC)	21/16	55/64		
6 (ABS)	21/16	5		
8 (PVC)	2	63/32		
10 (PVC)	31/8	85/32		
12 (PVC)	331/64	91/2		
14 <sup>(F)</sup> (PVC)	93/8	15%16	·	
16 <sup>(F)</sup> (PVC)	105/16	181/2		



<sup>(</sup>F) Fabricated



## 1/16 Bend

(22 <sup>1</sup> / <sub>2</sub> °EII) HUB X HUB			
SIZE	A		
11/2	1/2		
2 (PVC)	11/16		
2 (ABS)	1/2		
3	<sup>13</sup> / <sub>16</sub>		
4	1		
6	11/2		
8 (PVC)	11/2		
10 (PVC)	2		
12 (PVC)	2		
14 <sup>(F)</sup> (PVC)	51/4		
16 <sup>(F)</sup> (PVC)	5 <sup>13</sup> / <sub>16</sub>		



#### **PART NO. 326**

#### 1/16 Bend, Street

[221/2° Street EII] SPIGOT X HUB SIZE Α R 11/2 1/2 11/4 2 11/16 11/2 3 13/16 25/16 4 1  $2^{3}/_{4}$ 6 (PVC) 53/64 11/2 8(F) (PVC) 61/8 1015/16 10(F) (PVC) 511/16 113/4 51/2 12(F) (PVC) 141/16 14(F) (PVC) 69/16  $13^{7}/_{8}$ 16(F) (PVC) 85/16 163/4




#### (F) Fabricated



## Double 1/4 Bend

	ALL HUB		
SIZE	Α	В	
11/2	13/4	13/4	
2 (PVC)	25/16	25/16	
2 (ABS)	21/4	25/16	
3 (PVC)	31/16	31/16	
3 (ABS)	3	3	
2 x 1½ x 1½ (PVC)	1 <sup>15</sup> / <sub>16</sub>	23/16	
2 x 1½ x 1½ (ABS)	129/32	2	



## PART NO. PVC 328

## 1/32 Bend

HUB X HUB		
SIZE	A	
8 <sup>(F)</sup> (PVC)	51/8	
10 <sup>(F)</sup> (PVC)	57/8	
12 <sup>(F)</sup> (PVC)	5 <sup>11</sup> / <sub>16</sub>	



#### (F) Fabricated



#### **PART NO. 329**

#### Closet Bend, Reducing

	Ū		
HUB X HUB SIZE A B			
3 x 4 (PVC)	3	33/8	
3 x 4 (ABS)	33/32	37/16	



#### **PART NO. 330**

#### Closet Bend, Reducing

SIZE	A	В	
3 x 4	51/16	311/32	



#### PART NO. 330X

# Closet Bend, Reducing with Test Cap

	HUB X SPIGOT				
SIZE	A B				
3 x 4	51/16 311/32				



#### **PART NO. 331**

#### Vent Ell

(90° Short Turn Ell)

` HUB X HUB				
SIZE	A			
11/2	<b>1</b> 3⁄16			
2	11/2			
3	17/8			





#### **PART NO. 333**

#### Vent Ell, Street (90° Short Turn Street Ell)

HUB X SPIGOT					
SIZE	SIZE A B				
11/2 (PVC)	17/32	115/16			
11/2 (ABS)	13/16	115/16			
2	11/2	23/8			
3 (PVC)	17/8	31/2			



#### **PART NO. 400**

## Sanitary Tee

ALL HUB			
SIZE	Α	В	
11/4 (PVC)	19⁄16	25/16	
11/2 (PVC)	13/4	23/4	
11/2 (ABS)	1 <sup>23</sup> / <sub>32</sub>	221/32	
2 (PVC)	25/16	311/16	
2 (ABS)	25/16	319/32	
3 (PVC)	31/16	47/8	
3 (ABS)	31/32	413/16	
4	37/8	61/8	
6	5	81/2	
8 (PVC)	6	101/2	
10 <sup>(F)</sup> (PVC)	16 <sup>13</sup> / <sub>32</sub>	16½	
12 <sup>(F)</sup> (PVC)	191/8	191/2	




#### (F) Fabricated



#### PART NO. PVC 400A

Straight Tee [N]

ALL HUB							
SIZE	SIZE A B C						
8 <sup>(N)</sup> (PVC)	9	41/2	41/2	41/2			
10 <sup>(N)</sup> (PVC)	121/2	61/4	61/4	65/16			
12 <sup>(N)</sup> (PVC)	147/16	77/32	77/32	71/4			
14 <sup>(N)(F)</sup> (PVC)	21	101/2	10½	115//8			
16 <sup>(N)(F)</sup> (PVC)	237/8	11 <sup>15</sup> / <sub>16</sub>	11 <sup>15</sup> ⁄ <sub>16</sub>	143/16			



#### **PART NO. 401**

# Sanitary Tee, Reducing

•	ALL HUB	•	•	
SIZE	Α	В	С	
2 x 1½ x 1½ (PVC)	23/16	31/8	1 <sup>15</sup> / <sub>16</sub>	
2 x 1½ x 1½ (ABS)	<b>2</b> 5/32	31/16	1 <sup>29</sup> / <sub>32</sub>	
2 x 1½ x 2 (PVC)	25/16	311/16	25/16	
2 x 1½ x 2 (ABS)	29/32	319/32	21/4	
2 x 2 x 1½	23/16	31/8	1 <sup>15</sup> / <sub>16</sub>	
3 x 3 x 1½ (PVC)	29/16	211/16	13/4	
3 x 3 x 1½ (ABS)	21/2	25/8	1 <sup>23</sup> / <sub>32</sub>	
3 x 3 x 2 (PVC)	27/8	35/16	21/8	
3 x 3 x 2 (ABS)	27/8	31/4	21/32	
4 x 4 x 1½ (PVC)	31/4	31/16	2	
4 x 4 x 2	35/16	33/16	21/16	
4 x 4 x 3 (PVC)	39/16	43/4	3	
4 x 4 x 3 (ABS)	317/32	4 <sup>21</sup> / <sub>32</sub>	231/32	
6 x 6 x 4 (PVC)	4 <sup>27</sup> / <sub>32</sub>	63/64	3 <sup>25</sup> / <sub>32</sub>	
6 x 6 x 4 (ABS)	49/32	5 <sup>25</sup> / <sub>32</sub>	319/32	
8 x 8 x 4** (PVC)	91/8	107/16	6	
8 x 8 x 6** (PVC)	73/4	1031/64	63/64	



<sup>(</sup>F) Fabricated

<sup>(</sup>N) Not a sanitary pattern


<sup>\*\*</sup> Assembled from two molded components



#### PART NO. PVC 401A

# Straight Tee, Reducing (N)

ALL	ALL HUB							
SIZE	A	В	С					
8 x 8 x 4 <sup>(N)**</sup> (PVC)	77/8	101/2	51/4					
8 x 8 x 6 <sup>(N)**</sup> (PVC)	67/8	101/2	51/4					
10 x 10 x 4 <sup>(N)**</sup> (PVC)	91/4	103//8	53/16					
10 x 10 x 6 <sup>(N)**</sup> (PVC)	8	103//8	53/16					
10 x 10 x 8 <sup>(N)</sup> (PVC)	611/32	103//8	5 <sup>3</sup> / <sub>16</sub>					
12 x 12 x 4 <sup>(N)***</sup> (PVC)	927/32	101/4	51/8					
12 x 12 x 6 <sup>(N)**</sup> (PVC)	8 <sup>29</sup> / <sub>32</sub>	101/4	51/8					
12 x 12 x 8 <sup>(N)</sup> (PVC)	75/32	101/4	51/8					
12 x 12 x 10 <sup>(N)</sup> (PVC)	73/16	127/16	67/32					
14 x 14 x 4 <sup>(N)(F)</sup> (PVC)	1011/16	10	5					
14 x 14 x 6 <sup>(N)(F)</sup> (PVC)	111/4	12	6					
14 x 14 x 8 <sup>(N)(F)</sup> (PVC)	115/8	15	71/2					
14 x 14 x 10 <sup>(N)(F)</sup> (PVC)	12	17	81/2					
14 x 14 x 12 <sup>(N)(F)</sup> (PVC)	123/8	19	91/2					
16 x 16 x 4 <sup>(N)(F)</sup> (PVC)	12 <sup>15</sup> / <sub>16</sub>	103//8	53/16					
16 x 16 x 6 <sup>(N)(F)</sup> (PVC)	121/4	14	7					
16 x 16 x 8 <sup>(N)(F)</sup> (PVC)	125/8	16	8					
16 x 16 x 10 <sup>(N)(F)</sup> (PVC)	13	18	9					
16 x 16 x 12 <sup>(N)(F)</sup> (PVC)	137/16	193/4	97/8					



<sup>(</sup>F) Fabricated

<sup>(</sup>N) Not a sanitary pattern

<sup>\*\*</sup> Assembled from two molded components

<sup>\*\*\*</sup> Assembled from three molded components



#### **PART NO. 403**

# Sanitary Tee, Street

	SPIGOT X HUB X HUB				
SIZE	A	В	С		
11/2 (PVC)	13/4	31/2	21/2		
11/2 (ABS)	123/32	313/32	215/32		
2 (PVC)	25/16	49/16	37/32		
2 (ABS)	25/16	415/32	31/8		
3	3	63/8	49/16		
4	37/8	77/8	55/8		



#### **PART NO. 404**

# Sanitary Tee, Street Reducing

SPIGOT X HUB X HUB					
SIZE	Α	В	С		
2 x 1½ x 1½ (PVC)	25/32	4	227/32		
2 x 1½ x 1½ (ABS)	23/16	4	23/4		
2 x 1½ x 2 (ABS)	25/16	$4^{17}/_{32}$	31/8		
2 x 2 x 1½ (PVC)	21/8	4	27/8		
2 x 2 x 1½ (ABS)	<b>2</b> 5/32	315/16	27/8		
3 x 3 x 1½	29/16	43/16	31/4		
3 x 3 x 2	27/8	43/4	35/8		
4 x 4 x 2 (PVC)	<b>3</b> 5⁄16	4 <sup>15</sup> / <sub>16</sub>	313/16		





#### Tee Cross


ALL HUB					
SIZE	Α	В	С		
6 x 6 x 4 x 4 <sup>(F)</sup> (PVC)	511/16	91/4	45/8		
6 x 6 x 6 x 6 <sup>(F)</sup> (PVC)	61/8	103/4	53/8		
8 x 8 x 4 x 4 <sup>(F)</sup> (PVC)	65/16	87/8	47/16		
8 x 8 x 6 x 6 <sup>(F)</sup> (PVC)	77/32	107/8	5 <sup>7</sup> /16		
8 x 8 x 8 x 8 (F) (PVC)	85/16	131/8	69/16		
10 x 10 x 4 x 4 <sup>(F)</sup> (PVC)	73/4	12	6		
10 x 10 x 6 x 6 <sup>(F)</sup> (PVC)	81/2	111/2	53/4		
10 x 10 x 8 x 8 <sup>(F)</sup> (PVC)	87/8	131/2	63/4		
10 x 10 x 10 x 10 (PVC)	8	183//8	93/16		
12 x 12 x 4 x 4 <sup>(F)</sup> (PVC)	87/8	10	5		
12 x 12 x 6 x 6 <sup>(F)</sup> (PVC)	93/4	12	6		
12 x 12 x 8 x 8 <sup>(F)</sup> (PVC)	97/8	153/4	77/8		
12 x 12 x 10 x 10 <sup>(F)</sup> (PVC)	101/4	16	8		
12 x 12 x 12 x 12 <sup>(F)</sup> (PVC)	91/8	21	101/2		



#### **PART NO. 416**

## Sanitary Tee with Left Side Inlet

ALL HUB					
SIZE	Α	В	С		
3 x 3 x 3 x 1½	31/16	47/8	311/16		
3 x 3 x 3 x 2 (PVC)	31/16	47/8	311/16		
3 x 3 x 3 x 2 (ABS)	31/32	413/16	3 <sup>23</sup> / <sub>32</sub>		
4 x 4 x 4 x 2 (PVC)	37/8	61/8	5		



#### (F) Fabricated



# PART NO. 417

# Sanitary Tee with Right Side Inlet

ALL HUB						
SIZE	A B	С				
3 x 3 x 3 x 1½	31/16 47/8	311/16				
3 x 3 x 3 x 2 (PVC)	31/16 47/8	311/16				
3 x 3 x 3 x 2 (ABS)	31/32 427/32	<b>3</b> 5/8				
4 x 4 x 4 x 2 (PVC)	31/8 61/8	5				
			_			





# PART NO. 418

## Sanitary Tee with Left & Right Side Inlets

ALL HUB						
SIZE	Α	В	С			
3 x 3 x 3 x 2 x 2	31/16	47/8	311/16			
4 x 4 x 4 x 2 x 2 (PVC)	37/8	61/8	5			






#### **PART NO. 428**

# **Double Sanitary Tee**

Α	В	
13/4	23/4	
123/32	25/8	
25/16	311/16	
25/16	39/16	
31/16	47/8	
37/8	61/8	
3 <sup>27</sup> / <sub>32</sub>	61/32	
	1 <sup>3</sup> / <sub>4</sub> 1 <sup>23</sup> / <sub>32</sub> 2 <sup>5</sup> / <sub>16</sub> 2 <sup>5</sup> / <sub>16</sub> 3 <sup>1</sup> / <sub>16</sub> 3 <sup>7</sup> / <sub>8</sub>	13/4 23/4 123/32 25/8 25/16 311/16 25/16 39/16 31/16 47/8 37/8 61/8





#### **PART NO. 429**

# Double Sanitary Tee, Reducing (Sanitary Cross)

ALL HUB					
SIZE	Α	В	С		
2 x 2 x 1½ x 1½ (PVC)	23/16	31/8	1 <sup>15</sup> / <sub>16</sub>		
2 x 2 x 1½ x 1½ (ABS)	<b>2</b> 5/32	35/32	2		
3 x 3 x 1½ x 1½ (PVC)	29/16	211/16	13/4		
3 x 3 x 1½ x 1½ (ABS)	21/2	219/32	15/8		
3 x 3 x 2 x 2 (PVC)	27/8	35/16	21/8		
3 x 3 x 2 x 2 (ABS)	229/32	37/32	25/32		
4 x 4 x 2 x 2 (PVC)	35/16	33/16	21/16		
4 x 4 x 2 x 2 (ABS)	39/32	31/8	2		
4 x 4 x 3 x 3 (PVC)	39/16	43/4	3		
4 x 4 x 3 x 3 (ABS)	35/8	421/32	231/32		




#### PART NO. PVC 431

#### Double Sanitary Tee Street, Reducing (Sanitary Cross)





# Double Sanitary Tee with Side Inlet (Sanitary Cross)






#### PART NO. PVC 439

# Double Sanitary Tee with Left & Right Side Inlets

(Sanitary Cross)

SIZE	A	В	С		
3x3x3x3x2x2 (PVC)	31/16	47/8	311/16		
4x4x4x4x2x2 (PVC)	31//8	61/8	5		





#### **PART NO. 441**

Vent Tee				
	ALL H	IUB		
SIZE	Α	В		
1½ (PVC)	13/16	23/8		
1½ (ABS)	17/32	213/32		
2	11/2	3		
3 (PVC)	11//8	33/4		
3 (ABS)	115/16	33/4		
4 (PVC)	21/2	5		





#### PART NO. 444X

# **Cleanout Tee with Cleanout Plug**

HUB X HUB X FPT					
SIZE	A	В	С		
11/2	115/16	23/8	13/16		
2	21/4	3	11/2		
_3	211/16	31/8	1 <sup>15</sup> / <sub>16</sub>		
4	<b>3</b> %	51/8	29/16		
_ 6 (PVC)	4	8	4		
6 x 6 x 4** (PVC)	8	8	4		
8 (PVC)	51/4	10½	55/32		
8 x 8 x 4 <sup>(F)</sup> (PVC)	73/4	91/4	45/8		
8 x 8 x 6*** (PVC)	101/2	101/2	51/4		
10 (PVC)	123/4	121/2	61/4		
10 x 10 x 4 <sup>(F)</sup> (PVC)	87/8	93/4	47/8		
10 x 10 x 6 <sup>(F)</sup> (PVC)	105/8	113/4	57//8		
10 x 10 x 8 (PVC)	103//8	103//8	53/16		
12 (PVC)	13%	141/2	71/4		
12 x 12 x 4 <sup>(F)</sup> (PVC)	911/16	10	5		
12 x 12 x 6** (PVC)	95/16	121/8	61/16		
12 x 12 x 8 (PVC)	115/32	101/4	61/32		
12 x 12 x 10 <sup>(F)</sup> (PVC)	135/16	121/2	61/4		



See Part No. 106 for plug dimensions.

<sup>(</sup>F) Fabricated

<sup>\*\*</sup> Assembled from two molded components

<sup>\*\*\*</sup> Assembled from three molded components



#### **PART NO. 445**

# Cleanout Tee

HUB X HUB X FPT					
SIZE	Α	В	С		
11/2 (PVC)	1 <sup>15</sup> / <sub>16</sub>	23/8	13/16		
11/2 (ABS)	1 <sup>31</sup> / <sub>32</sub>	21/2	11/4		
2	21/4	3	11/2		
3 (PVC)	211/16	37/8	1 <sup>15</sup> / <sub>16</sub>		
3 (ABS)	211/16	313/16	115/16		
4 (PVC)	33/8	51/8	29/16		
4 (ABS)	33/8	5	21/2		
6 (PVC)	4	8	4		
8 (PVC)	51/4	101/2	55/32		
10 (PVC)	81/4	121/2	61/4		
10 x 10 x 6 <sup>(F)</sup> (PVC)	105/8	113/4	57/8		
12 (PVC)	91/4	14³⁄8	73/16		



#### PART NO. PVC 445X

## Flush Cleanout Tee with Cleanout Plug

For dimensions see Part Numbers 445 and 110.



#### (F) Fabricated



#### **Horizontal Twin Tee**

ALL HUB					
SIZE	Α	В	С	D	
3 x 3 x 1½ x 1½ (PVC)	7/8	13/4	13/32	29/16	






#### **PART NO. 448**

Two-Way Cleanout

ALL HUB				
SIZE	A			
3	41/16			
4	4 <sup>15</sup> / <sub>16</sub>			



#### PART NO. PVC 449

# Sanitary Tee with 2" Left Hand Sanitary Inlet on Center


ALL HUB				
SIZE	Α	В		
2 (PVC)	25/16	311/16		





# PART NO. 500 Double Fixture Fitting


ALL HUB						
SIZE	Α	В	С			
2 (PVC)	31/2	45/8	$4\frac{1}{4}$			
2 (ABS)	315/32	417/32	47/32			
2 x 1½ x 1½ x 1½ (PVC)	27/8	31/2	31/8			
2 x 1½ x 1½ x 1½ (ABS)	$2^{27}/_{32}$	39/16	33/32			
2 x 1½ x 2 x 2 (ABS)	315/32	417/32	47/32			
2 x 2 x 1½ x 1½ (PVC)	27/8	31/2	31/8			
2 x 2 x 1½ x 1½ (ABS)	2 <sup>27</sup> / <sub>32</sub>	313/32	31/16			
3 (PVC)	415/16	63/4	61/4			
3 (ABS)	47/8	65/8	61/8			
3 x 2 x 3 x 3 (ABS)	47/8	65/8	61/4			



# **PART NO. 501**

# Combination Wye & 1/8 Bend

(One Piece) ALL HUB						
SIZE	Α	В	С			
11/2 (PVC)	315/16	31/2	315/16			
11/2 (ABS)	37/8	31/2	313/16			
2 (PVC)	51/8	47/16	51/8			
2 (ABS)	55/32	47/16	5			
3 (PVC)	79/16	61/2	79/16			
3 (ABS)	717/32	615/32	77/16			
4 (PVC)	10	81/2	10			
4 (ABS)	931/32	815/32	927/32	•		






# PART NO. 502 Combination Wye & 1/8 Bend, Reducing

(One Piece)


ALL HUD					
SIZE	Α	В	С		
2 x 1½ x 1½ (PVC)	43/16	31/2	315/16		
2 x 1½ x 1½ (ABS)	41/8	317/32	33/4		
2 x 2 x 1½ (PVC)	43/16	31/2	315/16		
2 x 2 x 1½ (ABS)	41/8	37/16	37/8		
3 x 3 x 1½	43/4	31/2	315/16		
3 x 3 x 2	511/16	47/16	51/8		
4 x 4 x 2	61/8	41/2	51/8		
4 x 4 x 3 (PVC)	81/16	61/2	79/16		
4 x 4 x 3 (ABS)	729/32	613/32	75/16		



#### PART NO. PVC 503

# Combination Wye & 1/8 Bend

(Two Pieces) ALL HUB SIZE С В 6° (PVC) 1115/32 101/8 119/64 8° (PVC) 1419/32 141/8 1423/32 10° (PVC) 181/2 161/2 181/4 12<sup>\infty</sup> (PVC) 211/2 191/2 211/2 14<sup>(F)∞</sup> (PVC) 367/8 321/2 373/16 16<sup>(F)∞</sup> (PVC) 391/2 351/2 3913/16




<sup>(</sup>F) Fabricated


Fitting shipped with street bend strapped to fitting.



# Combination Wye & 1/8 Bend, Reducing

(Two Pieces) ALL HUB





<sup>(1)</sup> One piece short pattern

<sup>(</sup>F) Fabricated

<sup>§</sup> Fitting shipped with any required bushing(s) installed, street bend strapped to fitting; assembled from molded components.


<sup>∞</sup> Fitting shipped with street bend strapped to fitting.



# Double Combination Wye & 1/8 Bend

(Three Pieces or Five Pieces)


ALL HUR						
SIZE	Α	В	С			
4 (PVC)	913/32	81/4	95/32			
2 x 2 x 1½ x 1½ (PVC)	47/8	43//8	415/16			
3 x 3 x 2 x 2 (PVC)	65/64	415/16	511/64			
4 x 4 x 2 x 2 (PVC)	75/16	5	6			
4 x 4 x 3 x 3 (PVC)	819/64	65/8	719/32			
6 x 6 x 4 x 4 <sup>§</sup> (PVC)	1121/32	101//8	103/16			



#### PART NO. PVC 515

# Combination Wye & 1/8 Bend with Left Side Inlet

ALL HUB						
SIZE	Α	В	С	D	Е	
3 x 3 x 3 x 2 (PVC)	65/16	731/64	51/4	33/8	11//8	







#### PART NO. PVC 516

# Combination Wye & 1/8 Bend with Right Side Inlet

ALL HUB					
SIZE	Α	В	С	D	Е
3 x 3 x 3 x 2 (PVC)	65/16	731/64	51/4	33/8	17/8








# Combination Wye & 1/8 Bend with Left & Right Side Inlets

ALL HUB					
SIZE	Α	В	С	D	Е
3x3x3x2x2 (PVC)	65/16	731/64	51/4	33/8	11//8



#### **PART NO. 600**

	 _	Wye
		(45° Wye)
		ALL HILD

ALL HÜB						
SIZE	Α	В	С			
11/4 (PVC)	35/8	11/16	29/16			
1½ (PVC)	4	11//8	27/8			
1½ (ABS)	41/32	11//8	215/16			
2	5	13/8	35/8			
3	65/8	15/8	5			
4 (PVC)	81/4	11//8	63/8			
4 (ABS)	81/16	13/4	65/16			
6 (PVC)	101//8	13/4	87/16			
6 (ABS)	915/16	1 <sup>23</sup> / <sub>32</sub>	83/16			
8 (PVC)	141/8	23/8	113/4			
10 (PVC)	161/2	27/8	135/8			
12 (PVC)	197/16	311/32	16			
14 <sup>(F)</sup> (PVC)	313//8	8	221/4			
16 <sup>(F)</sup> (PVC)	365/16	103/4	253/16			




#### (F) Fabricated



# PART NO. 601 Wye, Reducing

(45° Wye) ALL HUB





Part No. 601 Continued next page

<sup>\*\*</sup> Assembled from two molded components.



#### PART NO. 601, continued Wye, Reducing

(45° Wye) ALL HUB

	ALL HŬB		
SIZE	Α	В	С
12 x 12 x 4** (PVC)	131/2	1/2	16 <sup>23</sup> / <sub>32</sub>
12 x 12 x 6** (PVC)	131/2	1/2	15 <sup>29</sup> / <sub>64</sub>
12 x 12 x 8 (PVC)	1319/32	1/2	131//8
12 x 12 x 10 (PVC)	171/16	11//8	153/32
14 x 14 x 4(F) (PVC)	123/8	137/64	15 <sup>23</sup> / <sub>64</sub>
14 x 14 x 6(F) (PVC)	15 <sup>51</sup> / <sub>64</sub>	15/64	18 <sup>37</sup> / <sub>64</sub>
14 x 14 x 8(F) (PVC)	1549/64	31/64	16 <sup>51</sup> / <sub>64</sub>
14 x 14 x 10(F) (PVC)	1857/64	343/64	1829/32
14 x 14 x 12 <sup>(F)</sup> (PVC)	257/8	59/16	20
16 x 16 x 4 <sup>(F)</sup> (PVC)	1211/16	19/16	151/4
16 x 16 x 6 <sup>(F)</sup> (PVC)	153/4	3/16	173/16
16 x 16 x 8 <sup>(F)</sup> (PVC)	187/16	19/16	183//8
16 x 16 x 10 <sup>(F)</sup> (PVC)	23	31/2	195/8
16 x 16 x 12 <sup>(F)</sup> (PVC)	263/8	41/2	213/4
16 x 16 x 14 <sup>(F)</sup> (PVC)	271/2	51/4	239/16
			,



#### **PART NO. 602**

Wye, Street

(45° Wye) SPIGOT X HUB X HUB SIZE В С Α 11/2 (PVC) 43/4 17/8 27/8 17/8 11/2 (ABS) 45/8 227/32 57/8 21/4 35/8 3 5 81/8 31/8 4 (PVC) 915/16 35/8 61/4 4 (ABS) 929/32 35/8 61/4



<sup>(</sup>F) Fabricated

<sup>\*\*</sup> Assembled from two molded components.



#### **PART NO. 603**

# Wye, Street, Reducing


(45° Wye) SPIGOT X HUB X HUB SIZE В С 3 x 3 x 1½ (PVC) 5¾ 2  $4^{7}/_{32}$ 3 x 3 x 2 23/8 61/2 45/8 4 x 4 x 2 (PVC) 515/64 623/32 21/8 4 x 4 x 3 83/8 213/16 6



#### **PART NO. 611**

# Double Wye

ALL HUB						
SIZE	Α	В	С			
11/2 (PVC)	4	11/8	27/8			
11/2 (ABS)	315/16	15/32	2 <sup>27</sup> / <sub>32</sub>			
2 (PVC)	5	13/8	35/8			
2 (ABS)	5	11/2	311/16			
3 (PVC)	65/8	15/8	5			
3 (ABS)	617/32	19/16	5			
4 (PVC)	81/4	11//8	63/8			
4 (ABS)	85/32	115/16	<b>6</b> 5⁄16			
6 (PVC)	103/16	13/4	87/16			
8 <sup>(F)</sup> (PVC)	191/16	47/8	135//8			
10 <sup>(F)</sup> (PVC)	221/16	511/16	161/4			
12 <sup>(F)</sup> (PVC)	195/16	67/8	257/8			
14 <sup>(F)</sup> (PVC)	287/16	71/8	203//8			




#### PART NO. PVC 611S

# Double Wye with 2" Side Inlet

(Double 45° Wye)

ALL HUB						
SIZE	Α	В	С	D		
3 x 3 x 3 x 2 (PVC)	65/8	15/8	5	13/4		





#### (F) Fabricated



# PART NO. 612 Double Wye, Reducing

(Double 45° Wye) ALL HUB






<sup>(</sup>F) Fabricated

<sup>\*\*</sup> Assembled from two molded components.



## Wye with Left Side Inlet


ALL HUB					
SIZE	С	D	E		
3 x 3 x 3 x 2 (PVC)	65/8	15/8	5	21/4	13/4
4 x 4 x 4 x 2 (PVC)	81/4	11//8	63/8	21/2	35/16



## PART NO. PVC 626

## Wye with Right Side Inlet


ALL HUB						
	SIZE	Α	В	С	D	Ε
	3 x 3 x 3 x 2 (PVC)	65/8	15/8	5	21/4	13/4
	4 x 4 x 4 x 2 (PVC)	81/4	11//8	63/8	21/2	35/16



#### **PART NO. 700**

#### Return Bend

McCarri Deria							
	HUB X HUB						
SIZE	Α	В	С				
11/2 (PVC)	31/2	13/4	13/4				
11/2 (ABS)	315/32	117/32	117/32				
2	5	21/4	21/4				
3 (PVC)	63/4	31/16	31/16				
3 (ABS)	6 <sup>25</sup> / <sub>32</sub>	231/32	231/32				
4 (PVC)	81/2	311/16	311/16				
4 (ABS)	87/16	311/16	311/16				






#### PART NO. ABS 704P

# Tail Piece Adapter with Plastic Nut & Packing Ring


SPIGOT X SLIP			
SIZE	A		
11/2 (ABS)	23/16		



#### **PART NO. 706X**

## P-Trap with Solvent Weld Joint


HUB X HUB				
SIZE	Α	В	С	
11/2	45/8	315/16	13/4	
2	613/16	47/8	23/8	
3	815/16	615/16	31/16	
4	111/16	87/16	311/16	



#### **PART NO. 707X**

## P-Trap with Cleanout & Solvent Weld Joint

HUB X HUB						
SIZE	SIZE A B C					
11/2 (PVC)	45/8	315/16	13/4			
11/2 (ABS)	421/32	31/2	19/16			
2 (PVC)	63/4	411/16	25/16			
2 (ABS)	625/32	411/16	21/4			







#### **PART NO. 708P**

## P-Trap with Union & Plastic Nut

SIZE	Α	В	С	
11/4 (PVC)	49/16	31/2	13/8	
11/2 (PVC)	45/8	315/16	13/4	
11/2 (ABS)	429/32	$4^{3}/_{32}$	19/16	
2 (PVC)	613/16	47/8	23/8	
2 (ABS)	6 <sup>25</sup> / <sub>32</sub>	45/8	21/4	




ABS 708P, 11/2" ONLY



## **PART NO. 708X** P-Trap with Union & Chrome Nut


HUB X HUB					
SIZE	С				
11/2 (PVC)	45/8	315/16	13/4		
11/2 (ABS)	4 <sup>29</sup> / <sub>32</sub>	43/32	19⁄16		



## PART NO. PVC 709X

# P-Trap with Cleanout, Union & Chrome Nut


HUB X HUB					
SIZE	Α	В	С		
11/2 (PVC)	45/8	315/16	11/2		





#### Low Profile P-Trap with Solvent Weld


SIZE	С			
2 (PVC)	613/16	49/16	23/8	



#### **PART NO. 711P**

# L.A. Pattern P-Trap Furnished with a 1½" and 1½" x 1¼" Polyethylene Nut/Washer Combination


SIZE				
1½ (PVC)	43/4	415/64	37/16	
11/2 (ABS)	49/16	41/8	317/32	



#### **PART NO. 711W**

# L.A. Pattern P-Trap Furnished with a 11/2" ABS or PVC Nut, a 11/2" Washer and a 11/2" x 11/4" Washer


SLIP Union X HUB				
SIZE	Α	В	С	
11/2 (PVC)	43/4	415/64	37/16	
11/2 (ABS)	55/22	415/64	345/64	



#### PART NO. PVC 711X

# L.A. Pattern P-Trap Furnished with a $1^{1/2}$ " Chrome Nut, a $1^{1/2}$ " Washer and a $1^{1/2}$ " X $1^{1/4}$ " Washer

	41144	- / - /	- /			
SLIP Union X HUB						
	SIZE	Α	В	С		
	11/2 (PVC)	43/4	415/64	37/16		





#### **PART NO. 720X**


Drum Trap нив х нив			
SIZE	Α	В	
3 x 6 x 1½ (PVC)	413/16	111/16	
3 x 6 x 1½ (ABS)	421/32	123/32	



#### **PART NO. 800 & 800K**

**Closet Flange** 

HUB END					
SIZE	Α	В	С		
4 x 3	7	11/4	7/16		
4 x 4*	7	11/4	7/16		
4 7 4		174	716		



#### **PART NO. 800S**

**Closet Flange with Stop** 


HUB END					
SIZE	Α	В	С	D	
4 x 3	7	21/4	7/16	11/2	



#### **PART NO. 801**

#### Closet Flange, Reducing

SPIGOT					
SIZE	Α	В	С	D	
4 x 3 (PVC)	7	23/4	1 <sup>21</sup> / <sub>32</sub>	7/16	
4 x 3 (ABS)	71/32	23/4	19⁄16	<sup>7</sup> / <sub>16</sub>	




<sup>\*</sup> Part No. 800K, 4x4" is not available in ABS.



#### PART NO. ABS 808

**Male Closet Flange** 


MPT					
SIZE	Α	В	С		
4 x 3 (ABS)	7	211/16	15/32		



#### PART NO. PVC 810K

# Closet Flange, Adjustable with Plastic Ring


SIZE	Α	В	С	
4 x 3 (PVC)	7	11//8	7/16	



#### PART NO. ABS 811P

## Closet Flange, Adjustable with Plastic Ring


HUB END						
SIZE	Α	В	С			
4 x 3 (ABS)	7	11//8	7/16			
4 x 4 (ABS)	7	11/8	7/16			



#### **PART NO. 811**

#### Closet Flange, Adjustable with Metal Ring

0.0001	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		**********	6
	HUB	END		
SIZE	Α	В	С	
4 x 3	7	11/4	1/4	
4 x 4	7	11/8	1/4	






#### PART NO. PVC 811K

#### Closet Flange, Adjustable with Metal Ring


	HUB END					
	SIZE	Α	В	С		
4	x 3 (PVC)	7	11/4	1/4		



#### **PART NO. 812**

# Closet Flange, Adjustable with Metal Ring


SIZE	Α	В	С	
4 x 3 (PVC)	7	25/8	1/4	
4 x 3 (ABS)	7	23/4	1/4	
4 x 4 (PVC)	7	25/8	1/4	
4 x 4 (ABS)	7	213/32	1/4	



#### **PART NO. 812P**

#### Closet Flange, Adjustable with Plastic Ring

	SPIGOT				
	SIZE	Α	В	С	
	4 x 3 (PVC)	7	25/8	1/4	
	4 x 3 (ABS)	7	23/4	1/4	
Ξ	4 x 4 (PVC)	7	25/8	7/16	
_					




#### **PART NO. 815**

# Flush Closet Flange

(Fits Over 3" Pipe or Inside 4" Pipe)

	HL	JB		
SIZE	Α	В	С	
4 x 4 / 4 x 3	7	27/8	7/16	






#### **PART NO. 815K**

# Flush Closet Flange with Knockout

(Fits Over 3" Pipe or Inside 4" Pipe)
HUB

SIZE	Α	В	С	
4 x 4 / 4 x 3	7	27/32	7/16	



#### **PART NO. 820**

#### Offset Closet Flange, Adjustable with Metal Ring

(11/2" Offset)

		пир			
SIZE	Α	В	С	D	Ε
4 x 3	7	45/16	1/4	11/2	25/16



#### **PART NO. 820P**

#### Offset Closet Flange , Adjustable with Plastic Ring

(1 1/2" Offset)

		HUB			
SIZE	Α	В	С	D	E
4 x 3	7	45/16	7/16	11/2	25/16



#### PART NO. ABS 824

# Closet Flange, Adjustable with Metal Ring & 4" Extended Spigot

	SPI	GOT		
SIZE	Α	В	С	
4 (ABS)	7	411/16	1/4	






#### **PART NO. 900**

# Swivel Tray Plug Adapter with Washer


SPG X FPT			
SIZE	A	В	
11/2	1 <sup>23</sup> / <sub>32</sub>	15/32	



#### PART NO. ABS 900X

# Swivel Tray Plug Adapter with Washer, Extended


SPG X FPT			
SIZE	A	В	
11/2 (ABS)	27/16	15/32	



#### PART NO. ABS 910

#### Swivel Tray Plug Adapter with Washer

	HXF	PT
SIZE	Α	В
11/2 (ABS)	113/16	9/16





# Thin Wall PVC DWV Pipe

#### **PVC Thin Wall Schedule 30 Pipe**

PVC SCHEDULE 30 (White) PLAIN END ASTM D 2949					ГМ D 2949	
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)
PVC 9300	3"x10'	03963	1250′	3.25	.125	80.2

Weight is approximate and is for shipping purposes only.

Pipe listed in this section meets or exceeds the requirements of ASTM D 2949.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.



# **A WARNING**

Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and cause severe injury or death.

 NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC

pipe or fittings.

NEVER test PVC / ABS / CPVC pipe or fittings with compressed air or gas, or air over water boosters.


ONLY use PVC / ABS / CPVC pipe or fittings for water or approved chemicals. Refer to warnings on PPFA's website and ASTM D 1785.

67



# **PVC Thin Wall Schedule 30 Fittings**

#### **HUB DIMENSIONS**



#### PVC Thin Wall SCH 30 Fittings Hub Dimensional Tolerances

SIZE	A	В	С	D
3.25 O.D.	3.265	3.245	1.500	0.140
	±.008	±.008	MIN.	MIN.

#### **IPS Hub Dimensional Tolerances**

SIZE	A	В	С	D
11/2	1.915	1.894	0.750	0.156
1 /2	+.010/005	±.006	MIN.	MIN.
2	2.390	2.369	0.875	0.156
۷	+.010/005	±.006	MIN.	MIN.
3	3.520	3.498	1.500	0.218
3	+.010/005	±.008	MIN.	MIN.
4	4.520	4.491	1.500	0.250
4	+.010/005	±.009	MIN.	MIN.



<b>Coupling</b> нив х нив					
SIZE	Α	В	С		
3	3/16	37/32	117/32		



#### PART NO. PVC 1101

Female Adapter

FTP X HUB				
SIZE	Α	В	С	
3	3/16	11/2	117/32	



#### PART NO. PVC 1102

Pipe Increaser-Reducer


	UDD Y	TUB		
SIZE	Α	В	С	N
1½ x 3	23/4	3/4	11/2	11/4
2 x 3	23/4	7/8	11/2	11/4
4 x 3	47/32	19⁄16	13/4	27/32



#### PART NO. PVC 1105X

# Fitting Cleanout Adapter with Cleanout Plug

SPIGOT			
SIZE	Α	В	
3	7/32	117/32	



## **PART NO. PVC 1109**

# **Male Adapter**

	MPT X	HUB		
SIZE	Α	В	С	
3	5/16	11/2	11/2	





#### Reducer Bushing


HUB X SPIGOT				
SIZE	Α	В	С	
3 x 1½	25/16	11/2	3/4	
3 x 2	27/16	11/2	29/32	
4 x 3	21/8	13/4	15/8	



#### PART NO. PVC 1116

Cap

		SOCI	KET	
Ξ	SIZE	Α	С	
	3	25/16	115/16	



#### PART NO. PVC 1117

Adapter Coupling (Adapts S&D Hub to DWV Hub)

SPIGOT X SPIGOT		
SIZE	A	
4 x 3	9/16	



#### PART NO. PVC 1129

## **Hub Adapter**

(Auapis 3	II 3 Hub t	0.3 111111111	vali i ipej	
	SPIGOT	X HUB	•	
SIZE	Α	В		
3 x 3	11/2	125/32		



## PART NO. PVC 1130

#### Repair Coupling

	HUB X HUB	
SIZE	A	
3	33/16	





1/4 Bend

	HUB X		
SIZE	A	В	
3	27/8	117/32	



#### **PART NO. PVC 1302**

1/4 Bend. Street

SPIGOT X HUB					
	SIZE	A	В	С	
	3	27/8	49/32	117/32	



# **PART NO. PVC 1319**

1/6 Bend

	HUB X HUB	
SIZE	A	
3	1½	



#### PART NO. PVC 1321

1/8 Bend


HUB X HUB			
SIZE	Α	В	
3	11/32	117/32	·



#### PART NO. PVC 1323

1/8 Bend, Street

SPIGOT X HUB					
SIZE	Α	В	С		
3	11/32	217/32	117/32		





1/16 Rend

	HUB X HUB	
SIZE	A	
3	11/16	



#### PART NO. PVC 1400

Sanitaru Tee

HUB X HUB					
SIZE	Α	В	С		
3	231/32	41/2	117/32		



#### PART NO. PVC 1401

Sanitary Tee, Reducing

HUB X HUB					
SIZE	Α	В	С	D	Е
3 x 1½	29/16	211/16	111/16	11/2	3/4
3 x 2	27/32	33/8	131/32	11/2	7/8



#### PART NO. PVC 1418

#### Sanitary Tee with Right & Left Side Inlets

Sanitary lee with F	(ignt & L	ett Side	Iniets			
ALL HUB						
SIZE	A	В	С			
3 x 3 x 3 x 1½ x 1½	215/16	413/32	215/16			
3 x 3 x 3 x 2 x 2	215/16	413/32	215/16			







## **Double Sanitary Tee, Reducing**

HUB X HUB					
SIZE	Α	В	С	D	E
3 x 1½	21/4	221/32	125/32	117/32	25/32



#### PART NO. PVC 1444X

#### Cleanout Tee with Cleanout Plug


HUB X HUB X FTP					
SIZE	A	В	С		
3	23/4	33/4	17/8		



See Part No. 106 for plug dimensions.

# **PART NO. PVC 1600**


SIZE	Α	В	С	D
3	4 <sup>7</sup> / <sub>8</sub>	3/4	41/8	117/32



#### **PART NO. PVC 1601**

# Wye, Reducing


HUB A HUB						
SIZE	Α	В	С	D	Е	
3 x 1½	311/16	3/8	31/2	117/32	<sup>25</sup> / <sub>32</sub>	
3 x 2	311/16	1/4	43/8	117/32	7/8	



#### PART NO. PVC 1611

#### **Double Wye**


	HUB X HUB						
SIZE	A	В	С	D			
3	429/32	13/16	41/8	117/32			





#### **Closet Flange**


HUB						
SIZE	Α	В	С	D		
4 x 3	7	11/4	7/16	19/16		



#### PART NO. PVC 1800K

#### Closet Flange


HUB						
SIZE	Α	В	С	D		
4 x 3	7	11/4	7/16	19/16		



#### PART NO. PVC 1811

## Closet Flange, Adjustable with Metal Ring


HUB						
	SIZE		Α	В	С	D
	4 x 3		63/4	11/4	1/4	11/2



#### **PART NO. PVC 1812**

#### Closet Flange, Adjustable with Metal Ring

	SIZE	Α	В	С	D
	4 x 3	63/4	11/4	1/4	11/2





This is to certify that all Plastic Pipe and Fittings manufactured by Charlotte Pipe and Foundry Company are manufactured in the United States and conform to the following standards:

#### **PVC SCH. 40 SOLID WALL PIPE**

ASTM D 1784, ASTM D 1785, ASTM D 2665 FHA UM 79a FEDERAL SPECIFICATION L-P-320a NSF STANDARD NO. 14 AND 61

#### PVC SCH. 40 DWV CELLULAR CORE PIPE

ASTM D 4396, ASTM F 891 NSF STANDARD NO. 14

#### **PVC SCH. 40 DWV FITTINGS**

ASTM D 1784, ASTM D 2665, ASTM D 3311, ASTM F 1866 FHA UM 79a FEDERAL SPECIFICATION L-P-320a NSF STANDARD NO. 14

#### ConnecTite® PUSH-FIT DWV FITTINGS

ASME A112.4.4, IAPMO IGC 334 NSF STANDARD NO. 14

#### PVC SDR-21 AND SDR-26 PRESSURE PIPE

ASTM D 1784, ASTM D 2241 NSF STANDARD NO. 14 AND 61

#### **PVC SCH. 40 PRESSURE FITTINGS**

ASTM D 1784, ASTM D 2466 NSF STANDARD NO. 14 AND 61

#### **PVC SCH. 40 WELL CASING PIPE**

ASTM D 1784, ASTM F 480 NSF STANDARD NO. 14 AND 61

#### **PVC SCH. 80 PIPE**

ASTM D 1784, ASTM D 1785, PVC 1120 NSF STANDARD NO. 14 AND 61

#### **PVC SCH. 80 FITTINGS**

ASTM D 1784, ASTM D 2467, ASTM D 2464, ASTM F 1970 NSF STANDARD NO. 14 AND 61



#### **PVC SDR 35 SEWER MAIN PIPE**

ASTM D 1784, ASTM D 3034 SDR 35 ASTM D 3212, ASTM F 477

#### **PVC SEWER AND DRAIN PIPE**

ASTM D 1784, ASTM D 2729

#### **PVC THIN WALL PIPE & FITTINGS**

ASTM D 1784, ASTM D 2949 NSF STANDARD NO. 14

#### CPVC FLOWGUARD GOLD® CTS PIPE & FITTINGS

ASTM D 1784, ASTM D 2846 FHA UM-61a NSF STANDARD NO. 14. AND 61 CSA LISTED ON SPECIFIED ITEMS

#### CPVC CHEMDRAIN® SCH. 40 PIPE & FITTINGS

ASTM D 1784, ASTM F 2618 NSF STANDARD NO. 14

#### **ABS SCH. 40 DWV CELLULAR CORE PIPE**

ASTM D 3965, ASTM F 628 NSF STANDARD NO. 14

#### ABS PLUS® SCH. 40 DWV CELLULAR CORE PIPE

ASTM D 3965, ASTM D 4396, ASTM F 1488 NSF STANDARD NO. 14

#### **ABS SCH. 40 DWV FITTINGS**

ASTM D 3965, ASTM D 2661, ASTM D 3311 FHA UM 79a FEDERAL SPECIFICATION L-P-322b NSF STANDARD NO. 14



#### I IMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose. No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

- The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.

This Limited Warranty will not apply if:

- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:



Testing with or use of compressed air or gas in PVC / ABS / CPVC / Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.



- NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC / Cast Iron pipe or fittings.
   NEVER test PVC / ABS / CPVC / Cast
- Iron pipe or fittings with compressed air or gas, or air over water boosters.

  ONLY use PVC / ABS / CPVC / Cast Iron pipe or fittings for water or approved chemicals.
- Refer to warnings on PPFA's website and ASTM D 1785.

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

# Purchaser must obtain a return materials authorization and instructions for return

shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

4/24/15

Charlotte and Charlotte Pipe are registered trademarks of Charlotte Pipe and Foundry Company.

# ConnecTite® Limited Warranty

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) ConnecTite® Products are warranted to be free from manufacturing defects and to conform to currently applicable standards for a period of ten (10) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose. No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe. This Limited Warranty will not apply if:

- The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the ASTM standard or that are not marked in a manner to indicate the entity that manufactured them.
- 4) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 5) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 6) The Products fail due to the freezing of water in the Products.
- 7) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 8) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

# **A WARNING**

Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and cause severe injury or death.



- NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC pipe or fittings.
- NEVER test PVC / ABS / CPVC pipe or fittings with compressed air or gas, or air
- over water boosters.
  ONLY use PVC / ABS / CPVC pipe or
- fittings for water or approved chemicals.

  Refer to warnings on PPFA's website and ASTM D 1785.

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error. Please refer to the Return Material Policy on the back of this page for specific instructions on returning materials to Charlotte Pipe.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

3/29/17

ConnecTite, Charlotte and Charlotte Pipe are registered trademarks of Charlotte Pipe and Foundry Company.





P0 B0X 35430

CHARLOTTE

NORTH CAROLINA 28235

PHONE (704) 348-6450

(800) 572-4199

FAX (800) 553-1605

WWW.CHARLOTTEPIPE.COM

